

ELEVATION REFERENCE MONUMENT

ERM: 281

Panel: 1810

Elevation (NAVD88): 3267.11

Elevation (NGVD29): 3264.71

Latitude: 34°42'11" N

Longitude: 111°54'14" W

Description: U.S. Department of Interior Bureau of land management brass cap, in 4-Inch diameter soil pipe stamped "T15N, R4E 1964", approximately 69 feet south of dirt road centerline and approximately 110 feet east of a power pole with transformer and approximately 80 feet southeast of a 12 foot high power pole and approximately 69 feet south of a metal gate and approximately 3 feet southeast of fence corner and at the joining corners of Sections 10, 11 15 and 14.

1810

NATIONAL FLOOD INSURANCE PROGRAM

FIRM ORIGINAL
FLOOD INSURANCE RATE MAP

YAVAPAI COUNTY,
ARIZONA AND
INCORPORATED AREAS

PANEL 1810 OF 3925

(SEE MAP INDEX FOR PANELS NOT PRINTED)

CONTAINS
COMMUNITY

NUMBER PANEL SUFFIX

YAVAPAI COUNTY,
UNINCORPORATED AREAS

04C093 1810 F

MAP NUMBER
04025C1810 F

EFFECTIVE DATE:
JUNE 6, 2001



Federal Emergency Management

111°56'15"

34°45'00"

ELEVATION REFERENCE MARKS

REFERENCE MARK	ELEVATION (FEET NGVD)	DESCRIPTION OF LOCATION
----------------	-----------------------	-------------------------

1

RM81	3363.73	Aerial Mapping Company chiseled X in the top of curb of the transition from 4-inch rolled curb to vertical curb adjoining the east end of the north headwall of Oak Creek Valley Drive bridge, which crosses Spring Creek, approximately 2,350 feet west and approximately 150 feet south of the northeast corner of Section 34, T16N, R4E.
------	---------	---

See RM 30A in 82A RM Book

RM82	3381.44	Aerial Mapping Company chiseled X in the south corner of the east headwall of the concrete ford which crosses Oak Creek at Mormon's Crossing on Mormon Crossing Road, approximately 2,100 feet east and approximately 600 feet south of the northwest corner of Section 35, T16N, R4E.
-----------------	---------	--

RM280	3523.40	Aerial Mapping Company 1/2-inch rebar with aluminum cap flush with premark atop Sugarloaf ruins on the north side, approximately 30 feet from edge, approximately 2,000 feet east and 1,800 feet south of the northwest corner Section 15, T15N, R4E.
-------	---------	---

2

RM281	3264.71	U.S. Department of Interior Bureau of land management brass cap, in 4-inch diameter soil pipe stamped "T15N, R4E 1964", approximately 69 feet south of dirt road centerline and approximately 110 feet east of a power pole with transformer and approximately 80 feet southeast of a 12 foot high power pole and approximately 69 feet south of a metal gate and approximately 3 feet southeast of fence corner and at the joining corners of Sections 10, 11 15 and 14.
-------	---------	---

RM282	3318.11	U.S. Department of Interior Bureau of land management brass cap, approximately 50 feet west of dead end dirt road centerline and approximately 150 feet northeast of Oak Creek flowline and approximately 65 feet southwest of wooden fence post corner and approximately 175 feet southwest of corner of building, with gray shingles, and approximately 1200 feet east and 1400 feet north of the southwest corner Section 3, T15N, R4E.
-------	---------	--

T16N
T15N

