

ELEVATION REFERENCE MONUMENT

ERM: 205

Panel: 2815

Elevation (NAVD88): 3670.14

Elevation (NGVD29): 3667.50

Latitude: 34°18'36.25080" N

Longitude: 112°34'07.65599" W

Description: 0.5" BD FC Maricopa

2815

NATIONAL FLOOD INSURANCE PROGRAM

FIRM

 ORIGINAL

FLOOD INSURANCE RATE MAP

**YAVAPAI COUNTY,
ARIZONA AND
INCORPORATED AREAS**

PANEL 2815 OF 3925

(SEE MAP INDEX FOR PANELS NOT PRINTED)

<u>CONTAINS</u> <u>COMMUNITY</u>	<u>NUMBER</u>	<u>PANEL</u>	<u>SUFFIX</u>
-------------------------------------	---------------	--------------	---------------

YAVAPAI COUNTY UNINCORPORATED AREAS	040093	2815	F
--	--------	------	---

**MAP NUMBER
04025C2815 F**

**EFFECTIVE DATE:
JUNE 6, 2001**



Federal Emergency Management Agency

Fixed width point lat/long/height listing

Project : WAGONER ROAD 2004

User name	c00307	Date & Time	8:05:58 AM 5/2/2006
Coordinate System	US State Plane 1983 (at ground)	Zone	Arizona Central 0202
Project Datum	NAD 1983 (Conus)		
Vertical Datum	NAVD 88	Geoid Model	GEOID99 (Conus)
Coordinate Units	US survey feet		
Distance Units	US survey feet		
Height Units	US survey feet		

Point listing

Name	Latitude	Longitude	Height	Feature Code
1	34°19'03.28771"N	112°34'17.14664"W	3762.276	YCYC 5/8" REBAR CP
100	34°15'37.70986"N	112°32'36.43878"W	3444.732	RC LS13011 S1/4 SEC
101	34°16'02.16338"N	112°33'06.63205"W	3537.450	IP W1/4? COR S26 T11
200	34°15'37.69175"N	112°32'38.53544"W	3484.328	YC 1/2"RB LS 13941
201	34°19'04.15730"N	112°34'17.34196"W	3761.036	RC RLS 13011 TIMS P
203	34°18'58.18094"N	112°34'15.16677"W	3747.229	RC RLS 13011 TIMS P
204	34°18'58.07601"N	112°34'15.74624"W	3758.079	RC RLS 13011 TIMS P
205	34°18'36.25068"N	112°34'07.65600"W	3670.129	3.5" BD FC MARICOPA
206	34°18'37.73588"N	112°34'11.69279"W	3697.855	RC 1/2" RB RLS 13011
207	34°18'37.73863"N	112°34'11.07291"W	3692.704	RC 1/2" RB RLS 13011
208	34°18'39.55887"N	112°34'11.82301"W	3693.985	RC 1/2" RB RLS 13011
209	34°18'47.71673"N	112°34'09.51074"W	3697.355	RC 1/2" RB RLS 13011
210	34°18'37.83279"N	112°34'00.79000"W	3700.524	RC 1/2" RB RLS 13011
211	34°18'37.55499"N	112°34'31.79653"W	3847.195	RC 1/2" RB RLS 13011
212	34°19'29.93492"N	112°34'00.77442"W	3800.398	BOAT SPIKE
213	34°18'35.25290"N	112°34'10.41400"W	3731.010	40 D NAIL POSSIBIE P
214	34°18'35.25738"N	112°34'10.42023"W	3730.801	CUT NAIL POSSIBIE PI
215	34°19'54.89705"N	112°35'03.45965"W	3959.357	RC RLS 13011 TIM Pt
216	34°19'54.63242"N	112°35'02.38238"W	3954.519	YC LS 15666
217	34°19'53.37556"N	112°35'01.84570"W	3949.781	RC RLS 13011 TIM P
218	34°19'52.01260"N	112°34'59.00775"W	3939.861	1/2" RB
219	34°19'51.29100"N	112°34'57.63137"W	3932.114	1/2" RB
220	34°19'50.92297"N	112°34'56.99429"W	3928.858	1/2" RB
221	34°19'46.39643"N	112°34'52.79056"W	3896.152	BOAT SPIKE PI? IN C
222	34°19'45.14619"N	112°34'46.50123"W	3884.399	BOAT SPIKE RP IN CO
223	34°19'44.90269"N	112°34'46.58638"W	3884.791	BOAT SPIKE PI? IN C
224	34°19'32.93876"N	112°34'37.16675"W	3835.598	40D NAIL POSSIBLE PI
225	34°19'32.94060"N	112°34'37.16566"W	3835.589	40D NAIL POSSIBLE PI
226	34°19'29.76917"N	112°34'31.53310"W	3806.555	BOAT SPIKE POSSIBLE
227	34°19'27.86506"N	112°34'29.72816"W	3800.800	PK NAIL POSSIBLE PI
228	34°19'25.94783"N	112°34'27.64169"W	3783.902	PK NAIL& SHINER POSS
229	34°19'21.19419"N	112°34'25.45973"W	3752.324	BOAT SPIKE POSSIBLE
230	34°19'15.71039"N	112°34'16.82104"W	3763.803	40D NAIL POSSIBLE PI
231	34°19'15.71105"N	112°34'16.81344"W	3763.793	40D NAIL POSSIBLE PI
232	34°19'13.89859"N	112°34'15.82719"W	3759.613	40D NAIL POSSIBLE PI
233	34°19'13.89878"N	112°34'15.83363"W	3759.553	40D NAIL POSSIBLE PI
234	34°18'55.61364"N	112°34'14.85138"W	3753.990	5/8" RB POSSIBLE PI
235	34°18'52.50733"N	112°34'11.42312"W	3711.702	40D NAIL POSSIBLE PI

Tied in monuments