ELEVATION REFERENCE MONUMENT

ERM: 116 Panel: 2215

Elevation (NAVD88): 3058.08 **Elevation (NGVD29):** 3055.69

Latitude: 34°32'13" N **Longitude:** 111°51'55" W

Description: Aerial Mapping Company 1/2-inch rebar with aluminum cap

stamped VR-BM 109, at the southeast fence corner of fence along the north side of Fir Street, approximately 350 feet east of Pearl Drive, approximately 1,900 feet east and approximately 1,300 feet

south of the northwest corner of Section 7 T13N, R5E.

NATIONAL FLOOD INSURANCE PROGRAM

FIRM

FLOOD INSURANCE RATE MAP

YAVAPAI COUNTY, ARIZONA AND INCORPORATED AREAS

PANEL 2215 OF 3925

(SEE MAP INDEX FOR PANELS NOT PRINTED)

CONTAINS COMMUNITY

NUMBER PANEL SUFF X

CAMP VERGE TOWN OF YAVAPALCOUNTY UNINCORPORATED AREAS

040131

MAP NUMBER 04025C2215 F

EFFECTIVE DATE: JUNE 6, 2001



Federal Emergency Management Agency

Martin His or an area.

111°52'30"

T14N T13N

1

4

ZONE X

36

34°33'45"

```
ELEVATION REFERENCE MARKS
REFERENCE ELEVATION
  MARK
         (FEET NGVD)
                        DESCRIPTION OF LOCATION
```

3079.40 U.S. Army Corps RM109 U.S. Army Corps of Engineers 5/8-inch rebar with aluminum cap stamped USCE VR 41 1977 LA DIST, 90 feet northwest of fence, 17 feet northeast of Fort McDowell Place.

RM110 3072.74 U.S. Army Corps U.S. Army Corps of Engineers 5/8-inch rebar with aluminum cap stamped USCE BM 5 1977 LA DIST, 13 feet southwest of highway, 14 feet southeast of powerpole, 7 feet northeast of fence.

3101.70 Aerial Mapping Company 1/2-inch rebar with aluminum cap stamped VR-BM 108, at the southwest quadrant of the intersection of quadrant of the intersection of Murdock Lane and Pioneer Drive, 0.5 foot north of the west cedar post fence corner, approximately 1,800 feet west and approximately 1,250 feet north of the southeast corner of Section 32, TI4N, R5E.

RM116 3055.69 Aerial Mapping Aerial Mapping Company 1/2-inch rebar with aluminum cap stamped VR-BM 109, at the southeast fence corner of fence along the north 350 feet east of Pearl Drive, approximately 1,900 feet east and approximately 1,300 feet south of the northwest corner of Section 7 T13N, R5E. Company 1/2-inch

3086.67 From Camp Verde go southeast on General Crook Trail to the bridge over the Verde River. Station is located on the wall at the northwest corner of the bridge over the Verde River. Station is a RM120

3097.05 From the intersection of Salt Mine RM124 From the intersection of Salt Mine Road and Wood's Ditch, go south to the end of the dirt road and to the bridge over Wood's Ditch. Station is located at the east end of the north headwall. Station is a square

3098.75 From the intersection of RM126 Road and General Crook west to Copper Canyon Salt Mine Trail, go wast to Copper Canyon Wash and proceed south along Salt Mine Road approximately 1 mile to Lucky Canyon Wash. Station is located on the west bulkhead of a steel bridge. Station is the last river south in the center section of the Wash bridge.

RM149 3044.40 U.S Army Corps 5/8-inch rebar with aluminum cap stamped USCE BM 14 1977 LA DIST, 28 feet southwest of Salt Mine Road, o f 62 feet north of fence.

5/8-inch rebar with aluminum cap stamped USCE BM 17 1977 LA DIST, 8 feet north-northeast from power Lucky pole at Y in dirt reads, 9 feet Canana RM150 3039.53 U.S.

RM151 3046.97 U.S. Army Corps o f Engineers 5 / 8 - inch 5/8-inch rebar with aluminum cap

Wash RM1 G

2

1

