U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires February 28, 2009

National Flood Insurance Program

Important: Read the instructions on pages 1-8.

SECTION A - PROPERTY INFORMATION	For Insurance Company Use:			
A1. Building Owner's Name RICK & MURIAH OLSON	Policy Number			
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 9600 N. ANTELOPE MEADOWS DRIVE	Company NAIC Number			
PRESCOTT VALLEY AZ	ZIP Code 863/4			
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) APN: 103-01-2225				
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.)				
A5. Latitude/Longitude: Lat. 34°40′52.0" Long1/2°/9′44.2" Horizontal Datum: NAD 1927 NAD 1983 A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.				
A7. Building Diagram Number 8 A8. For a building with a crawl space or enclosure(s), provide: a) Square footage of crawl space or enclosure(s) b) No. of permanent flood openings in the crawl space or enclosure(s) walls within 1.0 foot above adjacent grade c) Total net area of flood openings in A8.b A9. For a building with an attached garage, provide: a) Square footage of attached garage				
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION				
B1. NFIP Community Name & Community Number YAVAPAI COUNTY #040093 B2. County Name YAVAPAI	B3. State A Z			
B4. Map/Panel Number B5. Suffix B6. FIRM Index B7. FIRM Panel B8. Flood Date Effective/Revised Date Zone(s) 04025 (2) 1750 F 6-6-2001 6-6-2001 A	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 4857. [
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9.				
☐ FIS Profile ☐ FIRM ☐ Community Determined ☐ Other (Describe) ☐ ENGINEER B11. Indicate elevation datum used for BFE in Item B9: ☐ NGVD 1929 ☐ NAVD 1988 ☐ Other (Describe)	'S ANALYSIS			
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Designation Date CBRS OPA				
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIR	ED)			
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AF below according to the building diagram specified in Item A7.	Finished Construction I, AR/AO. Complete Items C2.a-g			
 C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AF below according to the building diagram specified in Item A7. Benchmark Utilized CONTROL POINT # 500/4 Vertical Datum NGVD 25 	Finished Construction I, AR/AO. Complete Items C2.a-g			
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AF below according to the building diagram specified in Item A7. Benchmark Utilized CONTROL POINT #500/4 Vertical Datum NGVD Z3 Conversion/Comments THE CONTROL POINT IS FROM THE POQUITO VALLEY AER/AL TO THAT THE ENGINEER'S ANALYSIS IS BASED ON. Check the measurem	Finished Construction I, AR/AO. Complete Items C2.a-g POBRAPHIC SURVEY DATA			
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AF-below according to the building diagram specified in Item A7. Benchmark Utilized CONTROL POINT # 500/4 Vertical Datum NGVD ZG-CONVERSION/Comments THE CONTROL POINT IS FROM THE POQUITO VALLEY AERIAL TO THAT THE ENGINEER'S ANALYSIS IS BASED ON. Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) 4855 0	Finished Construction A, AR/AO. Complete Items C2.a-g PORAPHIC SURVEY DATA ment used. ers (Puerto Rico only) ers (Puerto Rico only)			
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AI-Below according to the building diagram specified in Item A7. Benchmark Utilized CONTROL POINT # SOO/4 Vertical Datum WGVD ZSTAND THE CONTROL POINT IS FROM THE POQUITO VALLEY AERIAL TO THAT THE ENGINEER'S ANALYSIS IS BASED ON. Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) 4855 o feet meters of the next higher floor 4058 9 feet meters of Bottom of the lowest horizontal structural member (V Zones only) NA feet meters of the Lowest elevation of machinery or equipment servicing the building 4857. 3 feet meters of the lowest meters of the lowest machinery or equipment servicing the building the buildin	Finished Construction A, AR/AO. Complete Items C2.a-g POBLICATION PROBLEM PHIC SURVEY DATA ment used. Pers (Puerto Rico only)			
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AF-below according to the building diagram specified in Item A7. Benchmark Utilized CONTROL POINT # 500/4 Vertical Datum WGVD Z4 Conversion/Comments THE CONTROL POINT 15 FROM THE POQUITO VALLEY AERIAL TO THAT THE ENGINEER'S ANALYSIS IS BASED ON. Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) 4855 o	Finished Construction A, AR/AO. Complete Items C2.a-g PORAPHIC SURVEY DATA ment used. ers (Puerto Rico only)			
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AI-below according to the building diagram specified in Item A7. Benchmark Utilized CONTROL POINT # 500/4 Vertical Datum NGVD Z4 Conversion/Comments THE CONTROL POINT 15 FROM THE POQUITO VALLEY AERIAL TO THAT THE ENGINEER'S ANALYSIS IS BASED ON. Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) 4855 o	Finished Construction A, AR/AO. Complete Items C2.a-g PPOARAPHIC SURVEY DATA ment used. ers (Puerto Rico only)			
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AI-below according to the building diagram specified in Item A7. Benchmark Utilized CONTROL POINT # 500/4 Vertical Datum NGVD Z* Conversion/Comments THE CONTROL POINT 15 FROM THE POQUITO VALLEY AERIAL TO THAT THE ENGINEER'S ANALYSIS IS BASED ON. Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) 4855 o	Finished Construction A, AR/AO. Complete Items C2.a-g A CPOARAPHIC SURVEY DATA ment used. Pers (Puerto Rico only)			
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AF below according to the building diagram specified in Item A7. Benchmark Utilized CONTROL POINT # 500/4 Vertical Datum NGVD Z4 Conversion/Comments THE CONTROL POINT IS FROM THE POQUITO VALLEY AERIAL TO THAT THE ENGINEER'S ANALYSIS IS BASED DN. Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) 4855 D feet mete b) Top of the next higher floor 4858 9 feet mete c) Bottom of the lowest horizontal structural member (V Zones only) NA feet mete d) Attached garage (top of slab) NA feet mete (Describe type of equipment in Comments) f) Lowest elevation of machinery or equipment servicing the building 4857.3 feet mete (Describe type of equipment in Comments) f) Lowest adjacent (finished) grade (LAG) 4855.2 feet mete SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATIO This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation formation. I certify that the information on this Certificate represents my best efforts to interpret the data available.	Finished Construction A, AR/AO. Complete Items C2.a-g POBLICATE PROBLEM PHIC SURVEY DATA Thent used. The control of the c			
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AF below according to the building diagram specified in Item A7. Benchmark Utilized CONTROL POINT # 500/4 Vertical Datum NGVD Z4 Conversion/Comments THE CONTROL POINT 15 FROM THE POQUITO VALLEY AERIAL TO THAT THE ENGINEER'S ANALYSIS IS BASED DN. Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) 4855 DE feet mete b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment in Comments) f) Lowest adjacent (finished) grade (LAG) g) Highest adjacent (finished) grade (HAG) SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATIO This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation.	Finished Construction I, AR/AO. Complete Items C2.a-g PORARAPHIC SURVEY DATA ment used. ers (Puerto Rico only) N On			
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AI-below according to the building diagram specified in Item A7. Benchmark Utilized CONTROL POINT *500/4* Vertical Datum NGVD Z4 Conversion/Comments THE CONTROL POINT IS FROM THE POQUITO VALLEY AER/AL THAT THE ENGINEER'S AWALYSIS IS BASED ON. Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) 4/855 0 feet mete b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) AA feet mete d) Attached garage (top of slab) NA feet mete c) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment in Comments) f) Lowest adjacent (finished) grade (LAG) 4/855 0 feet mete g) Highest adjacent (finished) grade (HAG) 4/855 2 feet mete SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATIO This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevatic information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Check here if comments are provided on back of form. Certifier's Name Certifier's Name Certifier's Name	Finished Construction I, AR/AO. Complete Items C2.a-g POPOARAPHIC SURVEY DATA ment used. ers (Puerto Rico only) N On			
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AF below according to the building diagram specified in Item A7. Benchmark Utilized CONTROL POINT SOD/Y Vertical Datum NGVD 20 Conversion/Comments THE CONTROL POINT IS FROM THE POQUITO VALLEY AER/AL TO THAT THE ENGINEER'S ANALYSIS IS BASED DN. Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) 4855 D	Finished Construction I, AR/AO. Complete Items C2.a-g POBARAPHIC SURVEY DATA ment used. ers (Puerto Rico only) N On			
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations — Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AF-below according to the building diagram specified in Item A7. Benchmark Utilized CONTROL POINT # SOO/4 Vertical Datum NGVD 24 Conversion/Comments THE CONTROL POINT IS FROM THE POQUITO VALLEY AER/AL TO THAT THE ENGINEER'S ANALYSIS IS BASED DN. Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) 4855 0	Finished Construction I, AR/AO. Complete Items C2.a-g POPOARAPHIC SURVEY DATA ment used. ers (Puerto Rico only) N On			

IMPORTANT: In these spaces. c	copy the corresponding information from S	Section A.	For Insurance Company Use:	
Building Street Address (including Apt.,	, Unit, Suite, and/or Bldg. No.) or P.O. Route and B	lox No.	Policy Number	
9600 N. ANTELO	PE MEADOWS DRIVE State	ZIP Code		
PRESCOTT VALLEY	AZ	86314	Company NAIC Number	
	D - SURVEYOR, ENGINEER, OR ARCHITE	CT CERTIFICATION (CON		
Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.				
Comments LOWEST MECH. E	EQUIP. IS CONTROLLER FOR PI	NEUMATIC WATED	STORAGE TANK INTO-0	
	NORTH SIDE OF THE HOUSE.			
ON THE NORTH SIDE	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	CUNDENSOR L	IN THE PORCH	
Signature Wass (4)	Busin	/9 9/		
SECTION E - BUILDING ELEV	VATION INFORMATION (SURVEY NOT REG	/ <i>2-26-2006</i> QUIRED) FOR ZONE AO A	Check here if attachments	
For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.				
Provide elevation information for	the following and check the appropriate boxes to st	how whether the elevation is a	bove or below the highest adjacent	
a) Top of bottom floor (including b	basement, crawl space, or enclosure) is		bove or D below the HAG.	
b) Top of bottom floor (including basement, crawl space, or enclosure) is				
E2. For Building Diagrams 6-8 with permanent flood openings provided in Section A Items 8 and/or 9 (see page 8 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is feet meters above or below the HAG.				
E3. Attached garage (top of slab) is _	feet meters above or	below the HAG.		
E5. Zone AO only: If no flood depth r	d/or equipment servicing the building is number is available, is the top of the bottom floor ele	levated in accordance with the	bove or below the HAG.	
ordinance? Yes No	Unknown. The local official must certify this infor	rmation in Section G.		
SECTION	F - PROPERTY OWNER (OR OWNER'S RE	PRESENTATIVE ATT	CATION	
The property owner or owner's authoriz	zed representative who completes Sections A, B, ar	nd E for Zone A (without a FEM		
or Zone AO must sign here. The staten	ments in Sections A, B, and E are correct to the bes	st of my knowledge.		
Property Owner's or Owner's Authorized	ed Representative's Name			
Address	City	State	ZIP Code	
Signature	Date	Telephor	ne	
Comments				
	20 At 10 At			
	SECTION C. COMMUNICATION	TION (OPTION :	Check here if attachmen	
The local official who is authorized by law	SECTION G - COMMUNITY INFORMA w or ordinance to administer the community's floodp	plain management ordinance co	an complete Sections A. P. C. (or E)	
and G of this Elevation Certificate. Comp	plete the applicable item(s) and sign below. Check	the measurement used in Item	ns G8, and G9.	
G1. The information in Section C w is authorized by law to certify e	was taken from other documentation that has been selevation information. (Indicate the source and date	signed and sealed by a license of the elevation data in the Co	d surveyor, engineer, or architect who omments area below \	
G2. A community official completed	d Section E for a building located in Zone A (without	it a FEMA-issued or community		
G3. L The following information (Item	ns G4G9.) is provided for community floodplain ma	anagement purposes.		
G4. Permit Number	G5. Date Permit Issued	G6. Date Certificate Of Comp	liance/Occupancy Issued	
G7. This permit has been issued for:	New Construction Substantial Improver	ment		
G8. Elevation of as-built lowest floor (incl	luding basement) of the building:	feet meters (P	R) Datum	
G9. BFE or (in Zone AO) depth of flooding		feet meters (P		
Local Official's Name	Title			
Community Name		phone	- Annual Control of the Control of t	
Signature	Date			
Comments		The state of the s	- Participal Age	

	Control of the Contro			
			Check here if attachments	
			Stroom from a diagram Gritt	

Building Photographs See Instructions for Item A6.

For Insurance Company Use: Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Policy Number ANTELOPE MEADOWS DRIVE City ZIP Code Company NAIC Number 86314

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page, following.



FRONT VIEW (FROM RIGHT FRONT CORNER)



REAR VIEW (FROM RIGHT REAR CORNER)