U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency

National Flood Insurance Program

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires February 28, 2009

Important: Read the instructions on pages 1-8.

	SECTION A - PROPERTY INFORMATION	For Insurance Company Use:							
	I. Building Owner's Name KEN ARNEST	Policy Number							
A2.	2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 76.70 E. VICTORY LANE	Company NAIC Number							
	City PRESCOT MALLEY State	ZIP Code 86 314							
A3.	B. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) APN: /03-0/- 570								
A4.	Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.)								
A6.	Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.	atum: NAD 1927 NAD 1983							
A7.	7. Building Diagram Number 8. For a building with a crawl space or enclosure(s), provide: a) Square footage of crawl space or enclosure(s) b) No. of permanent flood openings in the crawl space or enclosure(s) walls within 1.0 foot above adjacent grade c) Total net area of flood openings in A8.b A9. For a building with an attaction and the square footage of attaction and the square foota	ched garage 525 sq ft d openings in the attached garage ove adjacent grade 4 openings in A9.b 512 sq in							
	SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION	N							
	NFIP Community Name & Community Number YA VAPAI COUNTY #040093 B2. County Name YA VAPAI	B3. State AZ							
	84. Map/Panel Number B5. Suffix B6. FIRM Index Date B7. FIRM Panel B8. Flood Effective/Revised Date Zone(s) 94025 C 1750 F 6-6-2001 6-6-2001 A	B9. Base Flood Elevation(s) (Zone AO, use base flood depth)							
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. FIS Profile FIRM Community Determined Other (Describe) ENGINEER'S ANALYSIS (PRV FHS) B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe)									
	Designation Date CBRS OPA	B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes No Designation Date OPA							
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)									
C2.	Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AI below according to the building diagram specified in Item A7.	Finished Construction H, AR/AO. Complete Items C2.a-g							
C2.	Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AI below according to the building diagram specified in Item A7. Benchmark Utilized PRV ERM B Vertical Datum NGVD – A	Finished Construction H, AR/AO. Complete Items C2.a-g							
C2.	Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AI below according to the building diagram specified in Item A7.	Finished Construction H, AR/AO. Complete Items C2.a-g 29 FLOOD HAZARD STUDY							
C2.	Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AI below according to the building diagram specified in Item A7. Benchmark Utilized PRV ERM B Vertical Datum NGVD – Conversion/Comments BENCHMARK WAS ESTABLISHED FOR THE POQUITO VALUE THAT THE BFE CAME FROM. Check the measurer and Top of bottom floor (including basement, crawl space, or enclosure floor) 4855.3 Feet met feet fe	Finished Construction H, AR/AO. Complete Items C2.a-g 29 EY FLOOD HAZARD STUDY ment used. ers (Puerto Rico only) ers (Puerto Rico only)							
C2.	Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AI below according to the building diagram specified in Item A7. Benchmark Utilized PQV ERM B Vertical Datum NGVD – Conversion/Comments BENCHWARK WAS ESTABLISHED FOR THE POQUITO VALUE THAT THE BFE CAME FROM. Check the measured by Top of bottom floor (including basement, crawl space, or enclosure floor) 4855.3 feet med feet med feet med feet med feet med feet med Attached garage (top of slab)	Finished Construction H, AR/AO. Complete Items C2.a-g 29 EY FLOOD HAZARD STUDY ment used. ters (Puerto Rico only) ters (Puerto Rico only) ters (Puerto Rico only) ters (Puerto Rico only)							
C2.	Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AI below according to the building diagram specified in Item A7. Benchmark Utilized PRV ERM B Vertical Datum NGVD – Conversion/Comments BENCHMARK WAS ESTABLISHED FOR THE POQUITO VALUE THAT THE BFE CAME FROM. Check the measured by Top of bottom floor (including basement, crawl space, or enclosure floor) 4855.3	Finished Construction H, AR/AO. Complete Items C2.a-g 29 EY FLOOD HAZARD STUDY ment used. ers (Puerto Rico only) ers (Puerto Rico only)							
C2.	Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AI below according to the building diagram specified in Item A7. Benchmark Utilized PQV ERM B Vertical Datum NGVD – ACCONVERSION/COMMENTS BENCHMARK WAS ESTABLISHED FOR THE POQUITO VALUE THAT THE BFE CAME FROM. Check the measured on the Individual pasement, crawl space, or enclosure floor) 4855.3 feet met feet fe	Finished Construction H, AR/AO. Complete Items C2.a-g 29 EY FLOOD HAZARD STUDY ment used. ers (Puerto Rico only)							
C2.	Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AI below according to the building diagram specified in Item A7. Benchmark Utilized PQV ERM B Vertical Datum NQVD – . Conversion/Comments BENCHMARK WAS ESTABLISHED FOR THE POQUITO VALUE THAT THE BFE CAME FROM. Check the measured a) Top of bottom floor (including basement, crawl space, or enclosure floor) 4855.3 feet met b) Top of the next higher floor 4859.6 feet met c) Bottom of the lowest horizontal structural member (V Zones only) Attached garage (top of slab) 4857.0 feet met d) Attached garage (top of slab) 4857.0 feet met e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment in Comments) f) Lowest adjacent (finished) grade (LAG) 4856.8 feet met g) Highest adjacent (finished) grade (HAG) 4856.8 feet met	Finished Construction H, AR/AO. Complete Items C2.a-g 29 EY FLOOD HAZARD STUDY ment used. ters (Puerto Rico only)							
C2.	Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AI below according to the building diagram specified in Item A7. Benchmark Utilized PQV ERM VERM Vertical Datum NGVD – Conversion/Comments BENCHMARK WAS ESTABLISHED FOR THE POQUITO VALUE THAT THE BFE CAME FROM. Check the measured Top of bottom floor (including basement, crawl space, or enclosure floor) 4855.3 feet met Top of the next higher floor 4859.6 feet met Check the measured Check the measured AA feet met WEST. D Feet met WEST	Finished Construction H, AR/AO. Complete Items C2.a-g 29 EY FLOOD HAZARD STUDY ment used. ters (Puerto Rico only)							
C2.	Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AI below according to the building diagram specified in Item A7. Benchmark Utilized PRV ERM B Vertical Datum NGVD – Conversion/Comments BENCHMARK WAS ESTABLISHED FOR THE POQUITO VALUE THAT THE BFE CAME FROM. Check the measured by Top of the next higher floor (including basement, crawl space, or enclosure floor) 4855.3 feet met of the lowest horizontal structural member (V Zones only) AA feet met of Attached garage (top of slab) 4857.0 feet met of Cheschbet type of equipment in Comments) f) Lowest adjacent (finished) grade (LAG) 4855.3 feet met of Cheschbet type of equipment in Comments) SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATIOn is certify that the information on this Certificate represents my best efforts to interpret the data available. Inderstand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Check here if comments are provided on back of form.	Finished Construction H, AR/AO. Complete Items C2.a-g 29 EY FLOOD HAZARD STUDY ment used. ers (Puerto Rico only)							
This info	Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AI below according to the building diagram specified in Item A7. Benchmark Utilized PRV ERM B Vertical Datum NAVD – Conversion/Comments BENCHWARK WAS ESTABLISHED FOR THE POQUITO VALUE THAT THE BFE CAME FROM. Check the measurer a) Top of bottom floor (including basement, crawl space, or enclosure floor) 4855.3	Finished Construction H, AR/AO. Complete Items C2.a-g 29 EY FLOOD HAZARD STUDY ment used. ers (Puerto Rico only)							
This info lum	Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AI below according to the building diagram specified in Item A7. Benchmark Utilized PRV ERM B Vertical Datum V4VD – Conversion/Comments BENCHWARK WAS ESTABLISHED FOR THE POQUITO VALUE THAT THE BFE CAME FROM. Check the measured by Top of bottom floor (including basement, crawl space, or enclosure floor) 4855, 3 feet measured by Top of the next higher floor 4857, 6 feet med 4857, 0 feet feet med 4857, 0 feet feet feet feet feet feet feet fe	Finished Construction H, AR/AO. Complete Items C2.a-g 29 EY FLOOD HAZARD STUDY ment used. lers (Puerto Rico only) DIN INITIAL TO THE							

IMPORTANT: In these spaces, copy the con Building Street Address (including Apt., Unit, Suite, a			For Insurance Company Use:		
7670 E. VICTORY LANE	and/or blug. No.) of P.O. Route and Box	K 190.	Policy Number		
PRESCOTT VALLEY	State A Z	ZIP Code 86 314	Company NAIC Number		
	YOR, ENGINEER, OR ARCHITECT		NTINUED)		
opy both sides of this Elevation Certificate for (1) co			The same of the sa		
omments .	S FOR A/C UNIT ON WE				
", - YUIF, ELEVATION 13	- FUX MIC UNIT ON WE	SO SIDE OF HO	<i>USE</i> .		
Signature Mare W. Du Brown	Date /-	- ZI-Z00B	Check here if attachm		
SECTION E - BUILDING ELEVATION INF			AND ZONE A (WITHOUT BFE		
For Zones AO and A (without BFE), complete Items and C. For Items E1-E4, use natural grade, if availa	s E1-E5. If the Certificate is intended to sable. Check the measurement used. In	support a LOMA or LOMR-F Puerto Rico only, enter me	F request, complete Sections A, B, ters.		
grade (HAG) and the lowest adjacent grade (L a) Top of bottom floor (including basement, cra	LAG). rawl space, or enclosure) is .	feet _ meters _ a	above or below the HAG.		
b) Top of bottom floor (including basement, crawl space, or enclosure) is feet meters above or below the LAG. E2. For Building Diagrams 6-8 with permanent flood openings provided in Section A Items 8 and/or 9 (see page 8 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is feet meters above or below the HAG.					
3. Attached garage (top of slab) is	feet meters above or	below the HAG.			
4. Top of platform of machinery and/or equipmen	nt servicing the building is	feet _ meters _ ;	above or below the HAG.		
 Zone AO only: If no flood depth number is ava ordinance? Yes No Unknown. 	ailable, is the top of the bottom floor elev The local official must certify this information	vated in accordance with the ation in Section G	e community's floodplain managem		
The state of the s					
	ERTY OWNER (OR OWNER'S REP				
he property owner or owner's authorized represent r Zone AO must sign here. The statements in Sect	tative who completes Sections A, B, and tions A, B, and F are correct to the head	E for Zone A (without a FE	MA-issued or community-issued BI		
Property Owner's or Owner's Authorized Representa					
address	City	State	ZIP Code		
signature	Date				
	Date	Telepho	one.		
comments					
	Accessed Blockson		Check here if attach		
	TION G - COMMUNITY INFORMAT				
e local official who is authorized by law or ordinance d G of this Elevation Certificate. Complete the appl	e to administer the community's floodpla licable item(s) and sign below. Check th	ain management ordinance he measurement used in Ite	ms G8. and G9.		
. The information in Section C was taken from is authorized by law to certify elevation infor	m other documentation that has been sig	ned and sealed by a licens	ed surveyor, engineer, or architect		
A community official completed Section E for					
The following information (Items G4G9.) is			.,		
4. Permit Number G5. Date P		66. Date Certificate Of Com	pliance/Occupancy Issued		
. This permit has been issued for: New Cons		ent			
. Elevation of as-built lowest floor (including basem	nent) of the building:	_	PR) Datum		
BFE or (in Zone AO) depth of flooding at the build	2014 10 DE 1	feet meters (I			
ocal Official's Name	Title				
community Name	Telepho	one	-		
ignature	Date				
comments	, , , , , , , , , , , , , , , , , , ,				
	-				
			Check here if attach		

Building Photographs See Instructions for Item A6.

				For Insurance Company Use:
Buildi	ing Street Address (including Ap	Policy Number		
	7670 E. VICTORY			
City	5	State	ZIP Code	Company NAIC Number
	PRESCOTT VALLEY	AZ	86314	507 500

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page, following.



FRONT VIEW (FROM FRONT LEFT CORNER)



REAR VIEW (FROM RIGHT REAR CORNER)