## FEDE L EMERGENCY MANAGEMENT SENCY NA. ONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077 Expires July 31,1999

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION FOR INSURANCE COMPANY USE						
BUILDING OWNERS NAME	POLICY NUMBER					
Jack Tschikof	FOLIC I NOWIBER					
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND	BOX NUMBER	COMPANY NAIC NUMBER				
Joseph Hodge Rd						
OTHER DESCRIPTION (Lot and Block Numbers, etc.)  Lot 52 Peeples Valley, Tax Parcel 202-07-099						
CITY	STATE	ZIP CODE				
Yarnell	AZ	85362				
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION						
Provide the following from the proper FIRM (See Instructions):						
1. COMMUNITYNUMBER   2. PANEL NUMBER   3. SUFFIX   4. DATE OF FIRM	INDEX 5. FIRM ZONE	6. BASE FLOOD ELEVATION				
040094   1445   D   3/9/99	A2	(in AO Zones, use depth) 4515.6				
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevation	ns (BFE): X NGVD '29	Other (describe on back)				
8. For Zones A or V, where no BFE is provided on the FIRM, and the community						
the community's BFE: feet NGVD (or other FIRM datum-see Section B, Item 7).						
SECTION C BUILDING ELEVATION	N INFORMATION					
<ol> <li>Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level</li> <li>(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of feet NGVD (or other FIRM datum-see Section B, Item 7).</li> <li>(b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of feet NGVD (or other FIRM datum-see Section B, Item 7).</li> <li>(c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is feet above or below (check one) the highest grade adjacent to the building.</li> <li>(d). FIRM Zone AO. The floor used as the reference level from the selected diagram is feet above or below (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? Yes No Unknown</li> <li>Indicate the elevation datum system used in determining the above reference level elevations: NGVD '29 Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM (see Section B, Item 7), then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)</li> <li>Elevation reference mark used appears on FIRM: Yes No (See Instructions on Page 4)</li> <li>The reference level elevation is based on: X actual construction construction drawings (NOTE:) Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for t</li></ol>						
SECTION D COMMUNITY INFORMATION						
If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C. Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is:  [						


## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE), V1–V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME MODIFIED OF A PROPERTY OF A	ASTRICT DATE ALABARTE	NSE NUMBER	(or Affix Seal)		HERRY
Kenneth E. Spedding,	CONCRETE OF SECURE PRESENTED IN CLOSES FOR CONTRACT CONTR	nd a demokratisky metalogica and re-	The properties	more a constant	and the history
TITLE ZERS GOOD OF REASON OF THE REASON OF THE SECOND OF T	COMPANY NAME	The second second seque	A SEMEMARY PROPERTY	I SUBLICION TO	71101777
District Director			70.74		
ADDRESS	CITY			STATE	ZIP
500 S. Marina St.	Prescott	he FIRNI io		ie elevali <b>ziA</b> dati	86303
SIGNATURE 7	h and the community has existed a second of the second of	DATE	PHONE ( 5 2 (	) 771-31	the c <b>7 P</b>
Copies should be made of this Certificate	for: 1) community official, 2) i	nsurance a	gent/company, an	d 3) building (	owner.
COMMENTS: 2 PAGES NO PROPER REPORTS	the diagram number from the	6160 0010	ncifornie instruction	e Elevation Ca	ent onial I
			uniding's reference		
or from the selected diagram is at an elevation	tie top of time reforence level flo	T (BYOTH)	7) A BIR , HA , ŠA , (V	Zones At-A3u	VMP (6)
	e Section B, Item 7).	A datum-sei	GVD (or other FIRM	1519.2 feet N	
structural member of the reference level from	official of the lowest horizontal	iorii (BRE	Hilliw) V bas BV 0	A Zones V1-V3	THE CHEN
rsee Section 8, Item ?>	et NGVD (or other FRM determ				
ted diagram isfeet aboveor	e reference level from the selec				



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

"AS BUILT" ELEVATIONS F EITHER	MANUFACTURED HOMES JR SITE BUILT HOMES				
When Completed Return To: Yavapai County Flood Control District					
Section 1 - Complete entire secti	on				
DATE AUGUST 30, 1999 ASSESSORS NUMBER 202-07-99					
SUBDIVISION NAME AND LOT NUMBER PEEPLES VALLEY-UNIT 1-LOT #52					
OWNER MR. JACK TSCHIKOF					
BASE BENCHMARK NUMBER RM 202 PE (on floodplain circuit)	ER PRIOR STAMPED SURVEY BY LS1755				
ELEVATION OF THE LOWEST GRADE IMMEDIATELY ADJACENT TO THE BUILD	OING 4517.89				
PROPERTY BENCHMARK ELEVATION 45	16.05 TOP OF PIN MARKING S.E. PROP. CORINER				
DIAGRAM # (from Page 5 & 6 of OMB No. 3067-0070)					
Section 2 - Complete if appropria	ate				
'As Built' Elevati	on for Manufactured Homes				
SURVEYED BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES					
(seal)	gned				
Section 3 - Complete if appropria	ate				
SURVEYED LOWEST'S FLOOR WISE ONA, STORY	PFE= 4519.15  Wise				
FOR DISTRICT USE:					
REQUIRED ELEVATION TO BOTTOM OF SOR LOWEST POINT OF ANY ATTACHED					
(As Per Development Permit)					
DIFFERENCE					
REQUIRED LOWEST FLOOR ELEVATION					
(As Per Development Permit)	4516.6				
DIFFERENCE	+ 2.55 ′				
F/Elevatn.Frm Rev. 6/96	THE RES LAND COS				