## **ELEVATION CERTIFICATE**

O.M.B. No. 3067-0077 Expires July 31, 1999

## F TRAL EMERGENCY MANAGEMEN AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION FOR INSURANCE COMPANY USE							
BUILDING OWNER'S NAME				POLICY NUMBER			
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER				COMPANY NAIC NUMBER			
OTHER DESCRIPTION (Lot and	Block Numbers, etc.)	-101 Z	Lot 15 Win	eglass s	Acres		
CITY Dewey	CITY STATE ZIP CODE						
	SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION						
Provide the following from t	he proper FIRM (See	Instructions):					
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)		
040093	585	D	12-19-97	A7	4391.8		
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: feet NGVD (or other FIRM datum—see Section B, Item 7).							
	SECTION	ON C BUILDII	NG ELEVATION INFORM	NOITA			
<ol> <li>Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level</li></ol>							
6. The elevation of the lowest grade immediately adjacent to the building is: 439 2 6 feet NGVD (or other FIRM datum-see Section B, Item 7).							
	Si	ECTION D CO	MMUNITY INFORMATION	ON			
<ol> <li>If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is:  feet NGVD (or other FIRM datum—see Section B, Item 7).</li> <li>Date of the start of construction or substantial improvement  7 3 - 9 8</li> </ol>							

CERTIFICATION	SECTION E
---------------	-----------

owner's representative may also sign the certification. certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required.

included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered. enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall,

I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available.

opies should be made of this Certificate	r: 1) community official, 2) insurance	e agent/company, and	3) building	g owner.			
BRUTANDI	31AQ 89/3/S	ЭНОИЕ		C-T//			
255 E. Gurley St.	Prescott		ZΑ	3	0698		
DDRESS	YTIO		STATE		dIZ		
District Director	γtηυο⊃ isqsvsΥ	Flood Control	tsiO .	toir			
וורב	COMPANY NAME						
Kenneth E. Spedding							
EMAIN S'ABIRITAB	LICENSE NUMBER (or Affix Seal)						

**TNEOALDA** LEVEL REFERENCE ADJACENT GRADE ELEBENCE FLOOD LEVEL BASE BEFERENCE LEVEL BELEBENCE DEFERENCE SONES SONES SONES SONES PIERS, OR COLUMNS THEMENT BAJS ON PILES, NO

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member. Elevations for all A Zones should be measured at the top of the reference level floor. The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

## ELEVATION OF FLOODPLAIN PROPERTY

When Completed Return To: Yavapai ( 255 East Gurley St., Prescott, AZ 8	County Flood Control District 6301, (520) 771-3197 FAX 771-3427
DATE	11-24-97
ASSESSORS NUMBER 303-05	- 101
SUBDIVISION NAME AND NUMBER PARCEL	D'LOT IS WINELASS ACRES IL
OWNER	IILS
BASE BENCHMARK NUMBER (on floodplain circuit)	
BASE BENCHMARK ELEVATION	4378.215
PROPERTY BENCHMARK	4391.0
GROUND ELEVATION AT BUILDING SITE	4392.0
DESCRIPTION OF PROPERTY BENCHMARK //	2" REBAR AT NW CORNER
Sketch of Lot	Remarks
SEE ATTACHED	
JEE ATTACHED	12005 RAYMOND S. FAMAS Signed
(seal)	Signed ANZONA, U.S.A.
	Company Name
	Date:
FOR YAVAPAI COUNTY FLOOD CONTROL I	DISTRICT USE:
Base Flood Elevation + 1	.0' = Regulatory Elevation

<sup>\*</sup> ELEVATION DETERMINATIONS ARE BASED ON BEST AVAILABLE DATA WHEN CALCULATED. ELEVATIONS ARE SUBJECT TO CHANGE WHEN NEW OR REVISED FLOOD STUDIES, OR DATA IS SUPPLIED TO THE DISTRICT.

	¥				

'AS BUILT" ELEVATIO FOR EITHER MANU	FACTURED HOMES OR SITE BUILT HORES				
When Completed Return To: Yavapai C	ounty Flood Control District				
Section 1 - Complete entire section					
DATE 2 FEB 1998 ASSESSORS	NUMBER 303-05-101E				
SUBDIVISION NAME AND LOT NUMBER WINE	SLASS ACRES UNIT 2 PORTION LOT				
OWNER JOANNE MILLS					
BASE BENCHMARK NUMBER (on floodplain circuit)	R450-2				
ELEVATION OF THE LOWEST GRADE IMMEDIATELY ADJACENT TO THE BUILDING	4392.0				
PROPERTY BENCHMARK ELEVATION	4391.0				
DIAGRAM # (from Page 5 & 6 of OMB No.	3067-00705				
Section 2 - Complete if appropriate  LAND S Built' Elevation  SURVEYED BOTTOMS OF CETRUCTURAL FRAME  LOWEST POINT OF ANY ATTACHED APPLIANCE  (seal)  ARZONA, U.S.	on for Manufactured Homes				
Section 3 - Complete if appropriate  'As Built' Elevation for Site Built Homes					
SURVEYED LOWEST FLOOR					
(seal)	Signed				
FOR DISTRICT USE:					
REQUIRED ELEVATION TO BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES					
(As Per Development Permit	4392.8 +0.7'				
DIFFERENCE	+0.1				
REQUIRED LOWEST FLOOR ELEVATION					
(As Per Development Permit)					
DIFFERENCE					



Ne

-

- 5

1 0

1 2