## U.S. DEPARTMENT OF HOMELAND SECU Federal Emergency Management Agency National Flood Insurance Program

## **ELEVATION CERTIFICA**

OMB No. 1660-0008 Expires February 28, 2009

Important: Read the instructions on pages 1-8.

SECTION A - PROPERTY INFORMATION	For Insurance Company Use:					
A1 Duilding Oumar's Nama	Policy Number					
A1. Building Owner's Name  LEIGH, NED & (3)TA M RS						
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.	Company NAIC Number					
City State	IP Code					
PAUL DEN ARIZONA	86334					
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)						
APN 304-01-185B						
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) RESIDENTIAL						
A5 Latitude/Longitude: Lat. 34 54 14.8 Long1/2 30 16.9 Horizontal Da	tum: NAD 1927 X NAD 1983					
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. №/А						
A7. Building Diagram Number 4. A9. For a building with a crawl space or enclosure(s), provide: 1/4 A9. For a building with an attact	oed darage biovide.					
a) Square footage of crawl space or enclosure(s) sq ft a) Square footage of attack	hed garage 400 sq ft					
b) No. of permanent flood openings in the crawl space or b) No. of permanent flood	openings in the attached garage					
	ve adjacent grade penings in A9.b sq in					
c) Total net area of flood openings in Ao.b	perinige iii veia					
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION	AND MAKES AND STREET AND ADDRESS OF THE CASE OF THE CA					
DI. NET Community Name & Community Nomber	33. State					
040093 YAVAPAI	AZ					
B4. Map/Panel Number   B5. Suffix   B6. FIRM Index   B7. FIRM Panel   B8. Flood	B9. Base Flood Elevation(s) (Zone					
Date Effective/Revised Date Zone(s)  D4 52 5 C 5 9 PV F 6 -6 -0   G -6 -0   A E	AO, use base flood depth)					
0000	45 10:10					
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9.  FIS Profile FIRM Community Determined Other (Describe)						
FIS Profile FIRM Community Determined Other (Describe)  B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe)						
B11. Indicate elevation datum used for BPE in term b9. (A) No. 1929 [Individual Section of Character (BCS)]  B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?	Yes No					
Designation Date CBRS OPA						
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRE	D)					
C1. Building elevations are based on: Construction Drawings* Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.	Finished Construction					
"A new Elevation Certificate will be required when constitution of the building is complete."  C2. Elevations – Zones A1-A30, (AE) AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH,	AR/AO. Complete Items C2.a-g					
below according to the building diagram specified in Item A7.	C2. Elevations – Zones A1-A30, (AE) Art, A (With BFE), VE, VI-V30, V (With BFE), AR, AVA, AVAE, AVAI-A30, AVAII, A VAI-A30, AVAII, A VAI-A					
Benchmark Utilized RM 50-2 4378, 215 Vertical Datum 196VD 29						
	27					
Conversion/Comments NE CORNER 12" REBAR ELEVATION 4376.50 (SITE BENC						
Conversion/Comments NE CORNER 13" REBAR ELEVATION 4376.50 (SITE BENCE Check the measurements	ent used.					
Conversion/Comments NE CORNER 13" REBAR ELEVATION 4376.50 (51TE BENCE Check the measurement of bottom floor (including basement, crawl space, or enclosure floor) 4378.73 Feet meter	ent used. s (Puerto Rico only)					
Conversion/Comments NE CORNER 12" REBAR ELEVATION 4376.50 (51TE BENCE Check the measurement of the local feet of the next higher floor (including basement, crawl space, or enclosure floor) 43.78.73 (a) feet of the next higher floor meter of the local distriction of the l	ent used. s (Puerto Rico only) s (Puerto Rico only)					
Conversion/Comments NE CORNER 12" REBAR ELEVATION 4376.50 (51TE BENCE Check the measurement of the lowest horizontal structural member (V Zones only)  Check the measurement of the lowest horizontal structural member (V Zones only)  43 78 73  feet meter of the lowest horizontal structural member (V Zones only)	ent used. s (Puerto Rico only)					
Conversion/Comments NE CORNER 12" REBAR ELEVATION 4376.50 (51TE BENCE Check the measurement of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Check the measurement of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Check the measurement of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)	ent used. s (Puerto Rico only) s (Puerto Rico only) s (Puerto Rico only) s (Puerto Rico only)					
Conversion/Comments NE CORNER 13" REBAR ELEVATION 4376.50 (51TE BENCE Check the measurement of the lowest higher floor  Top of bottom floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor  Bottom of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Lowest elevation of machinery or equipment servicing the building (Describe type of equipment in Comments)	ent used.  s (Puerto Rico only)					
Conversion/Comments NE CORNER 3" REBAR ELEVATION 4376.50 (51TE BENCE Check the measurement of the lowest higher floor (including basement, crawl space, or enclosure floor)  Top of bottom floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor (including basement, crawl space, or enclosure floor)  Bottom of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Lowest elevation of machinery or equipment servicing the building (Describe type of equipment in Comments)  Lowest adjacent (finished) grade (LAG)  Top of bottom floor (including basement, crawl space, or enclosure floor)  HA 78.73 X feet meter mete	ent used.  s (Puerto Rico only)					
Conversion/Comments NE CORNER 3" REBAR ELEVATION 4376.50 (51TE BENCE Check the measurement of the lowest higher floor (including basement, crawl space, or enclosure floor) 4378.73 feet meter meter (b) Top of the next higher floor (b) Bottom of the lowest horizontal structural member (V Zones only) (c) Attached garage (top of slab) (c) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment in Comments) (Describe type of equipment in Comments) (c) Lowest adjacent (finished) grade (LAG) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	ent used.  s (Puerto Rico only)					
Conversion/Comments NE CORNER 12" REBAR ELEVATION 4376.50 (SITE BENCE Check the measurement of the lowest higher floor (including basement, crawl space, or enclosure floor)  Top of bottom floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor (Part of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Elevation (V Zones only)  Attached garage (top of slab)  Elevation (V Zones only)  Attached garage (top of slab)  Elevation (V Zones only)  Attached garage (top of slab)  Elevation (V Zones only)  Attached garage (top of slab)  Elevation (V Zones only)  Attached garage (top of slab)  Elevation (V Zones only)  Attached garage (top of slab)  Elevation (V Zones only)  Elev	ent used.  s (Puerto Rico only)					
Conversion/Comments NE CORNER 12" REBAR ELEVATION 4376.50 (SITE BENCE Check the measurement of the lowest higher floor solution of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Elevation of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Elevation of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Elevation of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Elevation of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Elevation of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Elevation of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Elevation of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Elevation of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Elevation of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Elevation of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Elevation of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Elevation of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Elevation of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Elevation of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Elevation of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Elevation of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Elevation of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Elevation of the lowest horizontal structural member (V Zones only)  Elevation of the lowest horizontal structural member (V Zon	ent used.  s (Puerto Rico only)					
Conversion/Comments NE CORNER 3" REBAR ELEVATION 4376.50 (51TE BENCE Check the measurement of the lowest higher floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor (including basement, crawl space)  Top of the next higher floor (including basement, crawl space)  Top of the next higher floor (including basement, crawl space)  Top of the next higher floor (including basement, crawl space)  Top of the next highe	ent used.  s (Puerto Rico only)					
Conversion/Comments NE CORNER 3" REBAR ELEVATION 4376.50 (51TE BENCE Check the measurement of the lowest higher floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor (including basement, crawl space, or enclosure floor)  Top of the next higher floor (including basement, crawl space, or enclosure floor)  Bottom of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Lowest elevation of machinery or equipment servicing the building (Describe type of equipment in Comments)  Lowest adjacent (finished) grade (LAG)  Highest adjacent (finished) grade (HAG)  SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION  This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.	ent used.  Is (Puerto Rico only)					
Conversion/Comments NE CORNER 12" REBAR ELEVATION 4376.50 (SITE BENCE Check the measurement of the lowest horizontal structural member (V Zones only)  a) Top of bottom floor (including basement, crawl space, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment in Comments)  f) Lowest adjacent (finished) grade (LAG)  g) Highest adjacent (finished) grade (HAG)  SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION  This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.  Check here if comments are provided on back of form.	ent used.  Is (Puerto Rico only)					
Conversion/Comments NE CORNER 12" REBAR ELEVATION 4376.50 C5 ITE BOOK Check the measurement of the lowest horizontal structural member (V Zones only)  Top of the next higher floor Bottom of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Evaluation of machinery or equipment servicing the building (Describe type of equipment in Comments)  Lowest adjacent (finished) grade (LAG)  Highest adjacent (finished) grade (HAG)  SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION  This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.  Check here if comments are provided on back of form.  33985  License Number	ent used.  Is (Puerto Rico only)					
Conversion/Comments NE Cerner 3" Rebar Ecevation 4376.50 (SITE BENCE Check the measurement of the lowest horizontal structural member (V Zones only)  Top of the next higher floor  Bottom of the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Lowest elevation of machinery or equipment servicing the building (Describe type of equipment in Comments)  Lowest adjacent (finished) grade (LAG)  Highest adjacent (finished) grade (HAG)  SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION  This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.  Check here if comments are provided on back of form.  MARK E. EVANS  License Number  Certifier's Name  M.E. EVANS S. ASSOCIATES	ent used.  Is (Puerto Rico only) Is (Puerto					
Conversion/Comments NE CERNER 13" REBAR ELEVATION 4376.50 CENTE BENCE Check the measurement of the lowest horizontal structural member (V Zones only)  a) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment in Comments)  f) Lowest adjacent (finished) grade (LAG)  g) Highest adjacent (finished) grade (HAG)  SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION  This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.  Check here if comments are provided on back of form.  MARK E FUANS  Certifier's Name  PRESUPENT  Company Name  Title  Company Name  Title  Company Name  The Company Name  Top of bottom floor (including basement, crawl space, or enclosure floor)  ### Application feet   meter   m	ent used.  Is (Puerto Rico only)					
Conversion/Comments NE CERNER 13" REBAR ELEVATION 4376.50 (51TE BENCE Check the measurement of the property of the next higher floor  a) Top of bottom floor (including basement, crawl space, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment in Comments)  f) Lowest adjacent (finished) grade (LAG)  g) Highest adjacent (finished) grade (HAG)  SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION  This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certific promation. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.  Check here if comments are provided on back of form.  MARK E. EVANS  Certifier's Name  PRESIDENT  Company Name  RESIDENT  Company Name  State  ZIP Code	ent used.  Is (Puerto Rico only) Is (Puerto					
Conversion/Comments NE CORNER 3" REBAR ELEVATION 4376.50 CSITE BENCE Check the measurement of the lowest floor (including basement, crawl space, or enclosure floor)  a) Top of bottom floor (including basement, crawl space, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment in Comments)  f) Lowest adjacent (finished) grade (LAG)  g) Highest adjacent (finished) grade (HAG)  SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION  This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.  Check here if comments are provided on back of form.  MARK E. EVANS  Certifier's Name  PRESUPENT  Company Name  Title  Company Name  The Company Name	ent used.  Is (Puerto Rico only) Is (Puerto					

IMPORTANT: In the	se spaces, cor	e corresponding	Information from 8	ection /		Sar Incurance Common U.
Building Street Address 24605 None	(including Apt., Ur,	suite, and/or Bldg. No.	) or P.O. Route and B	lox No.		For Insurance Company Use: Policy Number
City Non	H FEATHE	MOUNTAIN	ROAD			Toney Hamber
PAULDEN			RIZONA		ZIP Code	Company NAIC Number
	SECTION D - SI	URVEYOR, ENGINE	ER. OR ARCHITE	CT CERTI	86334	ITAN IED
Copy both sides of this E	levation Certificate fo	r (1) community official	(2) insurance anent	COMPOSITION	-d (2) b all	TINOED)
Comments		1/25/110				
THE RE	ATTACHED	DATION FOR T	THIS PARCEL	WAS D	ETERMINE	D BY RAYMOND FAMA
Tue ecarrie	ASS.	PARCEL 304-	01-1854 VAS	SPLIT	AFTER 1996	INTO 304-01-185 B & C
Signature MAN	2 PPLIES	0 304-01-18	Data	1-22-1	500	
SECTION E - BUIL	DING ELEVATION	INFORMATION (S	I IRVEY NOT PEO	INDEDI EC	D ZONE 40 M	Check here if attachment  ND ZONE A (WITHOUT BFE)
E1. Provide elevation int grade (HAG) and the	ormation for the follo	wing and check the ap	propriate boxes to sho	w whether t	) Only enter meter	equest, complete Sections A, B, s. ove or below the highest adjacent
<ul> <li>a) Top of bottom floo</li> <li>b) Top of bottom floo</li> </ul>	or (including basemer or (including basemer os 6-8 with permanen	nt, crawl space, or encl nt, crawl space, or encl of flood openings provide	osure) is led in Section A Items	feet [	meters about	ove or below the LAG.
E3. Attached garage (top E4. Top of platform of ma E5. Zone AO only: If no	of slab) is achinery and/or equip flood depth number is	feet me	eters above or adding is	below the	HAG. meters about the	HAG.  ve or  below the HAG.  mmunity's floodplain management
ordinance?  Yes	☐ No ☐ Unknow	wn. The local official m	nust certify this informa	ation in Sect	ion G.	minumy 5 hoodplan management
	SECTION F - PRO	PERTY OWNER (C	OR OWNER'S REP	RESENTA'	TIVE) CERTIFIC	ATION
The property owner or owns	er's authorized repres	sentative who complete	s Sections A. B. and	E for Zone A	(without a FEMA	issued or community-issued BFE)
or Zone AO must sign here. Property Owner's or Owner'	s Authorized Represe	entative's Name	e correct to the best o	f my knowle	dge.	
	o / lastorazoa i topico		_			
Address			City		State	ZIP Code
Signature			Date		Telephone	
Comments						
	700 H 770 H					
						Поразі, раз ії ангарата
	SE	CTION G - COMMU	INITY INFORMATION	ON (OPTIC	MAI)	Check here if attachments
ne local official who is author	ized by law or ordina	nce to administer the c	community's floodplain	manageme	nt ordinance can	complete Sections A, B, C (or E),
id G of this Elevation Certific	ate. Complete the ap	oplicable item(s) and si	ign below. Check the	measureme	nt used in Items G	88. and G9.
is authorized by law	to certify elevation in	formation. (Indicate th	e source and date of t	the elevation	data in the Comn	
		for a building located is is provided for commu				ued BFE) or Zone AO.
64. Permit Number 597-5%	G5. Date	Permit Issued	G6.	Date Certifi	icate Of Complian	ce/Occupancy Issued
. This permit has been issue	d for: New Cor	nstruction Sul	bstantial Improvement	t		
. Elevation of as-built lowest					meters (PR)	Datum
). BFE or (in Zone AO) depth					meters (PR)	Datum
ocal Official's Name			Title	Total Charles		
ommunity Name			Telephone	2		
ignature			Date			
omments						
	The state of the s					
						Check here if attachments
						Replaces all previous editions

## **Building Photographs**

See Instructions for Item A6.


	GEE MORIDAGE TO THE		For Insurance Company Use:
Building Street Address (including	ng Apt., Unit, Suite, and/or Bldg. No.) or P.O.	Route and Box No.	Policy Number
24605 NORTH FE	State ROAD	ZIP Code 86334	Company NAIC Number
PAULDEN	ARIZONA		

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page, following.

SEE ATTACHED




EAST SIDE OF HOUSE





NORTH SIDE OF HOUSE



## L EVATION OF FLOODPLAIN PROPERTY

When Completed Return To: YAVAPAI COUNTY DEVELOPME.  Prescott Office: 500 S. Marina St., Prescott, AZ, 86303 PH Cottonwood Office: 10 S. 6 <sup>th</sup> St., Cottonwood, AZ 86326 P	
DATE 9/22/06 ASSESSOR'S PARCEL NUMBER	304-01-1858
SUBDIVISION NAME UNIT/PHASE AND LOT NUMBER	
SITUS ADDRESS 24605 NORTH FEATHER MOUNTAIN ROA	O CHINO VALLEY ARRONA 863
BASE BENCHMARK: Number RM 50-2 MEVD 29	Elevation 4378.215
TEMPORARY PROPERTY BENCHMARK (TBM) ELEVATION 43	
TBM DESCRIPTION 1/2" REBAR @ NORTHEAST CORNER	
GROUND ELEVATIONS AT BUILDING SITE <u>4377,31</u> , <u>4377.</u> (Please provide a minimum of three (3) elevation points, representative	04, 4376,52 of the site)
SKETCH OF LOT (include location of TBM and building site elevations)	)
SEE ATTACHED EXHIBIT	Signed  M.E. Evans & Associates  Company Name  Stociates  Contessional English  33985  MARK E. Evans  Signed  (seal)
Remarks PER RAYMOND FAMAS 4-19-96 4377.60 + 1.00 = 4378.60	Address CHINO VALLEY ANIZONA 86323
BASE FLOOD REGULTORY ELEVATION ELEVATION	Telephone 928-636-0102
FOR YAVAPAI COUNTY FLOOD CONTROL DISTRICT USE:	Date: 4-30-08
Base Flood Elevation $4378.7 + 1.0' = \text{Regulatory Elev}$	ation 4379.7

\* ELEVATION DETERMINATIONS ARE BASED ON BEST AVAILABLE DATA WHEN CALCULATED. ELEVATIONS ARE SUBJECT TO CHANGE WHEN NEW OR REVISED FLOOD STUDIES OR DATA IS SUPPLIED TO THE DISTRICT.