U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires March 31, 2012

National Flood Insurance Program

Important: Read the instructions on pages 1-9.

Research who have a construction of the constr					
SECTION A - PROPERTY INFORMATION		For Insurance Company Use:			
A1. Building Owner's Name RICK AND COLLEEN JONES		Policy Number			
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.		Company NAIC Number			
City PAULDEN	AZ	IP Code 86334			
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description (Lot T 4/5, HOLIDAY LAKE E	ription, etc.) STATES: APN 304-	04-326 A			
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.)	RESIDENTIAL				
A6. Attach at least 2 photographs of the building if the Certificate is being used to c	A5. Latitude/Longitude: Lat. 34°54′15.13342 Long. 112°28′40.52911 Horizontal Datum: NAD 1927 NAD 1983 A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.				
A7. Building Diagram Number B A8. For a building with a crawlspace or enclosure(s): a) Square footage of crawlspace or enclosure(s) b) No. of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade c) Total net area of flood openings? Yes No A9. For a building with an attached garage: a) Square footage of attached garage within 1.0 foot above adjacent grade within 1.0 foot above adjacent grade c) Total net area of flood openings in A8.b A9. For a building with an attached garage: a) Square footage of attached garage within 1.0 foot above adjacent grade c) Total net area of flood openings in A9.b A9. For a building with an attached garage: a) Square footage of attached garage within 1.0 foot above adjacent grade c) Total net area of flood openings? Yes No					
SECTION B - FLOOD INSURANCE RA					
B1. NFIP Community Name & Community Number YAVAPAI COUNTY 040093 B2. County Name	YAVAPAI COUNTY	B3. State ARIZONA			
B4. Map/Panel Number B5. Suffix B6. FIRM Index B7. FIR	M Panel B8. Flood evised Date Zone(s)	B9. Base Flood Elevation(s) (Zone AO, use base flood depth)			
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9.					
	ner (Describe) VD 1988	4			
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes 🕍 No					
Designation Date CBRS	OPA	Accessed by			
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)					
SECTION C - BUILDING ELEVATION INF	ORMATION (SURVEY REQUIR	ED)			
C1. Building elevations are based on: Construction Drawings* Bi *A new Elevation Certificate will be required when construction of the building is C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), A	uilding Under Construction* complete. kR, AR/A, AR/AE, AR/A1-A30, AR/AH	Finished Construction			
C1. Building elevations are based on: Construction Drawings* Bi *A new Elevation Certificate will be required when construction of the building is C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), A below according to the building diagram specified in Item A7. Use the same data	uilding Under Construction* complete. kR, AR/A, AR/AE, AR/A1-A30, AR/AF tum as the BFE.	Finished Construction H, AR/AO. Complete Items C2.a-h			
C1. Building elevations are based on: Construction Drawings* A new Elevation Certificate will be required when construction of the building is C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), A below according to the building diagram specified in Item A7. Use the same day Benchmark Utilized	uilding Under Construction* complete. kg, AR/A, AR/AE, AR/A1-A30, AR/AH	Finished Construction			
C1. Building elevations are based on: Construction Drawings* Bi *A new Elevation Certificate will be required when construction of the building is C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), A below according to the building diagram specified in Item A7. Use the same data	uilding Under Construction* complete. kR, AR/A, AR/AE, AR/A1-A30, AR/AF tum as the BFEVertical Datum	Finished Construction H, ARIAO. Complete Items C2.a-h 29' ELEV = 4393, 79			
C1. Building elevations are based on: Construction Drawings* Bi *A new Elevation Certificate will be required when construction of the building is C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), A below according to the building diagram specified in Item A7. Use the same dat Benchmark Utilized Conversion/Comments a) Top of bottom floor (including basement, crawlspace, or enclosure floor)	uilding Under Construction* complete. kR, AR/A, AR/AE, AR/A1-A30, AR/AF tum as the BFE. Vertical Datum Check the measurer 4397 49 🗵 feet met	Finished Construction H, ARIAO. Complete Items C2.a-h 29' ELEV = 4393, 79 ment used. ers (Puerto Rico only)			
C1. Building elevations are based on: Construction Drawings* Branch Andrew Elevation Certificate will be required when construction of the building is C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), Abelow according to the building diagram specified in Item A7. Use the same dar Benchmark Utilized Conversion/Comments a) Top of bottom floor (including basement, crawlspace, or enclosure floor) b) Top of the next higher floor	uilding Under Construction* complete. IR, AR/A, AR/AE, AR/A1-A30, AR/AF tum as the BFE. Vertical Datum Check the measurer 4397 49	Finished Construction H, ARIAO. Complete Items C2.a-h 29' ELEV = 4393, 79 ment used. ers (Puerto Rico only) ers (Puerto Rico only)			
C1. Building elevations are based on: Construction Drawings* Bit A new Elevation Certificate will be required when construction of the building is Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), A below according to the building diagram specified in Item A7. Use the same data Benchmark Utilized Conversion/Comments a) Top of bottom floor (including basement, crawlspace, or enclosure floor) b) Top of the next higher floor Comments Bottom of the lowest horizontal structural member (V Zones only)	uilding Under Construction* complete. IR, AR/A, AR/AE, AR/A1-A30, AR/AF tum as the BFE. Vertical Datum Check the measurer 4397 49 Feet met N/A feet met	Finished Construction H, ARIAO. Complete Items C2.a-h 29' ELEV = 4393, 79 ment used. ers (Puerto Rico only)			
C1. Building elevations are based on: Construction Drawings* Bi *A new Elevation Certificate will be required when construction of the building is C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), A below according to the building diagram specified in Item A7. Use the same dat Benchmark Utilized Conversion/Comments a) Top of bottom floor (including basement, crawlspace, or enclosure floor) Diport the next higher floor C) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building	complete. IR, AR/A, AR/AE, AR/A1-A30, AR/AF turn as the BFE. Vertical Datum Check the measurer 4397 49 feet	Finished Construction H, ARIAO. Complete Items C2.a-h 29' ELEV = 4393, 79 ment used. ers (Puerto Rico only) ers (Puerto Rico only) ers (Puerto Rico only)			
C1. Building elevations are based on: Construction Drawings* Bi *A new Elevation Certificate will be required when construction of the building is C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), A below according to the building diagram specified in Item A7. Use the same dat Benchmark Utilized Conversion/Comments a) Top of bottom floor (including basement, crawlspace, or enclosure floor) Do of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)	complete. IR, AR/A, AR/AE, AR/A1-A30, AR/AF turn as the BFE. Vertical Datum Check the measurer 4397 49 feet	Finished Construction H, ARIAO. Complete Items C2.a-h 29' ELEV = 4393, 79 ment used. ers (Puerto Rico only)			
C1. Building elevations are based on: Construction Drawings* *A new Elevation Certificate will be required when construction of the building is C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), A below according to the building diagram specified in Item A7. Use the same data Benchmark Utilized Conversion/Comments a) Top of bottom floor (including basement, crawlspace, or enclosure floor) Do of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building	complete. AR, AR/A, AR/AE, AR/A1-A30, AR/AF turn as the BFE. Vertical Datum Check the measurer 4397 49	Finished Construction H, ARIAO. Complete Items C2.a-h 29' ELEV = 4393, 79 ment used. ers (Puerto Rico only)			
C1. Building elevations are based on: Construction Drawings* Bi *A new Elevation Certificate will be required when construction of the building is C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), A below according to the building diagram specified in Item A7. Use the same dat Benchmark Utilized Conversion/Comments a) Top of bottom floor (including basement, crawlspace, or enclosure floor) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent grade at lowest elevation of deck or stairs, including structural support	complete. IR, AR/A, AR/AE, AR/A1-A30, AR/AF turn as the BFE. Vertical Datum Check the measurer 4397 49	Finished Construction H, ARIAO. Complete Items C2.a-h 29' ELEV = 4393, 79 ment used. ers (Puerto Rico only)			
C1. Building elevations are based on: Construction Drawings* *A new Elevation Certificate will be required when construction of the building is C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), A below according to the building diagram specified in Item A7. Use the same dat Benchmark Utilized Conversion/Comments a) Top of bottom floor (including basement, crawlspace, or enclosure floor) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lewest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support	complete. IR, AR/A, AR/AE, AR/A1-A30, AR/AF turn as the BFE. Vertical Datum Check the measurer 4397 49	Finished Construction H, ARIAO. Complete Items C2.a-h 29' FLEV = 4393, 79 ment used. ers (Puerto Rico only)			
C1. Building elevations are based on: Construction Drawings* Bi *A new Elevation Certificate will be required when construction of the building is C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), A below according to the building diagram specified in Item A7. Use the same dat Benchmark Utilized Conversion/Comments a) Top of bottom floor (including basement, crawlspace, or enclosure floor) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent grade at lowest elevation of deck or stairs, including structural support	complete. R, AR/A, AR/AE, AR/A1-A30, AR/AF turn as the BFE. Vertical Datum Check the measurer 4397 49	Finished Construction H, ARIAO. Complete Items C2.a-h 29' FLEV = 4393, 79 ment used. ers (Puerto Rico only)			
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction of the building is C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), A below according to the building diagram specified in Item A7. Use the same data Benchmark Utilized Conversion/Comments a) Top of bottom floor (including basement, crawlspace, or enclosure floor) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support SECTION D - SURVEYOR, ENGINEER, On the continuous part of the punishable by fine or imprisonment of the comments are provided on back of form. Were latitude and	complete. IR, AR/A, AR/AE, AR/A1-A30, AR/AF turn as the BFE. Vertical Datum Check the measurer 4397 49	Finished Construction H, AR/AO. Complete Items C2.a-h 29' FLEV = 4393, 79 ment used. ers (Puerto Rico only)			
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction of the building is C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), A below according to the building diagram specified in Item A7. Use the same data Benchmark Utilized Conversion/Comments a) Top of bottom floor (including basement, crawlspace, or enclosure floor) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lewest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support SECTION D - SURVEYOR, ENGINEER, C This certification is to be signed and sealed by a land surveyor, engineer, or archite information. I certify that the information on this Certificate represents my best effor I understand that any false statement may be punishable by fine or imprisonment uses of the comments are provided on back of form. Codificate Name	complete. AR, AR/A, AR/AE, AR/A1-A30, AR/AF turn as the BFE. Vertical Datum Check the measurer A397 A9 feet met N/A feet met N/A feet met N/A feet met A398 A2 feet met A398 A2 feet met A398 A2 feet met A398 A	Finished Construction H, AR/AO. Complete Items C2.a-h 29' FLEV = 4393, 79 ment used. ers (Puerto Rico only)			
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction of the building is C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), A below according to the building diagram specified in Item A7. Use the same data Benchmark Utilized Conversion/Comments a) Top of bottom floor (including basement, crawlspace, or enclosure floor) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lewest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support SECTION D - SURVEYOR, ENGINEER, C This certification is to be signed and sealed by a land surveyor, engineer, or archite information. I certify that the information on this Certificate represents my best effor I understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false statement may be punishable by fine or imprisonment understand that any false st	complete. R, AR/A, AR/AE, AR/A1-A30, AR/AF turn as the BFE. Vertical Datum Check the measurer 4397 49	Finished Construction H, AR/AO. Complete Items C2.a-h 29' ELEV = 4393, 79 ment used. ers (Puerto Rico only) DN ON DANIEL ALLEN FOSTER			
C1. Building elevations are based on: Construction Drawings* *A new Elevation Certificate will be required when construction of the building is C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), A below according to the building diagram specified in Item A7. Use the same data Benchmark Utilized Conversion/Comments a) Top of bottom floor (including basement, crawlspace, or enclosure floor) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support SECTION D - SURVEYOR, ENGINEER, C This certification is to be signed and sealed by a land surveyor, engineer, or archite information. I certify that the information on this Certificate represents my best effor understand that any false statement may be punishable by fine or imprisonment of the comments are provided on back of form. Certifier's Name D, ALLEN FOSTER Title Company Name Fost Co States Company Name Fost Co States Company Name Fost Company Name Fost Co States Company Name Fost Company	complete. R, AR/A, AR/AE, AR/A1-A30, AR/AF turn as the BFE. Vertical Datum Check the measurer 4397 49	Finished Construction H, AR/AO. Complete Items C2.a-h 29' ELEV = 4393, 79 ment used. ers (Puerto Rico only) DANIEL ALLEN FOSTER			

IMPORTANT: In these sno	ces, copy the corresponding info	rmation from Section	on A.	For Insurance Company Use:
Building Street Address (including	ng Apt., Unit, Suite, and/or Bldg, No.) or	P.O. Route and Box No		Policy Number
	430 W. LA JOUA	LN.	ZIP Code	Company NAIC Number
City	PAULDEN	HZ	86334	
	TION D - SURVEYOR, ENGINEER			
	Certificate for (1) community official, (2	2) insurance agent/comp	any, and (3) building ow	ner.
Comments	C2-e ELEVATION OF	I LOWEST M	ACHINERY IS	TO THE
	BOTTOM OF THE E	LECTRIC BO	0X -	
Signature	Allen Faler	Date 7	11/10	☐ Check here if attachments
SECTION E - BUILDING	ELEVATION INFORMATION (SU	RVEY NOT REQUIR	ED) FOR ZONE AO A	ND ZONE A (WITHOUT BFE)
and C. For Items E1-E4, use not be a provide elevation informat grade (HAG) and the lower a) Top of bottom floor (inc b) Top of Billion C2.b in the diagrams 6-9 (elevation C2.b in the diagrams 6-9 (elevation C2.b in the diagrams 6-9 (inc b) Top of platform of machine E5. Zone AO only: If no flood ordinance? Yes	luding basement, crawlspace, or enclos luding basement, crawlspace, or enclos with permanent flood openings provide grams) of the building is ab) is feet met ery and/or equipment servicing the build depth number is available, is the top of No Unknown. The local official m	repriate boxes to show we sure) is care is care is care is care in Section A Items 8 a feet meters above or I ding is care the bottom floor elevate ust certify this information.	erto Rico only, enter meter whether the elevation is a feet meters almodor 9 (see pages 8-9 cases above or below the HAG. feet meters almodor 9 feet meters almodor 9 feet above or below the HAG. feet meters ad in accordance with the on in Section G.	bove or below the highest adjacent bove or below the HAG. bove or below the HAG. for Instructions), the next higher floor he HAG. bove or below the HAG. community's floodplain management
	CTION F - PROPERTY OWNER (O			•
The property owner or owner's a or Zone AO must sign here. The	authorized representative who complete e statements in Sections A, B, and E an	es Sections A, B, and E f e correct to the best of r	or Zone A (without a FEI ny knowledge.	MA-issued or community-issued BFE)
Property Owner's or Owner's Au	thorized Representative's Name			
Address		City	State	ZIP Code
Signature		Date	Telepho	ne
Comments	***************************************			3
				Check here if attachmen
	SECTION G - COMMU	INITY INFORMATIO	N (OPTIONAL)	3 Uneck here it attachmen
The local official who is authorized	d by law or ordinance to administer the	community's floodplain	management ordinance	can complete Sections A, B, C (or E),
and G of this Elevation Certificate	. Complete the applicable item(s) and siting C was taken from other documental certify elevation information. (Indicate to	sign below. Check the r tion that has been signe	neasurement used in Itel d and sealed by a licens	ms G8 and G9. ed surveyor, engineer, or architect who
	mpleted Section E for a building located			
G3. The following information	on (Items G4-G9) is provided for commu	unity floodplain manager	ment purposes.	
G4. Permit Number	G5. Date Permit Issued	G6.	Date Certificate Of Com	pliance/Occupancy Issued
G7. This permit has been issued	I for: New Construction S	Substantial Improvement		•
G8. Elevation of as-built lowest f	floor (including basement) of the buildin	g·	feet meters (I	
G9. BFE or (in Zone AO) depth	of flooding at the building site	· · · · · · · · · · · · · · · · · · ·	☐ feet ☐ meters (I	1/0
G10. Community's design flood e	levation		feet meters (I	PR) Datum
Local Official's Name		Title		
Community Name		Telephone	9	
Signature		Date		A CONTRACTOR OF THE CONTRACTOR
Comments	22	~ · · · · · · · · · · · · · · · · · · ·		
	·		The state of the s	
				Check here if attachmen

ELEVATION OF FLOODPLAIN PROPERTY

When Completed Return To: Yavapai County Development Services – Floodplain Unit 500 S. Marina St., Prescott, AZ, 86303 (928) 771-3197 FAX 771-3427
DATE 4/03/06
ASSESSOR'S PARCEL NUMBER 304-04-326 A
SUBDIVISION NAME UNITYPHASE AND LOT NUMBER LOTS (415, 416, HOUDAY LAKE ESTATES
OWNER RICK JONES
SITUS ADDRESS LA JOUA LN
BASE BENCHMARK: Number <u>RM-22</u> Elevation <u>4393.79</u>
PROPERTY BENCHMARK (1) EL= 4394.47 , (2) EL= 4397.96'
DESCRIPTION OF PROPERTY BENCHMARK (1) 1/2" FOSTER @ COMMON PROP. CORNER
2) SET 1/2" REBAR ± 0.70' ABOVE GROUND
GROUND ELEVATIONS AT BUILDING SITE <u>34396.51</u> , <u>44395.40</u> , <u>6</u> 4395.45, <u>64395.31</u> , <u>74395</u> 4395. (Please provide a minimum of three (3) elevations points, representative of the site)
Sketch of Lot (include location of property benchmark and building site elevations) Remarks BENCHMARK # 2 IS SET
ON TOP OF A BIRM OF DIET. THERE
IS NO DEVELOPED PADS. BLD SITE
SHOT ARE ON NATURAL GROUND.
18 arms Tate
FOSTER OF TOSTCO SURVEYING INC.
Company Name P.O. Box 4363
Address CHINO VALLEY, AZ 86323
(Seal) LA JOLLA LN Telephone 928-636-9184
FOR YAVAPAI COUNTY FLOOD CONTROL DISTRICT USE: Date:
Base Flood Elevation 4396.0 + 1.0' = Regulatory Elevation 4397.0

^{*} ELEVATION DETERMINATIONS ARE BASED ON BEST AVAILABLE DATA WHEN CALCULATED. ELEVATIONS ARE SUBJECT TO CHANGE WHEN NEW OR REVISED FLOOD STUDIES OR DATA IS SUPPLIED TO THE DISTRICT.