## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGPAM

## ELEVATION CERTIFICA. ¿

O.M.B. No. 3067-0077 Expires July 31, 2002

Important: Read the i	nstructions on pages 1 - 7.		
SECTION A - PROPERT	Y OWNER INFORMATION	For Insurance Company Use:	
BUILDING OWNER'S NAME Paul Levie		Policy Number	
BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No 350 E. Aspen Rd	) OR P.O. ROUTE AND BOX NO.	Company NAIC Number	
CITY Paulde	STATE AZ	ZIP CODE 86333	
PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, I	egal Description, etc.)		
BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc.	Use Comments section if necessary.)		
Residential			
LATITUDE/LONGITUDE (OPTIONAL) HORIZONTAL DATUM: ( ##° - ##' - ##.##" or ##.#####") L_  NAD 1927 L_  NAD 1		O    Other:	
SECTION B - FLOOD INSURANCE	CE RATE MAP (FIRM) INFORMATION		
B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER   B2. COUNT	TY NAME	B3. STATE	
Yarapa: County 040093 Yara	آوم:	AZ	
	7. FIRM PANEL B8. FLOOD TIVE/REVISED DATE ZONE(S) 6-6-01 AE	B9. BASE FLOOD ELEVATION(S) (Zone AO, use depth of flooding) 4458.6	
B10. Indicate the source of the Base Flood Elevation (BFE) data or base		1750.6	
X FIS Profile   FIRM   Community Determin	ed Other (Describe):		
B11. Indicate the elevation datum used for the BFE in B9:  X  NGVD			
B12. Is the building located in a Coastal Barrier Resources System (C	BRS) area or Otherwise Protected Are	a (OPA)? ∐ Yes  ≿ No	
Designation Date:			
	N INFORMATION (SURVEY REQUIRE		
C1. Building elevations are based on:   Construction Drawings*	Building Under Construction*	X Finished Construction	
*A new Elevation Certificate will be required when construction of	# - "Marking - 소리라이트 Na ## # 1 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
C2. Building Diagram Number 8 (Select the building diagram most similar to the building for which this certificate is being completed - see			
pages 6 and 7. If no diagram accurately represents the building,		100 10011 1000	
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO			
Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from			
the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.			
Datum RM0605-3 Conversion/Comments			
Elevation reference mark used 4455.79 Does the elevation reference mark used appear on the FIRM? [X   Yes     No			
a) Top of bottom floor (including basement or enclosure)	4461 2_ ft.(m) =	Off the Firther Paris 140	
<ul> <li>b) Top of next higher floor</li> <li>c) Bottom of lowest horizontal structural member (V zones only</li> </ul>	y) 4459 ft.(m)	mit the sen	
☐ d) Attached garage (top of slab)	ft.(m)	2 3383	
servicing the building	ft.(m)	RAMSEY DY 3	
f) Lowest adjacent grade (LAG)	4457 . 4 ft.(m) \$\frac{1}{2} \frac{1}{2} \	Somed B	
g) Highest adjacent grade (HAG)	4458 . 1 ft.(m) 2 0	18/20MA U.S.A.	
☐ h) No. of permanent openings (flood vents) within 1 ft. above a	djacent grade	IONA, U.S.	
☐ i) Total area of all permanent openings (flood vents) in C3h	sq. in. (sq. cm)		
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION			
This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information.			
I certify that the information in Sections A, B, and C on this certificate			
I understand that any false statement may be punishable by fine or in		tion 1001.	
CERTIFIER'S NAME TIMOTHY D. RAMSEY	LICENSE NUMBER	S. 23383	
	COMPANY NAME		
ADDRESS	CITY STATE	ZIP CODE	
2255 WEST KRIS CT.	PRESCOTT AZ	NE	
Unith O. Kansey	08/07/01	778-5043	
FEMA Form 81-31, AUG 99 SEE REVERSE SIDE	FOR CONTINUATION REPLA	ACES ALL PREVIOUS EDITIONS	

BUILDING STREET ADDRESS (Including Apt., Unite, and/or Bidg. No.) OR P.O. ROUTE AND BOX No. 1909 E. ASPEN ROAD  STATE ZIP CODE  PAULDEN AZ 86333  SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)  Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner COMMENTS  MANUFACTURED HOME, ELEVATION OF BOTTOM OF STRUCTURAL FRAME IS  4459.7. REQUIRED ELEVATION PER YAVAPAI COUNTY FLOOD CONTROID DISTRICT IS 4459.6. BENCHMARK USED IS RM0605-3. HOME IS  SKIRTED AROUND BASE WITH WOOD. Check here  SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (Without BFE), complete Items E1 through E4. If the Elevation Certificate is intended for use as suffermention for a LOMA or LOMR-F, Section C must be completed.  11. Building Diagram Number (Select the building diagram most similar to the building for which this certificate is being see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)  12. The top of the bottom floor (including basement or enclosure) of the building is [1, ft.(m)] [1, ft.(m)] about (check one) the highest adjacent grade.  13. For Building Diagrams 8-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building [1, ft.(m)] [1, ft.(m)] about the highest adjacent grade.  14. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the confloodplain management ordinance? [1] Yes [1, No] [1, No] Unknown. The local official must certify this information in SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION  The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA community-issued BFE) or Zone AO must sign here.  PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME  ADDRESS CITY STATE ZIP CODE  SIGNATURE ZIP CODE  SIGNATURE D. ACT THE AZI AND AZI AND AZI AND AZI AZI AZ	e if attachmen ITHOUT BFE)  pporting  ng completed —  ve or     below  is  ommunity's
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)  Sopy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner (OMMENTS)  MANUFACTURED HOME, ELEVATION OF BOTTOM OF STRUCTURAL FRAME IS 4459.7. REQUIRED ELEVATION PER YAVAPAI COUNTY FLOOD CONTROID DISTRICT IS 4459.6. BENCHMARK USED IS RM0605-3. HOME IS SKIRTED AROUND BASE WITH WOOD.  SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (Work Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevation Certificate is intended for use as sufformation for a LOMA or LOMR-F, Section C must be completed.  Building Diagram Number (Select the building diagram most similar to the building for which this certificate is being see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)  Check one) the bighest adjacent grade.  For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building [In.(cm)] above (check one) the highest adjacent grade.  For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated in accordance with the conflood plain management or ordinance? Yes [YNo] Unknown. The local official must certify this information in SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION  The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA community-issued BFE) or Zone AO must sign here.  PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME  RODRESS  CITY STATE ZIP CODE  SIGNATURE  DATE  TELEPHONE	e if attachmen ITHOUT BFE)  pporting  ng completed —  ve or     below  is  ommunity's
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)  opy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner  MANUFACTURED HOME, ELEVATION OF BOTTOM OF STRUCTURAL FRAME IS  4459.7. REQUIRED ELEVATION PER YAVAPAI COUNTY FLOOD CONTROI  DISTRICT IS 4459.6. BENCHMARK USED IS RM0605-3. HOME IS  SKIRTED AROUND BASE WITH WOOD Check her  SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (W  or Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevation Certificate is intended for use as substantion for a LOMA or LOMA-F, Section C must be completed.  Building Diagram Number (Select the building diagram most similar to the building for which this certificate is bein see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)  The top of the bottom floor (including basement or enclosure) of the building is if.(m) lin.(cm) abo  (check one) the highest adjacent grade.  For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building [	e if attachmen ITHOUT BFE) Exporting  Ing completed —  Ing completed —  It is  It is  It is  It is  It is
OMMENTS  MANUFACTURED HOME, ELEVATION OF BOTTOM OF STRUCTURAL FRAME IS  4459.7. REQUIRED ELEVATION PER YAVAPAI COUNTY FLOOD CONTROI  DISTRICT IS 4459.6. BENCHMARK USED IS RM0605-3. HOME IS  SKIRTED AROUND BASE WITH WOOD Check her  SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WIT ZONE AO and ZONE A (Without BFE), complete Items E1 through E4. If the Elevation Certificate is intended for use as stormation for a LOMA or LOMA-F, Section C must be completed.  Building Diagram Number (Select the building diagram most similar to the building for which this certificate is bein see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)  The top of the bottom floor (including basement or enclosure) of the building is   ft.(m)     in.(cm)     abo (check one) the highest adjacent grade.  For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building Light (m)     in.(cm) above the highest adjacent grade.  For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the c floodplain management ordinance?   Yes No   Unknown. The local official must certify this information in SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION  The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA ommunity-issued BFE) or Zone AO must sign here.  ROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME  DDRESS CITY STATE ZIP CODE  IGNATURE DATE IS	e if attachmen ITHOUT BFE) Exporting  Ing completed —  Ing completed —  It is  It is  It is  It is  It is
A459.7. REQUIRED ELEVATION OF BOTTOM OF STRUCTORAL FRAME IS  4459.7. REQUIRED ELEVATION PER YAVAPAI COUNTY FLOOD CONTROI  DISTRICT IS 4459.6. BENCHMARK USED IS RM0605-3. HOME IS  SKIRTED AROUND BASE WITH WOOD Check her  SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (W  To Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevation Certificate is intended for use as sufformation for a LOMA or LOMR-F, Section C must be completed.  Building Diagram Number (Select the building diagram most similar to the building for which this certificate is being see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)  The top of the bottom floor (including basement or enclosure) of the building is   ft.(m)   in.(cm)   about a bout a bout a bilding Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building in   ft.(m)   in.(cm) above the highest adjacent grade.  For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the conflood floor in the property of the certify this information in   No   Unknown. The local official must certify this information in   SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION    The property owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA ommunity-issued BFE) or Zone AO must sign here.  ROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME    DDRESS   CITY   STATE   ZIP CODE    DDRESS   CITY   STATE   ZIP	e if attachmen ITHOUT BFE) Exporting  ag completed —  ve or     below  is  community's
DISTRICT IS 4459.6. BENCHMARK USED IS RM0605-3. HOME IS  SKIRTED AROUND BASE WITH WOOD Check her  SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (W  r Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevation Certificate is intended for use as stormation for a LOMA or LOMA-F, Section C must be completed.  Building Diagram Number (Select the building diagram most similar to the building for which this certificate is bein see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)  The top of the bottom floor (including basement or enclosure) of the building is [ft.(m) [in.(cm) ] abo  (check one) the highest adjacent grade.  For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building  L   ft.(m)   in.(cm) above the highest adjacent grade.  For Zone AO only. If no flood depth number is available, is the top of the bottom floor elevated in accordance with the c  floodplain management ordinance? Yes   No   Unknown. The local official must certify this information in  SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION  The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA ommunity-issued BFE) or Zone AO must sign here.  ROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME  DDRESS CITY STATE ZIP CODE  IGNATURE	e if attachmen ITHOUT BFE) Exporting  ag completed —  ve or     below  is  community's
DISTRICT IS 4459.6. BENCHMARK USED IS RM0605-3. HOME IS  SKIRTED AROUND BASE WITH WOOD.  SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (W r Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevation Certificate is intended for use as statement of a LOMA or LOMR-F, Section C must be completed.  Building Diagram Number (Select the building diagram most similar to the building for which this certificate is being see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)  The top of the bottom floor (including basement or enclosure) of the building is   ft.(m)   in.(cm)   above (check one) the highest adjacent grade.  For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building   ft.(m)   in.(cm) above the highest adjacent grade.  For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the confloodplain management ordinance?   Yes   No   Unknown. The local official must certify this information in SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION  The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA ommunity-issued BFE) or Zone AO must sign here.  ROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME  DDRESS CITY STATE ZIP CODE  BIGNATURE DATE TELEPHONE	e if attachmen ITHOUT BFE)  pporting  ng completed —  ve or       below  is  community's
SKIRTED AROUND BASE WITH WOOD.  [Check here SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WIT ZONE AO AND ZONE A) (WIT ZONE AO AND ZONE AO AO AND ZONE AO AO AND ZONE ZONE AO AND ZONE AO AND ZONE AO AND ZONE AO AND ZONE ZONE ZONE ZONE ZONE ZONE ZONE ZONE	ITHOUT BFE)  Inpporting  Ing completed —  Inve or     below  I is  I is
SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITCHING TO A COMPACT OF TEACH	ITHOUT BFE)  Inpporting  Ing completed —  Inve or     below  I is  I is
To Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevation Certificate is intended for use as sufficient for a LOMA or LOMR-F, Section C must be completed.  Building Diagram Number (Select the building diagram most similar to the building for which this certificate is being see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)  The top of the bottom floor (including basement or enclosure) of the building is   ft.(m)   in.(cm)   about (check one) the highest adjacent grade.  For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building   ft.(m)   in.(cm) above the highest adjacent grade.  For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the conflood floor floor floor elevated in accordance with the conflood floor floor elevated in accordance with the conflood floor floor floor floor elevated in accordance with the confloor floor floor floor floor floor floor floor elevated in accordance with the confloor floor flo	repporting  ag completed –  ve or     belove  is  community's
ROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME  DDRESS CITY STATE ZIP CODE  IGNATURE DATE TELEPHONE	
GNATURE DATE TELEPHONE	
NOTIVITORIE .	
OMMENTS	
. I Charleba	ro if attachmo
Check he	e ii allaciiiiei
ne local official who is authorized by law or ordinance to administer the community's floodplain management ordinance callections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below.  1. [] The information in Section C was taken from other documentation that has been signed and embossed by a license engineer, or architect who is authorized by state or local law to certify elevation information. (Indicate the source a elevation data in the Comments area below.)  2. [] A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-is	ed surveyor, nd date of the
Zone AO.  Zone AO.  The following information (Items G4-G9) is provided for community floodplain management purposes.	
G4. PERMIT NUMBER  G5. DATE PERMIT ISSUED  G6. DATE CERTIFICATE OF COMPLIANCE/OF ISSUED	OCCUPANCY
7. This permit has been issued for:   New Construction   Substantial Improvement  8. Elevation of as-built lowest floor (including basement) of the building is: ft.(m) Datum  9. BFE or (in Zone AO) depth of flooding at the building site is: ft.(m) Datum	:
OCAL OFFICIAL'S NAME TITLE	
COMMUNITY NAME TELEPHONE	
SIGNATURE DATE	

FEMA Form 81-31 AUG 99

REPLACES ALL PREVIOUS FOITIONS

## ELEVATION OF FLOODPLAIN PROPERTY

When Completed Return To: Yavapai County Flood Control District, 500 S. Marina St., Prescott, AZ, 86303 (520) 771-3197 FAX 771-3427		
DATE /- 9-2001		
ASSESSORS NUMBER 305-03-196		
SUBDIVISION NAME AND NUMBER	NTELOPE LAKES UNITZ	
OWNER PAUL D. LEVIE		
SITUS ADDRESS 355 E. ASPEN ROA	1D	
BASE BENCHMARK: Number <u>RM0605-3</u>	Elevation <u>4455.79</u>	
PROPERTY BENCHMARK 4457.33		
DESCRIPTION OF PROPERTY BENCHMARK S.W. P	PROP. COR. (TOP OF REBAR)	
GROUND ELEVATIONS AT BUILDING SITE 445 (Please provide a minimum of three (3) elevations points, represe	7.8 ntative of the site)	
Sketch of Lot (include location of property benchmark and building site elevation of property be	Remarks SET REBAR.  NEAR BUILDING SITE  ELEV. 4458.50-TOP  OF REBAR  TIMOTHY SITE	
PROP.B.M. TOPOFREBAR EL. 4457.33  (Seal) ASPEN  ROAD	Signed  RAMSEY SURVEY  Company Name  2255 W. KRIS COURT  Address  PRESCOTT, AZ. 86305  Telephone 778-5043	
FOR YAVAPAI COUNTY FLOOD CONTROL DISTRICT USI	Date: 1-9-01	
Base Flood Elevation 4458. 6 + 1.0' = Regulat	ory Elevation 4759. 6	

<sup>\*</sup> ELEVATION DETERMINATIONS ARE BASED ON BEST AVAILABLE DATA WHEN CALCULATED. ELEVATIONS ARE SUBJECT TO CHANGE WHEN NEW OR REVISED FLOOD STUDIES, OR DATA IS SUPPLIED TO THE DISTRICT.