## **ELEVATION CERTIFICATE**

FE PAL EMERGENCY MANAGEMENT BENCY

O.M.B. No. 3067-0077 Expires July 31, 1999

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

	SECTION A PRO							
. <u> </u>	FOR INSURANCE COMPANY USE							
BUILDING OWNER'S NAME  LAMES & LINDA		POLICY NUMBER						
STREET ADDRESS (Including Apt., 2612 LANTIS LA		COMPANY NAIC NUMBER						
OTHER DESCRIPTION (Lot and Blo CAMP VERDE	ock Numbers, etc.)	•	TAY PARCEL'	404-03	3 - 022 F			
CAMPVERDE	<u> </u>		TAX PARCEL:	STATE	ZIP CODE			
SEDONA				SA	<u>&amp;339</u>			
	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION				
Provide the following from the	proper FIRM (See	Instructions):						
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)			
040131	1310	L'	6-8-98	A17	2051-0			
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: feet NGVD (or other FIRM datum—see Section B, Item 7).								
	SECTION	ON C BUILDI	NG ELEVATION INFORM	MATION				
of 3052 4 feet  (b). FIRM Zones V1-V30, V the selected diagram, is  (c). FIRM Zone A (without E below (check one)  (d). FIRM Zone AO. The flo one) the highest grade level) elevated in accord  3. Indicate the elevation data under Comments on Page the FIRM [see Section B equation under Comments  4. Elevation reference mark	NGVD (or other FIFE, and V (with BFE) at an elevation of BFE). The floor use the highest grade acron used as the refe adjacent to the build dance with the commun system used in cereal (NOTE: If the litem 7], then conversion Page 2.) used appears on FI	RM datum—see  The bottom of th	Section B, Item 7).  of the lowest horizontal st  feet NGVD (or other FIF nce level from the selecte building.  In the selected diagram is didepth number is available alain management ordinant above reference level elem used in measuring the ons to the datum system used.  No (See Instructions of	ructural member RM datum—see Stand diagram is feet a le, is the building once? Yes evations: \( \bullet \bullet \) NG elevations is differed on the FIRM on Page 4)	section B, Item 7).  feet above or  above or below (check b's lowest floor (reference No Unknown  VD '29 Other (describe			
5. The reference level elevat (NOTE: Use of construction case this certificate will on will be required once cons	ion drawings is only ly be valid for the bu truction is complete	valid if the buil uilding during th .)	lding does not yet have the course of construction.	e reference leve A post-constru	ction Elevation Certificate			
6. The elevation of the lowes Section B, Item 7).	st grade immediately	y adjacent to th	ne building is: 3697	].[ <i>0</i> ] feet NGVI	O (or other FIRM datum-see			
	S	ECTION D C	OMMUNITY INFORMATI	ON				
If the community official re is not the "lowest floor" as floor" as defined by the or 2. Date of the start of constr	defined in the com	munity's floodp	blain management ordinar NGVD (or other FIRM da	nce, the elevation	indicated in Section C, Item 1 n of the building's "lowest n B, Item 7).			


## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)						
Kenneth E. Spedding	,						
TITLE	COMPANY NAME						
District Director	Yavapai County Flood	Control	Dist	rict			
ADDRESS	CITY		STATE		ZIP		
255 E. Gurley St.	Prescott		AZ		8630		
SIGNATURE	12/1/92 12/1/92	PHONE	(520)	771-			
Copies should be made of this Certificate for	or: 1) community official, 2) insurance agent/co	mpany and	3) building	OWNO	,		
			o, oananı	9 011110	•		
COMMENTS:							
C-DIMINIEN 13.							
		-	·-· . <u></u>				



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.


## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)						
Kenneth E. Spedding		,					
TITLE	COMPANY NAME						
District Director	Yavapai County Floo	d Control	l District				
ADDRESS	CITY		STATE	ZIP			
255 E. Gurley St.	Prescott		ΑZ	86303			
SIGNATURE	12/198 DATE	PHONE	(520)	771-3197			
Copies should be made of this Certificate for: 1	) community official, 2) insurance agent/o	company, and	3) buildin	g owner.			
COMMENTS:							
·							
			-				



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.