U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY Notional Flood Insurance Programs

ELEVATION CERTIFICATE

IMPORTANT: Follow the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

			SECTION	ON A - PROPE	RTY INFORMATI	ION I	OR INSURANCE	E COMPANY USE			
A1.	SECTION A - PROPERTY INFORMATION 1. Building Owner's Name Robert & Judith Ashcraft										
	Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 2171 E. Hardy Lane						Company I UC u				
	City Camp Verde				State AZ	Zı	P Code 8632	2			
A3.	Property Description APN #404-12-418	(Lot and Block Nu	umbers, Tax Parcel	Number, Legal De	scription, etc.)						
	Building Use (e.g., Re		sidential, Addition,			lining and D	-h [TAIAD	4007 (FINAD 4003			
	Latitude/Longitude: L Attach at least 2 pho		uilding if the Certifi	Long. 111.48 cate is being use			atum: NAD	1927 NAD 1983			
	Building Diagram Nur	- '	-								
A8 .	For a building with a ca) Square footage of	•	• •	N/A s		wilding with an atta ware footage of atta		1140 sq ft			
	b) No. of permanent	•			,			in the attached garage			
	enclosure(s) withi			0		thin 1.0 foot above					
	 c) Total net area of i d) Engineered flood 	·	A8.D Yes ⊠iNo	S	•	tal net area of flood gineered flood oper					
	u, marcoron nou					-		- B			
					····	H) INFORMATIO		2 8-4-			
B1.	NFIP Community Nam #40093	e & Community N	lumber	82. Coun	ty Name Yavapa	<u> </u>		3. State 4Z.			
B4.	Map/Panel Number	B5. Suffix	B6. FIRM Index D		Panel Effective/ sed Date	B8. Flood Zone(s)	B	ood Elevation(s) (Zone base flood depth)			
	04025C2190	G	09/03/2010	1	9/03/2010	AE	AU, use	3065.24			
B10	Indicate the source of	f the Base Flood	Elevation (BFE) dat	a or base flood de	epth entered in Item	n B9:					
	☐ FIS Profile ☐ FI		unity Determined	Other/Source							
	Indicate elevation dat			NGVD 1929	№ NAVD 1988	Other/Source:					
B12	Is the building locate				or Utherwise Prote	cted Area (OPA)?	☐Yes ☐N	10			
	Designation Date:/ CBRS OPA										
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)											
		SECTIO	N C - BUILDING	ELEVATION II	NFORMATION (S						
C1.	Building elevations ar *A new Elevation Cer	re based on:	☐ Construction (Drawings* [Building Under C		ED) Sinished Con	struction			
	A new Elevation Cer Elevations – Zones A	re based on: tificate will be req 1-A30, AE, AH, A	Construction Equired when construction (with BFE), VE, V1-	Drawings [uction of the build V30, V (with BFE).	Building Under Cling is complete.	onstruction* AR/A1-A30, AR/AH	Finished Con				
	A new Elevation Cer Elevations – Zones A C2.a-h below accord	re based on: tificate will be red 1–A3O, AE, AH, A ing to the building	Construction (juired when constru (with BFE), VE, V1- g diagram specified	Drawings [uction of the build V30, V (with BFE), in Item A7. In Pu	Building Under Cling is complete. , AR, AR/A, AR/AE, erto Rico only, ente	onstruction* AR/A1-A30, AR/AH r meters.	Finished Con				
	A new Elevation Cer Elevations – Zones A C2.a-h below accord Benchmark Utilized:	re based on: tificate will be red 1–A30, AE, AH, A ing to the building H 494 PID ESG	Construction Equired when construction Equired when construction (with BFE), VE, V1-13 diagram specified O687	Drawings [uction of the build V30, V (with BPE), in Item A7. In Pu	Building Under Cling is complete. AR, AR/A, AR/AE, erto Rico only, enter lertical Datum: 310	onstruction* AR/A1-A30, AR/AH or meters. 51.72 (1988)	Finished Con	lete Items			
	A new Elevation Cer Elevations – Zones A C2.a-h below accord	re based on: tificate will be red 1–A30, AE, AH, A ing to the building H 494 PID ESC turn used for the	Construction I uired when construction I (with BFE), VE, V1g diagram specified O687 elevations in items	Drawings [Juction of the build V30, V (with BFE), I in Item A7. In Pu V a) through h) bek	Building Under Cling is complete. AR, AR/A, AR/AE, erto Rico only, enter lertical Datum: 310 OW. NGVD 192:	onstruction* { AR/A1–A30, AR/AH or meters. 61.72 (1988) Dignary NAVD 1988	Finished Con	e:			
	A new Elevation Cer Elevations – Zones A C2.a-h below accord Benchmark Utilized: _ Indicate elevation dat	re based on: tificate will be red 1-A30, AE, AH, A ing to the building H 494 PID ES turn used for the ing elevations mu	☐ Construction I juired when constru- (with BFE), VE, V1 g diagram specified O687 elevations in items ast be the same as	Drawings [Juction of the build V30, V (with BFE), Jin Item A7. In Pu La a) through h) below that used for the	Building Under Cling is complete. AR, AR/A, AR/AE, erto Rico only, enter lertical Datum: 310 OW. NGVD 192: BFE. 3066 56	onstruction* { AR/A1–A30, AR/AH or meters. 61.72 (1988) Dignary NAVD 1988	Tinished Con	e:			
	A new Elevation Cer Elevations – Zones A: C2.a-h below accord Benchmark Utilized: Indicate elevation dat Datum used for build	re based on: tificate will be red 1-A30, AE, AH, A ing to the building H 494 PID ESO turn used for the ting elevations mu or (including baser	☐ Construction I juired when constru- (with BFE), VE, V1 g diagram specified O687 elevations in items ast be the same as	Drawings [Juction of the build V30, V (with BFE), Jin Item A7. In Pu La a) through h) below that used for the	Building Under Cling is complete. AR, AR/A, AR/AE, erto Rico only, ente lertical Datum: 311 ow. NGVD 192: BFE. 3066 56 3076 56	AR/A1-A30, AR/AH r meters. 61.72 (1988) 9 MAVD 1988 Check the me	i, AR/AO. Comp Other/Source casurement use meters meters	e:			
	A new Elevation Cer Elevations - Zones A: C2.a-h below accord: Benchmark Utilized: Indicate elevation dai Datum used for build a) Top of bottom floo b) Top of the next hig c) Bottom of the lower	re based on: tificate will be red 1-A30, AE, AH, A ing to the building H 494 PID ESt turn used for the ing elevations mu or (including baser ther floor est horizontal str.	Construction I puired when construction BFE), VE, V1-15 diagram specified O687 elevations in items as the the same as ment, crawlspace, of	Drawings [Juction of the build JUCTION OF THE BEE JUCTION OF THE BE	Building Under Cling is complete. AR, AR/A, AR/AE, erto Rico only, entertical Datum: 311 ow. NGVD 1929 BFE. 3066 56 N/A	AR/A1-A30, AR/AH r meters. 61.72 (1988) 9 MAVD 1988 Check the me M feet M feet	Tinished Con AR/AO. Comp Other/Source assurement use meters meters meters meters	e:			
	A new Elevation Cer Elevations – Zones A: C2.a-h below accord: Benchmark Utilized: Indicate elevation dai Datum used for build a) Top of bottom floo b) Top of the next hig c) Bottom of the low d) Attached garage (t	re based on: tificate will be red 1-A30, AE, AH, A ing to the building H 494 PID ESt turn used for the ing elevations mu or (including baser ther floor est horizontal stru top of slab)	Construction I puired when construction I puired when construction BFE), VE, V1-2 diagram specified O687 elevations in items as the same as ment, crawlspace, outural member (V 2)	Drawings [Loction of the build AV30, V (with BFE), Lin Item A7. In Pu a) through h) below that used for the or enclosure floor) Zones only)	Building Under Cling is complete. AR, AR/A, AR/AE, erto Rico only, entertical Datum: 311 ow. NGVD 1929 BFE. 3066 56 N/A 3066 26	AR/A1-A30, AR/AH or meters. 61.72 (1988) Description Check the me	Tinished Comp AR/AO. Comp Other/Source assurement use meters meters meters meters meters	e:			
	A new Elevation Cer Elevations – Zones A: C2.a-h below accord: Benchmark Utilized: Indicate elevation dat Datum used for build a) Top of bottom floo b) Top of the next hig c) Bottom of the low d) Attached garage (te) Lowest elevation of	re based on: tificate will be red 1-A30, AE, AH, A ing to the building H 494 PID ES turn used for the ing elevations mu or (including baser ther floor est horizontal structor of stab) of machinery or ec	Construction I puired when construction I puired when construction BFE), VE, V1-2 diagram specified O687 elevations in items as the same as ment, crawlspace, outural member (V 2)	Drawings [Juction of the build V30, V (with BFE), Jin Item A7. In Pu	Building Under Cling is complete. AR, AR/A, AR/AE, erto Rico only, enter lertical Datum: 311 ow. NGVD 192: BFE. 3066 56 N/A 3066 26 3066 51	AR/A1-A30, AR/AH r meters. 61.72 (1988) 9 MAVD 1988 Check the me M feet M feet	Tinished Con AR/AO. Comp Other/Source assurement use meters meters meters meters	e:			
	A new Elevation Cer Elevations – Zones A: C2.a-h below accord: Benchmark Utilized: Indicate elevation dat Datum used for build a) Top of bottom floo b) Top of the next hig c) Bottom of the low d) Attached garage (te) Lowest elevation of	re based on: tificate will be red 1-A30, AE, AH, A ing to the building H 494 PID ES turn used for the ing elevations mu or (including baser ther floor est horizontal structor of stab) of machinery or ecequipment and lo	Construction to puired when construction to puired when constructions of the property of the p	Drawings [Juction of the build V30, V (with BFE), Jin Item A7. In Pu	Building Under Cling is complete. AR, AR/A, AR/AE, erto Rico only, enter fertical Datum: 311 OW. NGVD 1929 BFE. 3066 56 N/A 3066 26 3066 51	AR/A1-A30, AR/AH or meters. 61.72 (1988) Description Check the me	Tinished Comp AR/AO. Comp Other/Source assurement use meters meters meters meters meters meters meters	e:			
	A new Elevation Cer Elevations – Zones A: C2.a-h below accord Benchmark Utilized: Indicate elevation dai Datum used for build a) Top of bottom floo b) Top of the next hig c) Bottom of the low d) Attached garage (t e) Lowest elevation o (Describe type of f) Lowest adjacent (t g) Highest adjacent	re based on: tificate will be red 1-A30, AE, AH, A ing to the building H 494 PID ESt ium used for the ing elevations mu or (including baser ther floor est horizontal stratop of stab) of machinery or ecequipment and lo finished) grade no (finished) grade no	Construction I puired when construction I puired when construction BFE), VE, V1-15 diagram specified O687 elevations in items as the same as ment, crawlspace, outural member (V apuipment servicing cation in Comment ext to building (LAG) ext to building (LAG) ext to building (LAG)	Drawings [Juction of the build V30, V (with BFE), Jin Item A7. In Pu Juction and the build Table and through h) below Ithat used for the Drawings only) Tones only) The building Juction June 100 June	Building Under Cling is complete. AR, AR/A, AR/AE, AR/AE, erto Rico only, enter fertical Datum: 311 OW. NGVD 1929 BFE. 3066 56 N/A 3066 26 3066 51 3065 68 3066 23	AR/A1-A30, AR/AH r meters. 61.72 (1988) 9 MAVD 1988 Check the me M feet	Tinished Comp AR/AO. Comp Other/Source assurement use meters meters meters meters meters meters meters meters meters	e:			
	A new Elevation Cer Elevations – Zones A: C2.a-h below accord Benchmark Utilized: _ Indicate elevation dai Datum used for build a) Top of bottom floo b) Top of the next hig c) Bottom of the low d) Attached garage (t e) Lowest elevation of (Describe type of f) Lowest adjacent (t	re based on: tificate will be red 1—A30, AE, AH, A ing to the building H 494 PID ESt turn used for the ing elevations mu or (including baser gher floor est horizontal structor of machinery or elequipment and lo finished) grade ne trade at lowest ele tificate will be rede at lowest ele	Construction I puired when construction I puired when construction BFE), VE, V1-15 diagram specified O687 elevations in items as the same as ment, crawlspace, outural member (V apuipment servicing cation in Comment ext to building (LAG) ext to building (LAG) ext to building (LAG)	Drawings [Juction of the build V30, V (with BFE), Jin Item A7. In Pu Juction and the build Table and through h) below Ithat used for the Drawings only) Tones only) The building Juction June 100 June	Building Under Cling is complete. AR, AR/A, AR/AE, erto Rico only, enter fertical Datum: 311 OW. NGVD 1929 BFE. 3066 56 N/A 3066 26 3066 51	AR/A1-A30, AR/AH r meters. 61.72 (1988) 9 MAVD 1988 Check the me M feet M feet M feet M feet M feet M feet	Tinished Comp AR/AO. Comp Other/Source assurement use meters meters meters meters meters meters meters meters	e:			
	A new Elevation Cer Elevations – Zones A: C2.a-h below accord Benchmark Utilized: Indicate elevation dat Datum used for build a) Top of bottom floo b) Top of the next hig c) Bottom of the low d) Attached garage (t e) Lowest elevation o (Describe type of f) Lowest adjacent (t g) Highest adjacent (t h) Lowest adjacent (t	re based on: tificate will be red 1-A30, AE, AH, A ing to the building H 494 PID ESG turn used for the ing elevations mu ir (including baser gher floor est horizontal str. top of slab) of machinery or eceuipment and lo finished) grade ne (finished) grade ne reade at lowest ele including baser	Construction I urired when construction I urired when construction I guired when construction in the same as the s	Drawings [Juction of the build V30, V (with BFE), In Item A7. In Pu Lin Item A7. In Pu	Building Under Cling is complete. AR, AR/A, AR/AE, erto Rico only, ente lertical Datum: 310 ow. NGVD 192: BFE. 3066 56 3076 56 N/A 3066 26 3066 51 3065 68 3066 23 N/A	AR/A1-A30, AR/AH r meters. 61.72 (1988) 9 MAVD 1988 Check the me M feet	Timished Comp AR/AO. Comp Other/Source casurement use meters	e:			
C2.	*A new Elevation Cer Elevations - Zones A: C2.a-h below accord Benchmark Utilized: Indicate elevation dat Datum used for build a) Top of bottom floo b) Top of the next hip c) Bottom of the low d) Attached garage (t) e) Lowest elevation of (Describe type of f) Lowest adjacent (t) h) Lowest adjacent g structural support ertification is to be signation. I certify that th	re based on: tificate will be red 1-A30, AE, AH, A ing to the building H 494 PID ESG turn used for the ing elevations mu or (including baser gher floor est horizontal structor of slab) of machinery or ed equipment and lo finished) grade no grade at lowest ele sectt gred and sealed to e information on t	Construction I puired when construction I puired when construction I puired when construction BFE), VE, V1-g diagram specified O687 elevations in items as ment, crawlspace, outural member (V apuipment servicing cation in Comment ext to building (LAG exation of deck or servicing of D - SURVE) by a land surveyor, this Certificate representation of the construction o	Drawings* [Drawings* [Linction of the build V30, V (with BFE). Lin Item A7. In V Li	Building Under Cling is complete. AR, AR/A, AR/AE, erto Rico only, enterical Datum: 310 ow. NGVD 192: BFE. 3066 56 3076 56 N/A 3066 26 3066 51 3065 68 3066 23 N/A R, OR ARCHITEC tect authorized by lors to interpret the	AR/A1-A30, AR/AH r meters. 61.72 (1988) 9 NAVD 1988 Check the me	Tinished Comp AR/AO. Comp Other/Source easurement use meters	e:			
This cinform	*A new Elevation Cer Elevations - Zones A: C2.a-h below accord Benchmark Utilized: Indicate elevation dat Datum used for build a) Top of bottom floo b) Top of the next hig c) Bottom of the low d) Attached garage (t) e) Lowest elevation of (Describe type of f) Lowest adjacent (t) h) Lowest adjacent g structural support ertification is to be signation. I certify that the	re based on: tificate will be red 1-A30, AE, AH, A ing to the building H 494 PID ESG turn used for the ing elevations mu or (including baser gher floor est horizontal structor of slab) of machinery or ed equipment and lo finished) grade no grade at lowest ele security gred and sealed to e information on t statement may be	Construction I puired when construction I puired when construction I puired when construction BFE), VE, V1-g diagram specified O687 elevations in items as ment, crawlspace, outural member (V application in Comment exit to building (LAG) exit to building (LAG) exit to building (HAG) evation of deck or select to select to building (HAG) evation of deck or select to building	Drawings* [Juction of the build V30, V (with BFE). Lin Item A7. In PFE). Lin Item A7. In PFE Lin Item A7.	Building Under Cling is complete. AR, AR/A, AR/AE, erto Rico only, enterertical Datum: 310 ow. NGVD 192: BFE. 3066 56 3076 56 N/A 3066 26 3066 51 3066 23 N/A R, OR ARCHITEC tect authorized by lorts to interpret the under 18 U.S. Code	AR/A1-A30, AR/AH r meters. 61.72 (1988) 9 NAVD 1988 Check the me Steet Geet Geet Geet Geet Geet Geet Ge	Tinished Comp AR/AO. Comp Other/Source easurement use meters	e:			
This cinform	*A new Elevation Cer Elevations - Zones A: C2.a-h below accord Benchmark Utilized: Indicate elevation dat Datum used for build a) Top of bottom floo b) Top of the next hip c) Bottom of the low d) Attached garage (t) e) Lowest elevation of (Describe type of f) Lowest adjacent (t) h) Lowest adjacent g structural support ertification is to be signation. I certify that th	re based on: tificate will be red 1-A30, AE, AH, A ing to the building H 494 PID ESI turn used for the ing elevations mu or (including baser gher floor est horizontal structor of stab) of machinery or ecequipment and lo finished) grade ne (finished) grade ne frade at lowest ele statement may be are provided on t	Construction I puired when construction I puired when construction I puired when construction BFE), VE, V1-g diagram specified O687 elevations in items as the same as ment, crawlspace, outural member (V apuipment servicing cation in Comment exit to building (LAG exation of deck or servicing of the construction of deck or service punishable by fine back of form.	Drawings* [Juction of the build V30, V (with BFE). Lin Item A7. In PFE). Lin Item A7. In PFE Lin Item A7.	Building Under Cling is complete. AR, AR/A, AR/AE, erto Rico only, enterertical Datum: 311 ow. NGVD 192: BFE. 3066 56 3076 56 N/A 3066 26 3066 51 3065 68 3066 23 N/A R, OR ARCHITEC tect authorized by I torts to Interpret the under 18 U.S. Code I longitude in Section	AR/A1-A30, AR/AH r meters. 61.72 (1988) 9 NAVD 1988 Check the me Steet Geet Geet Geet Geet Geet Geet Ge	Finished Comp AR/AO. Comp Other/Source casurement use meters meters meters meters meters meters meters meters	e:			
This cinform	*A new Elevation Cer Elevations – Zones A: C2.a-h below accord Benchmark Utilized: Indicate elevation dat Datum used for build a) Top of bottom floo b) Top of the next hig c) Bottom of the low d) Attached garage (t) e) Lowest elevation of (Describe type of f) Lowest adjacent (t) g) Highest adjacent (t) g) Highest adjacent g structural support ertification is to be signation. I certify that the erstand that any false teck here if comments	re based on: tificate will be red 1-A30, AE, AH, A ing to the building H 494 PID ESI turn used for the ing elevations mu or (including baser gher floor est horizontal structor of stab) of machinery or ecequipment and lo finished) grade ne (finished) grade ne frade at lowest ele statement may be are provided on t	Construction I puired when construction I puired when construction I puired when construction BFE), VE, V1-g diagram specified O687 elevations in items as the same as ment, crawlspace, outural member (V apuipment servicing cation in Comment exit to building (LAG exation of deck or servicing of the construction of deck or service punishable by fine back of form.	Drawings* [Location of the build V30, V (with BFE), Lin Item A7. In Pu Lin Item A7. In P	Building Under Cling is complete. AR, AR/A, AR/AE, erto Rico only, enterertical Datum: 311 ow. NGVD 192: BFE. 3066 56 3076 56 N/A 3066 26 3066 51 3065 68 3066 23 N/A R, OR ARCHITEC tect authorized by I torts to Interpret the under 18 U.S. Code I longitude in Section	AR/A1-A30, AR/AH or meters. 61.72 (1988) 9 MAVD 1988 Check the me Meet Meet Meet Meet Meet Meet Meet Me	Tinished Comp AR/AO. Comp Other/Source assurement use meters	e:add.			
This conformation of the c	*A new Elevation Cer Elevations – Zones A: C2.a-h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom floo b) Top of the next hip c) Bottom of the low d) Attached garage (t) e) Lowest elevation o (Describe type of f) Lowest adjacent (t) g) Highest adjacent (t) h) Lowest adjacent (t) h) Lowest adjacent (t) ertification is to be sination. I certify that the erstand that any false teck here if comments eck here if attachment	re based on: tificate will be red 1-A30, AE, AH, A ing to the building H 494 PID ESI turn used for the ing elevations mu or (including baser gher floor est horizontal structor of stab) of machinery or ecequipment and lo finished) grade ne (finished) grade ne frade at lowest ele statement may be are provided on t	Construction I puired when construction I puired when construction I puired when construction BFE), VE, V1-g diagram specified O687 elevations in items as the same as ment, crawlspace, outural member (V apuipment servicing cation in Comment exit to building (LAG exation of deck or servicing of the construction of deck or service punishable by fine back of form.	Drawings* [Luction of the build V30, V (with BFE), I in Item A7. In Pu La a) through h) below Ithat used for the or enclosure floor) Zones only) the building Lis) Stairs, including (OR, ENGINEER Lengineer, or architesents my best effort or imprisonment Were latitude and licensed land sun	Building Under Cling is complete. AR, AR/A, AR/AE, erto Rico only, enterertical Datum: 310 ow. NGVD 1920 BFE. 3066 56 3076 56 N/A 3066 26 3066 51 3065 68 3066 23 N/A R, OR ARCHITECT tect authorized by I torts to interpret the under 18 U.S. Code I longitude in Sectic veyor? Yes	AR/A1-A30, AR/AH r meters. 61.72 (1988) 9 MAVD 1988 Check the me Maret feet Maret Ma	AR/AO. Comp Other/Source assurement use meters meters meters meters meters meters meters meters meters	e:			
This confinence of the confine	*A new Elevation Cer Elevations – Zones A: C2.a-h below accord Benchmark Utilized: _ Indicate elevation dat Datum used for build a) Top of bottom floo b) Top of the next hip c) Bottom of the low d) Attached garage (t) e) Lowest elevation of (Describe type of f) Lowest adjacent (t) g) Highest adjacent (t) h) Lowest adjacent g structural support ertification is to be signation. I certify that the erstand that any false the eck here if comments eck here if attachmentier's Name	re based on: tificate will be red 1-A30, AE, AH, A ing to the building H 494 PID ESI turn used for the ing elevations mu or (including baser gher floor est horizontal structor of stab) of machinery or ecequipment and lo finished) grade ne (finished) grade ne frade at lowest ele statement may be are provided on t	Construction I puired when construction I puired when construction I puired when construction BFE), VE, V1-g diagram specified O687 elevations in items as the same as ment, crawlspace, outural member (V apuipment servicing cation in Comment exit to building (LAG exation of deck or servicing of the construction of deck or service punishable by fine back of form.	Drawings* [Location of the build V30, V (with BFE), Lin Item A7. In Pu Lin Item A7. In P	Building Under Cling is complete. AR, AR/A, AR/AE, erto Rico only, enter fertical Datum: 311 ow. NGVD 1929 BFE. 3066 56 3076 56 N/A 3066 26 3066 51 3065 68 3066 23 N/A R, OR ARCHITECT text and interpret the under 18 U.S. Code longitude in Sectionary Newson? Yes	AR/A1-A30, AR/AH r meters. 61.72 (1988) 9 MAVD 1988 Check the me Maret feet Maret Ma	Tinished Comp AR/AO. Comp Other/Source assurement use meters	e:ed.			
This cinform I undo	*A new Elevation Cer Elevations – Zones A: C2.a-h below accord Benchmark Utilized: Indicate elevation dat Datum used for build a) Top of bottom floo b) Top of the next hig c) Bottom of the low d) Attached garage (t) e) Lowest elevation of (Describe type of f) Lowest adjacent (t) h) Lowest adjacent (t) h) Lowest adjacent g structural support ertification is to be signation. I certify that the erstand that any false the eck here if comments eck here if attachment iter's Name bithy L. Hammes ideent	re based on: tificate will be red 1-A30, AE, AH, A ing to the building H 494 PID ESI turn used for the ing elevations mu or (including baser gher floor est horizontal structor of stab) of machinery or ecequipment and lo finished) grade ne (finished) grade ne frade at lowest ele statement may be are provided on t	Construction I puired when construction I puired when construction I puired when construction BFE), VE, V1-g diagram specified O687 elevations in items as the same as ment, crawlspace, outural member (V apuipment servicing cation in Comment exit to building (LAG exation of deck or servicing of the construction of deck or service punishable by fine back of form.	Drawings* [Luction of the build V30, V (with BFE), In Item A7. In Pu Lin Item A7. In Pu	Building Under Cling is complete. AR, AR/A, AR/AE, erto Rico only, enterical Datum: 311 OW. NGVD 192: BFE. 3066 56 3076 56 N/A 3066 26 3066 51 3066 26 3066 23 N/A R, OR ARCHITECT tect authorized by loors to interpret the under 18 U.S. Code longitude in Section veyor? Yes License Nales State	AR/A1-A30, AR/AH r meters. 61.72 (1988) 9 MAVD 1988 Check the me Miteet	Tinished Comp AR/AO. Comp Other/Source assurement use meters	e:			
C2. This conform under the conformation of th	*A new Elevation Cer Elevations – Zones A: C2.a-h below accord Benchmark Utilized: Indicate elevation dat Datum used for build a) Top of bottom floo b) Top of the next hig c) Bottom of the low d) Attached garage (t) e) Lowest elevation of (Describe type of f) Lowest adjacent (t) g) Highest adjacent (t) h) Lowest adjacent g structural support ertification is to be signation. I certify that the erstand that any false the comments eck here if comments eck here if attachment lier's Name ofthy L. Hammes iddent	re based on: tificate will be red 1-A30, AE, AH, A ing to the building H 494 PID ESI turn used for the ing elevations mu or (including baser gher floor est horizontal structor of stab) of machinery or ecequipment and lo finished) grade ne (finished) grade ne frade at lowest ele statement may be are provided on t	Construction I puired when construction I puired when construction I puired when construction BFE), VE, V1-g diagram specified O687 elevations in items as the same as ment, crawlspace, outural member (V apuipment servicing cation in Comment exit to building (LAG exation of deck or servicing of the construction of deck or service punishable by fine back of form.	Drawings* Luction of the build V30, V (with BFE). Lin Item A7. In Pu. Via a) through h) below that used for the or enclosure floor) Zones only) The building (S) Shairs, including COR, ENGINEER Lengineer, or architesents my best eff or imprisonment or imprisonment in the company below the latitude and licensed land survey. Company Name Hammes Survey	Building Under Cling is complete. AR, AR/A, AR/AE, erto Rico only, enterertical Datum: 310 ow. NGVD 192: BFE. 3066 56 3076 56 N/A 3066 26 3066 51 3065 68 3066 23 N/A R, OR ARCHITECT tect authorized by I forts to interpret the under 18 U.S. Code I longitude in Section (L.S. 292) erying LLC	AR/A1-A30, AR/AH r meters. 61.72 (1988) 9 NAVD 1988 Check the me	Tinished Comp AR/AO. Comp Other/Source assurement use meters	e:dd. 29263 TIMOTHY L. HAMNES 1201(14)			

ELEVATION CERTIFICATE, page 2

IMPORTANT: In these groups come the consequential information from Continue A	FOR INSURANCE COMPANY USE								
IMPORTANT: In these spaces, copy the corresponding information from Section A. Ruilding Street Address (including Art. Unit. Suite, and/or Pietr. No. A. or DO. Boute and Rev. No.	Policy Number:								
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or PO. Route and Box No. 2171 E. Hardy Lane									
City State ZIP Code Camp Verde AZ 86322	Company NAIC Number:								
SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFIC	CATION (CONTINUED)								
Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.									
Comments Lowest elevation of machinery or equipment servicing the building is an A/C located on a slab on the West side of home.									
Signature Tuel L. Harre Date 12/01/2014									
SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR	ZONE AO AND ZONE A (WITHOUT BFE)								
For Zones AO and A (without SFE), complete Items E1—E5. If the Certificate is intended to support a LON For Items E1—E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, ente E1. Provide elevation information for the following and check the appropriate boxes to show whether the grade (HAG) and the lowest adjacent grade (LAG).	er meters.								
	et [meters] above or] below the HAG.								
b) Top of bottom floor (including basement, crawlspace, or enclosure) is	eet 🗆 meters 🗆 above or 🗆 below the LAG.								
E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (s	ee pages 8-9 of Instructions),								
the next higher floor (elevation C2.b in the diagrams) of the building is	eet meters above or below the HAG.								
E3. Attached garage (top of slab) is	eet [meters above or below the HAG.								
E4. Top of platform of machinery and/or equipment servicing the building is	eet I meters I above or I below the HAG.								
E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in according ordinance? Yes No Unknown. The local official must certify this information in Section									
SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTAT	TVE) CERTIFICATION								
The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge									
Property Owner or Owner's Authorized Representative's Name									
Address City	State ZIP Code								
Signature Date	Telephone								
Comments									
	☐ Check here if attachments.								
SECTION G – COMMUNITY INFORMATION (OPTI	ONAL)								
The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters. G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.) G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO. G3. The following information (Items G4–G9) is provided for community floodplain management purposes.									
G4. Permit Number G5. Date Permit Issued G6. Date C	ertificate Of Compliance/Occupancy Issued								
G7. This permit has been issued for: New Construction Substantial Improvement G8. Elevation of as-built lowest floor (including basement) of the building: G9. BFE or (in Zone AO) depth of flooding at the building site: G10. Community's design flood elevation:									
Local Official's Name Title									
Community Name Telephone									
Signature Date	and the state of t								
Comments									
	Check here if attachments.								

FEMA Form 086-0-33 (7/12)

Replaces all previous editions.

BUILDING PHOTOGRAPHS

See Instructions for Item A6.

IMPORTANT: In these spaces, copy t	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt	Policy Number:		
City	State	ZIP Code	Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



404-12-418F FRONT



04-12-41



404-12-418



404-12-418F BACK

FEMA Form 086-0-33 (7/12) Replaces all previous editions.