#### U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2022

# **ELEVATION CERTIFICATE**

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION					FOR INSUR	ANCE COMPANY USE	
A1. Building Owner's Name					Policy Numb	per:	
Richard Thomas Williams	Richard Thomas Williams						
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Company NAIC Number:						AIC Number:	
3062 S. Cedar Way							
City			State		ZIP Code		
Camp Verde	I Di - I N	Da'	Arizona	al Description -t-	86322	1	
A3. Property Description (Lot a Lot 519, Verde Lake Unit 2 - Ya				ai Description, etc	.)		
A4. Building Use (e.g., Resider	ntial, Non-Residential,	Addition,	Accessory, e	etc.) Residentia			
A5. Latitude/Longitude: Lat. 3	4.52476	Long1	11.78667	Horizontal	Datum: NAD 1	927 🛛 NAD 1983	
A6. Attach at least 2 photograp	hs of the building if the	e Certific	ate is being u	sed to obtain flood	insurance.		
A7. Building Diagram Number	8						
A8. For a building with a crawls	space or enclosure(s):						
a) Square footage of craw	Ispace or enclosure(s)		1	521.00 sq ft			
b) Number of permanent fl	ood openings in the cra	awlspace	e or enclosure	(s) within 1.0 foot	above adjacent gra	ade 0	
c) Total net area of flood o	penings in A8.b		0.00 sq in				
d) Engineered flood openi	ngs? 🗌 Yes 🗵 N	10					
A9. For a building with an attac	hed garage:						
a) Square footage of attac	hed garage		N/A sq ft				
b) Number of permanent fl				1.0 foot above adja	acent grade N/A		
c) Total net area of flood o	penings in A9.b		N/A sq	in			
d) Engineered flood openii		10					
S	ECTION B - FLOOD	INSURA	NCE RATE	MAP (FIRM) INF	ORMATION		
B1. NFIP Community Name &	Community Number		B2. County	Name		B3. State	
Town of Camp Verde 040131 Yavapai Arizona						MIZUNA	
B4. Map/Panel B5. Suffix Number	Number   Date   Effective/   Zone(s)   (Zone AO, use Base Flood Depth)						
04025C2195 G 08-24-2021 Revised Date 09-03-2010 AE 3154.1							
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9:							
Signature of the Base Floor Elevation (BFE) data of base floor depth entered in item 35.   Signature of the Base Floor Elevation (BFE) data of base floor depth entered in item 35.   Signature of the Base Floor Elevation (BFE) data of base floor depth entered in item 35.   Signature of the Base Floor Elevation (BFE) data of base floor depth entered in item 35.   Signature of the Base Floor Elevation (BFE) data of base floor depth entered in item 35.   Signature of the Base Floor Elevation (BFE) data of base floor depth entered in item 35.   Signature of the Base Floor Elevation (BFE) data of base floor depth entered in item 35.   Signature of the Base Floor Elevation (BFE) data of base floor depth entered in item 35.   Signature of the Base Floor Elevation (BFE) data of base floor depth entered in item 35.   Signature of the Base Floor Elevation (BFE) data of base floor depth entered in item 35.   Signature of the Base Floor Elevation (BFE) data of base floor depth entered in item 35.   Signature of the Base Floor Elevation (BFE) data of base floor depth entered in item 35.   Signature of the Base Floor Elevation (BFE) data of base floor depth entered in item 35.   Signature of the Base Floor Elevation (BFE) data of base floor depth entered in item 35.   Signature of the Base Floor Elevation (BFE) data of base floor depth entered in item 35.   Signature of the Base Floor Elevation (BFE) data of base floor depth entered in item 35.   Signature of the Base Floor Elevation (BFE) data of base floor depth entered in item 35.   Signature of the Base Floor Elevation (BFE) data of base floor depth entered in item 35.   Signature of the Base Floor Elevation (BFE) data of base floor depth entered in item 35.   Signature of the Base Floor Elevation (BFE) data of base floor depth entered in item 35.   Signature of the Base Floor Elevation (BFE) data of base floor depth entered in item 35.   Signature of the Base Floor Elevation (BFE) data of base floor depth entered in item 35.   Signature of the Base Floor Elevation (B							
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source:							
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? 🗌 Yes 🔀 No							
Designation Date:	П	CBRS	☐ OPA				

Replaces all previous editions.

# **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Secti	FOR INSURANCE COMPANY USE			
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route 3062 S. Cedar Way	Policy Number:			
CityStateZIP CCamp VerdeArizona86322		Company NAIC Number		
SECTION C - BUILDING ELEVATION INFORMATION	ON (SURVEY RE	EQUIRED)		
SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)  C1. Building elevations are based on:				
g) Highest adjacent (finished) grade next to building (HAG)	3	149.9 feet meters		
h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support	3	3149.8  feet meters		
SECTION D – SURVEYOR, ENGINEER, OR ARCI	HITECT CERTIF	ICATION		
This certification is to be signed and sealed by a land surveyor, engineer, or archi I certify that the information on this Certificate represents my best efforts to interpretatement may be punishable by fine or imprisonment under 18 U.S. Code, Section Were latitude and longitude in Section A provided by a licensed land surveyor?	ret the data availa	/ law to certify elevation information.  able. I understand that any false  Check here if attachments.		
Prescott Arizona  Signature Date		the state of the s		

# **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A. FOR			FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/o 3062 S. Cedar Way	or Bldg. No.) or P.O. Rou	ute and Box No.	Policy Number:		
,	ate ZIP rizona 863	Code 22	Company NAIC Number		
SECTION E – BUILDING ELE FOR ZONE	VATION INFORMATION AO AND ZONE A (WI	N (SURVEY NOT THOUT BFE)	REQUIRED)		
For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B,and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.					
E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).					
<ul> <li>a) Top of bottom floor (including basement, crawlspace, or enclosure) is</li> <li>b) Top of bottom floor (including basement,</li> </ul>		☐ feet ☐ meter	s above or below the HAG.		
crawlspace, or enclosure) is		☐ feet ☐ meter			
E2. For Building Diagrams 6–9 with permanent flood op the next higher floor (elevation C2.b in the diagrams) of the building is	enings provided in Section	on A Items 8 and/or	_		
E3. Attached garage (top of slab) is		☐ feet ☐ meter			
E4. Top of platform of machinery and/or equipment servicing the building is		feet meter	rs above or below the HAG.		
E5. Zone AO only: If no flood depth number is available floodplain management ordinance? Yes	, is the top of the bottom No	floor elevated in ac e local official must o	cordance with the community's certify this information in Section G.		
SECTION F - PROPERTY OWN	ER (OR OWNER'S REP	RESENTATIVE) CE	ERTIFICATION		
The property owner or owner's authorized representative community-issued BFE) or Zone AO must sign here. The	who completes Section e statements in Sections	s A, B, and E for Zo A, B, and E are cor	one A (without a FEMA-issued or rect to the best of my knowledge.		
Property Owner or Owner's Authorized Representative's	Name				
Address	City	St	ate ZIP Code		
Signature	Date	Те	lephone		
Comments					
			Check here if attachments.		

### **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corre	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, St 3062 S. Cedar Way	uite, and/or Bldg. No.) or P	O. Route and Box No.	Policy Number:
City Camp Verde	State Arizona	ZIP Code 86322	Company NAIC Number
SECTIO	N G - COMMUNITY INFO	RMATION (OPTIONAL)	
The local official who is authorized by law or or Sections A, B, C (or E), and G of this Elevation used in Items G8–G10. In Puerto Rico only, en	Certificate. Complete the	community's floodplain ma applicable item(s) and sigr	nagement ordinance can complete n below. Check the measurement
G1. The information in Section C was tak engineer, or architect who is authoriz data in the Comments area below.)	en from other documentati ed by law to certify elevation	on that has been signed a on information. (Indicate th	nd sealed by a licensed surveyor, e source and date of the elevation
G2. A community official completed Section Zone AO.	on E for a building located	in Zone A (without a FEM	A-issued or community-issued BFE)
G3. The following information (Items G4-	G10) is provided for comm	nunity floodplain managem	ent purposes.
G4. Permit Number	G5. Date Permit Issued	G6.	Date Certificate of Compliance/Occupancy Issued
G7. This permit has been issued for:	]New Construction ☐ Su	ıbstantial Improvement	
G8. Elevation of as-built lowest floor (including of the building:	g basement)	feet	meters Datum
G9. BFE or (in Zone AO) depth of flooding at	the building site:	feet	meters Datum
G10. Community's design flood elevation:		fee	t  meters Datum
Local Official's Name	T	itle	
Community Name	Т	elephone	
Signature	D	ate	
Comments (including type of equipment and loa	cation, per C2(e), if applica	able)	
			Check here if attachments.

#### **BUILDING PHOTOGRAPHS**

**ELEVATION CERTIFICATE** 

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, co	FOR INSURANCE COMPANY USE		
Building Street Address (including 3062 S. Cedar Way	Policy Number:		
City	State	ZIP Code	Company NAIC Number
Camp Verde	Arizona	86322	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption

Equipment mounted on South side of residence. Elevation at lowest box.

10-01-2022

Clear Photo One



Photo Two

Photo Two Caption Typical solar panel on roof, front and back. 10-01-2022

Clear Photo Two

#### U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

### **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expires March 31, 2012

Important: Read the instructions on pages 1-9.

SECTION A - PROPERTY INFORMATION	For Insurance Company Use:					
A1. Building Owner's Name RICHARD WILLIAMS	Policy Number					
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 3062 S CEDAR WAY	Company NAIC Number					
	ZIP Code					
CAMP VERDE AZ 86322  A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)						
VERDE LAKES UNIT 2 LOT 519 APN 404-15-075						
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) RESIDENTIAL  A5. Latitude/Longitude: Lat. 34°31'28.75" Long. 111°47'11.87" Horizontal Data A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.  A7. Building Diagram Number 8  A8. For a building with a crawlspace or enclosure(s):  A9. For a building with an atta a) Square footage of crawlspace or enclosure(s) 1521 sq ft a) Square footage of attached as a square footage	ched garage: $N/A$ sq ft					
b) No. of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade  b) No. of permanent flood within 1.0 foot above adjacent grade  52  within 1.0 foot above a	l openings in the attached garage					
c) Total net area of flood openings in A8.b 3480 sq in c) Total net area of flood	ajassin graas					
d) Engineered flood openings? X Yes No d) Engineered flood open	ings? Yes No N/A					
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATIO	N					
B1. NFIP Community Name & Community Number B2. County Name	B3. State					
TOWN OF CAMP VERDE 040131 YAVAPAI	AZ					
B4. Map/Panel Number         B5. Suffix         B6. FIRM Index Date         B7. FIRM Panel Effective/Revised Date         B8. Flood Zone(s)           04025C2195         G         9/3/2010         9/3/2010         AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 3154.1					
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9.    Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9.   Other (Describe)	Yes X No					
Designation Date N/A CBRS OPA						
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIF	RED)					
*A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/A below according to the building diagram specified in Item A7. Use the same datum as the BFE.  Benchmark Utilized RM 155 Vertical Datum NAVD 88  Conversion/Comments CONVERTED FROM NGVD 29 USING VERTCON  Check the measure	Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.					
C1. Building elevations are based on: Construction Drawings* Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/A below according to the building diagram specified in Item A7. Use the same datum as the BFE.  Benchmark Utilized RM 155 Vertical Datum NAVD 88  Conversion/Comments CONVERTED FROM NGVD 29 USING VERTCON  Check the measure  a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 3152.5 Feet me	Finished Construction  H, AR/AO. Complete Items C2.a-h					
C1. Building elevations are based on: Construction Drawings* Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/A below according to the building diagram specified in Item A7. Use the same datum as the BFE.  Benchmark Utilized RM 155 Vertical Datum NAVD 88  Conversion/Comments CONVERTED FROM NGVD 29 USING VERTCON  Check the measure  a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 3152.5 X feet me  b) Top of the next higher floor  C) Bottom of the lowest horizontal structural member (V Zones only)	Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  ters (Puerto Rico only)					
C1. Building elevations are based on: Construction Drawings* Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/A below according to the building diagram specified in Item A7. Use the same datum as the BFE.  Benchmark Utilized RM 155 Vertical Datum NAVD 88  Conversion/Comments CONVERTED FROM NGVD 29 USING VERTCON  Check the measure  a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 3152.5 X feet me  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)	Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  ters (Puerto Rico only)					
C1. Building elevations are based on: Construction Drawings* Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/A below according to the building diagram specified in Item A7. Use the same datum as the BFE.  Benchmark Utilized RM 155 Vertical Datum NAVD 88  Conversion/Comments CONVERTED FROM NGVD 29 USING VERTCON  Check the measure  a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 3152.5 X feet me  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)	Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  ters (Puerto Rico only)					
C1. Building elevations are based on: Construction Drawings* Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/A below according to the building diagram specified in Item A7. Use the same datum as the BFE.  Benchmark Utilized RM 155 Vertical Datum NAVD 88  Conversion/Comments CONVERTED FROM NGVD 29 USING VERTCON  Check the measure  a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 3152.5 X feet me  b) Top of the next higher floor 3156.9 X feet me  c) Bottom of the lowest horizontal structural member (V Zones only) N/A. feet me  d) Attached garage (top of slab) N/A. feet me  (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (LAG) 3149.8 X feet me	Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  ters (Puerto Rico only)					
C1. Building elevations are based on: Construction Drawings* Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/A below according to the building diagram specified in Item A7. Use the same datum as the BFE.  Benchmark Utilized RM 155 Vertical Datum NAVD 88  Conversion/Comments CONVERTED FROM NGVD 29 USING VERTCON  Check the measure  a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 3152.5 Feet me  b) Top of the next higher floor 3156.9 Feet me  c) Bottom of the lowest horizontal structural member (V Zones only) N/A feet me  d) Attached garage (top of slab) N/A feet me  c) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (LAG) 3149.9 Feet me  g) Highest adjacent (finished) grade next to building (HAG) 3149.9 Feet me	Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  ters (Puerto Rico only)					
C1. Building elevations are based on: Construction Drawings* Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/A below according to the building diagram specified in Item A7. Use the same datum as the BFE.  Benchmark Utilized RM 155 Vertical Datum NAVD 88  Conversion/Comments CONVERTED FROM NGVD 29 USING VERTCON  Check the measure  a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 3152.5 feet me  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (LAG)  g) Highest adjacent (finished) grade next to building (HAG)  h) Lowest adjacent grade at lowest elevation of deck or stairs, including 3149.8  feet me	Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  ters (Puerto Rico only)					
C1. Building elevations are based on:  Construction Drawings* Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/A below according to the building diagram specified in Item A7. Use the same datum as the BFE.  Benchmark Utilized RM 155 Vertical Datum NAVD 88  Conversion/Comments CONVERTED FROM NGVD 29 USING VERTCON  Check the measure  a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 3152.5 X feet me  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only) N/A feet me  d) Attached garage (top of slab) N/A feet me  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (LAG) 3149.8 X feet me  g) Highest adjacent grade at lowest elevation of deck or stairs, including 3149.8 X feet me  structural support  SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION	Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  ters (Puerto Rico only)					
C1. Building elevations are based on: Construction Drawings* Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/A below according to the building diagram specified in Item A7. Use the same datum as the BFE.  Benchmark Utilized RM 155 Vertical Datum NAVD 88  Conversion/Comments CONVERTED FROM NGVD 29 USING VERTCON  Check the measure  a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 3152.5 Feet me  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (LAG)  g) Highest adjacent (finished) grade next to building (HAG)  h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support	Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  ters (Puerto Rico only)					
C1. Building elevations are based on:	Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  ters (Puerto Rico only)					
C1. Building elevations are based on:	Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  ters (Puerto Rico only)					
C1. Building elevations are based on:  Construction Drawings*  Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/A below according to the building diagram specified in Item A7. Use the same datum as the BFE.  Benchmark Utilized  RM 155  Vertical Datum NAVD 88  Conversion/Comments  CONVERTED FROM NGVD 29 USING VERTCON  Check the measure  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  3152.5  feet  me  b) Top of the next higher floor  3156.9  feet  me  c) Bottom of the lowest horizontal structural member (V Zones only)  N/A  feet  me  d) Attached garage (top of slab)  N/A  feet  me  (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (LAG)  3149.8  feet  me  g) Highest adjacent (finished) grade next to building (HAG)  3149.8  feet  me  h) Lowest adjacent grade at lowest elevation of deck or stairs, including  3149.8  feet  me  structural support  SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION or imprisonment under 18 U.S. Code, Section 1001.  Check here if comments are provided on back of form.  Were latitude and longitude in Section A provided by a licensed land surveyor?  Yes  No  Certifier's Name	Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  Iters (Puerto Rico only) Ite					
C1. Building elevations are based on:	Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  ters (Puerto Rico only)  DN  JODY ALLEN STONE					
C1. Building elevations are based on:	Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  ders (Puerto Rico only)  DN  ion					
C1. Building elevations are based on:	Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  Iters (Puerto Rico only) Ite					

IMPORTANT: In these space	ces, copy the corresponding information	n from Section	Α. Ι	For Insurance Company Use:
	ng Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.			Policy Number
3062 S CEDAR V				
City  CAMP VERDE	State AZ		ZIP Code 86322	Company NAIC Number
SEC	TION D - SURVEYOR, ENGINEER, OR A	RCHITECT CE	RTIFICATION (CONT	TINUED)
Copy both sides of this Elevation	Certificate for (1) community official, (2) insura	nce agent/compan	y, and (3) building owner	er.
Comments C2.e) is t	he bottom of the electr	cal pane	l (detached)	
	h) is the concrete side	_		he enclosure wall
	of the lowest structur			
Signature		Date 9/7/2		
SECTION E - BUILDING	ELEVATION INFORMATION (SURVEY	OT REQUIRED	) FOR ZONE AO AN	Check here if attachments
SECTION E - BOILDING	ELEVATION IN CRIMATION (CORVET)	TOT KE QUIKEE	O) TOR ZONE AO AR	E ZONE A (WITHOUT B. L)
and C. For Items E1-E4, use na E1. Provide elevation informati grade (HAG) and the lowe a) Top of bottom floor (incl	FE), complete Items E1-E5. If the Certificate is stural grade, if available. Check the measurement from for the following and check the appropriate st adjacent grade (LAG). uding basement, crawlspace, or enclosure) is uding basement, crawlspace, or enclosure) is uding basement, crawlspace, or enclosure) is _	int used. In Puerto oxes to show whe	o Rico only, enter meter ether the elevation is above et   meters   above	s.  ove or below the highest adjacent  ve or  below the HAG.
<ul> <li>E2. For Building Diagrams 6-9 (elevation C2.b in the diag</li> <li>E3. Attached garage (top of slate)</li> <li>E4. Top of platform of machine</li> <li>E5. Zone AO only: If no flood</li> </ul>	with permanent flood openings provided in Secrams) of the building is fee fee ab) is feet meters ery and/or equipment servicing the building is depth_number is available, is the top of the bott	tion A Items 8 and t meters dependence or belower or form for form floor elevated in	l/or 9 (see pages 8-9 of above or ☐ below the ow the HAG.  eet ☐ meters ☐ about accordance with the contact.	Instructions), the next higher floor HAG.
	No Unknown. The local official must certification F - PROPERTY OWNER (OR OWN			CATION
	uthorized representative who completes Sections as statements in Sections A, B, and E are correct			A-issued of community-issued BFE)
Property Owner's or Owner's Au	thorized Representative's Name			
Address	C	ity	State	ZIP Code
Signature	C	ate	Telephone	)
Comments				
				Check here if attachments
	SECTION G - COMMUNITY I			
	by law or ordinance to administer the commun Complete the applicable item(s) and sign below			
	on C was taken from other documentation that certify elevation information. (Indicate the source			
	npleted Section E for a building located in Zone	•		issued BFE) or Zone AO.
G3. L The following information	n (Items G4-G9) is provided for community floo	dplain managemer	nt purposes.	
G4. Permit Number	G5. Date Permit Issued	G6. Da	te Certificate Of Compli	ance/Occupancy Issued
G7. This permit has been issued	for: New Construction Substantia	I Improvement		
G8. Elevation of as-built lowest fl	oor (including basement) of the building		feet meters (PR	
G9. BFE or (in Zone AO) depth of			feet meters (PR	
G10. Community's design flood ele	evation	L	_ feet	) Datum
Local Official's Name		Title		
Community Name		Telephone		
Signature		Date		
Comments				
				Check here if attachments

# Building Photographs See Instructions for Item A6.

			For Insurance Company Use:
Building Street Address (including A	pt., Unit, Suite, and/or Bldg. No.) or P.0	D. Route and Box No.	Policy Number
3062 S CEDAR WAY			
City	State	ZIP Code	Company NAIC Number
CAMP VERDE	AZ	86322	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page on the reverse.



FRONT VIEW 9/2/2011

# Building Photographs Continuation Page

				For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.				Policy Number
3062	S CEDAR	WAY		
City		State	ZIP Code	Company NAIC Number
CAMP	VERDE	AZ	86322	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View."



SIDE VIEW 9/2/2011

SCOUR PROTECTION

404-15-075 10 AUA 2011

