## U.S. DEPARTMENT OF HOMELAND SECURITY

## **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expires March 31, 2012

Federal Emergency Management Agency National Flood Insurance Program

Important: Read the instructions on pages 1-9.

	SECTION A - PROPERTY INFORMATION								For Insurance Company Use:	
A1. Building Owner's Name FEDERAL HOME LOAN MORTGAGE CORP									Policy Number	
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 182 W HEREFORD DRIVE									Company NAIC Number	
	City CAMP VERDE	State AZ ZI	P Code 86322							
	Property Description (I 9-040, RANCH ACRE		mbers, Tax Parcel N	lumber, Legal (	Description, e	etc.)				
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance A7. Building Diagram Number 3  A8. For a building with a crawlspace or enclosure(s):  a) Square footage of crawlspace or enclosure(s)  b) No. of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade  c) Total net area of flood openings in A8.b  d) Engineered flood openings?								otage of attace manent flood foot above a area of flood ed flood open	thed garage:  ched garage	
			TION B - FLOOD I			P (FIRM	) IN			
	FIP Community Name N OF CAMP VERDE (		lumber	B2. County Na YAVAPAI	ame				B3. State AZ	
B4. N	Map/Panel Number 04025CZ180	B5. Suffix G	B6. FIRM Index Date SEPT 3 2010	Effectiv	FIRM Panel re/Revised D EPT 3 2010	ate		B8. Flood Zone(s) AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 3098.00	
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9.    FIS Profile   FIRM   Community Determined   Other (Describe)										
		SECTIO	N C - BUILDING E	LEVATION	NFORMAT	ION (SU	JRV	EY REQUIR	ED)	
C1 Bu	war and the second									
*A C2. Ele bel Be	uilding elevations are be new Elevation Certific evations – Zones A1-A clow according to the benchmark Utilized 121 enversion/Comments	cate will be requi A30, AE, AH, A (voliding diagram _Vertical Datum	with BFE), VE, V1-V3 specified in Item A7.	n of the buildin 30, V (with BFE	), AR, AR/A,	AR/AE, A e BFE.	AR/A	1-A30, AR/AH	☐ Finished Construction  I, AR/AO. Complete Items C2.a-h	
*A C2. Ele bel Be Co	new Elevation Certific evations – Zones A1-A dow according to the b enchmark Utilized 121 onversion/Comments	cate will be requi A30, AE, AH, A ( building diagram _Vertical Datum	red when constructio with BFE), VE, V1-V3 specified in Item A7. 1988 3094.98	n of the buildin 30, V (with BFE Use the same	g is complete ), AR, AR/A, datum as the	AR/AE, AE BFE.	AR/A	1-A30, AR/AH	I, AR/AO. Complete Items C2.a-h	
*A C2. Ele bel Be	new Elevation Certific evations – Zones A1-A dow according to the b enchmark Utilized 121 onversion/Comments	cate will be requited.  A30, AE, AH, A (voluilding diagram  Vertical Datum  (including basen	red when constructio with BFE), VE, V1-V3 specified in Item A7.	n of the buildin 30, V (with BFE Use the same	g is complete ), AR, AR/A, datum as the	AR/AE, AE BFE.  Ch	AR/A	1-A30, AR/AH	I, AR/AO. Complete Items C2.a-h nent used. o Rico only)	
*A C2. Ele bel Be Co	new Elevation Certific evations – Zones A1-A low according to the b enchmark Utilized 121 enversion/Comments	cate will be requited.  A30, AE, AH, A (voliding diagram  Vertical Datum  (including basemer floor  thorizontal struct	red when constructio with BFE), VE, V1-V3 specified in Item A7. 1988 3094.98	n of the buildin 30, V (with BFE Use the same enclosure floor	g is complete ;), AR, AR/A, datum as the ) 3093.11	AR/AE, Ae BFE.  Ch  Geet Geet Geet Geet	AR/A	the measurem meters (Puert meters (Puert meters (Puert meters (Puert	I, AR/AO. Complete Items C2.a-h nent used. o Rico only) o Rico only) o Rico only)	
*A C2. Ele bel Be Co a) b) c) d)	new Elevation Certific evations – Zones A1-A low according to the b enchmark Utilized 121 enversion/Comments	cate will be requited.  A30, AE, AH, A (volulding diagram  Vertical Datum  (including basenter floor  at horizontal structor of slab)	red when construction with BFE), VE, V1-V3 specified in Item A7. 1988 3094.98  ment, crawlspace, or control of the control of	n of the buildin 30, V (with BFE Use the same enclosure floor nes only)	g is complete c), AR, AR/A, datum as the datum as the 3093.11 3093.78 N/A N/A	AR/AE, AE BFE.  Ch  Geet  Geet  Geet  Geet	AR/A	the measurem meters (Puert meters (Puert meters (Puert meters (Puert meters (Puert	I, AR/AO. Complete Items C2.a-h  ment used. O Rico only)	
*A C2. Ele bel Be Co a) b) c)	new Elevation Certific evations – Zones A1-A low according to the b enchmark Utilized 121 enversion/Comments	cate will be requited.  A30, AE, AH, A (volulding diagram      (including basement floor  at horizontal structor  prof slab)  machinery or ed	red when construction with BFE), VE, V1-V3 specified in Item A7. 1988 3094.98	n of the buildin 30, V (with BFE Use the same enclosure floor nes only)	g is complete ;), AR, AR/A, datum as the ) 3093.11 3093.78 N/A.	AR/AE, AE BFE.  Ch  Geet  Geet  Geet  Geet	AR/A	the measurem meters (Puert meters (Puert meters (Puert meters (Puert	I, AR/AO. Complete Items C2.a-h  ment used. O Rico only)	
*A C2. Electorial Be C2	new Elevation Certific evations – Zones A1-A low according to the b enchmark Utilized 121 enversion/Comments	cate will be requited.  A30, AE, AH, A (volulding diagram	red when construction with BFE), VE, V1-V3 specified in Item A7. 1988 3094.98  ment, crawlspace, or extural member (V Zor puipment servicing the cation in Comments) at to building (LAG)	n of the buildin 30, V (with BFE Use the same enclosure floor nes only)	g is completed; AR, AR/A, datum as the datum	AR/AE, Ae BFE.  Ch  feet  feet  feet  feet  feet  feet	heck	the measurem meters (Puert meters (Puert meters (Puert meters (Puert meters (Puert meters (Puert	I, AR/AO. Complete Items C2.a-h  ment used. D Rico only)	
*A C2. Electorial Bee Co	new Elevation Certifice evations – Zones A1-A low according to the banchmark Utilized 121 enversion/Comments  Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of exclusive things).	cate will be requited and another than a control of the control of	red when construction with BFE), VE, V1-V3 specified in Item A7. 1988 3094.98  ment, crawlspace, or extural member (V Zor puipment servicing the cation in Comments) at to building (LAG) ext to building (HAG)	n of the buildin 30, V (with BFE Use the same enclosure floor nes only) e building	g is completed; AR, AR/A, datum as the datum	AR/AE, Ae BFE.  Ch  feet  feet  feet  feet  feet  feet  feet  feet	heck	the measurem meters (Puert meters (Puert meters (Puert meters (Puert meters (Puert meters (Puert meters (Puert	AR/AO. Complete Items C2.a-h  ment used. O Rico only)	
*A C2. Electorial Be C2	new Elevation Certifice evations – Zones A1-A low according to the banchmark Utilized 121 enversion/Comments  Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of exclusive things).	cate will be requited.  A30, AE, AH, A (validing diagram Learner floor states of the control of	red when construction with BFE), VE, V1-V3 specified in Item A7. 1988 3094.98  ment, crawlspace, or extural member (V Zor pulperent servicing the cation in Comments) at to building (LAG) ext to building (HAG) vation of deck or stail	n of the buildin 80, V (with BFE Use the same enclosure floor nes only) e building	g is completed;), AR, AR/A, datum as the dat	AR/AE, Ae BFE.  Ch  feet  feet  feet  feet  feet  feet  feet  feet	AR/A	the measurem meters (Puert meters (Puert meters (Puert meters (Puert meters (Puert meters (Puert meters (Puert meters (Puert	I, AR/AO. Complete Items C2.a-h  nent used. D Rico only)	
*A C2. Electorial Bee Co	new Elevation Certifice evations – Zones A1-A low according to the banchmark Utilized 121 enversion/Comments  Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of example to Lowest adjacent (fir Highest adjacent (fir Lowest adjacent grastructural support	cate will be requi A30, AE, AH, A (ouilding diagram _Vertical Datum	red when construction with BFE), VE, V1-V3 specified in Item A7. 1988 3094.98  ment, crawlspace, or extural member (V Zor puipment servicing the cation in Comments) axt to building (LAG) ext to building (HAG) vation of deck or stail	n of the buildin 80, V (with BFE Use the same enclosure floor nes only) e building irs, including	g is complete ), AR, AR/A, datum as the ) 3093.11 3093.78 N/A. N/A. 3193.78 3092.48 3093.28 N/A.	AR/AE, Ae BFE.  Ch  feet	AR/A	the measurem meters (Puert meters (Puert meters (Puert meters (Puert meters (Puert meters (Puert meters (Puert meters (Puert meters (Puert	AR/AO. Complete Items C2.a-h  nent used. O Rico only)	
*A C2. Ele bel Be Co a) b) c) d) e) f) g) h)  This ca information	new Elevation Certifice evations – Zones A1-A low according to the banchmark Utilized 121 enversion/Comments  Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of ec Lowest adjacent (fir Highest adjacent (fir Highest adjacent grastructural support ertification is to be signation. I certify that the restand that any false s	cate will be requi A30, AE, AH, A (soliding diagram Vertical Datum  (including basen ner floor at horizontal struct op of slab) machinery or ecuipment and local nished) grade ne nished) grade ne ade at lowest ele  SECTIO	red when construction with BFE), VE, V1-V3 specified in Item A7. 1988 3094.98  The control of th	n of the building 30, V (with BFE Use the same enclosure floor nes only) e building irs, including R, ENGINEER ngineer, or arc sents my best e or imprisonmer	g is completed; AR, AR/A, datum as the datum	AR/AE, Ae BFE.  Ch  feet	AR/AA heck heck control of the contr	the measurem meters (Puert meters (Puert met	AR/AO. Complete Items C2.a-h  nent used. O Rico only)	
*A C2. Ele bel Be Co a) b) c) d) e) f) g) h)  This ca information under	new Elevation Certifice evations – Zones A1-A low according to the banchmark Utilized 121 enversion/Comments	cate will be requi A30, AE, AH, A (soliding diagram Vertical Datum  (including basen are floor at horizontal struct (op of slab) (machinery or eccupied and local added at lowest elections and sealed lead and sealed lead and sealed lead and sealed lead are provided or	red when construction with BFE), VE, V1-V3 specified in Item A7. 1988 3094.98  The control of th	n of the building 30, V (with BFE Use the same enclosure floor nes only) e building irs, including R, ENGINEER ngineer, or arc	g is complete c), AR, AR/A, datum as the datum as the 3093.11 3093.78 N/A. N/A. 3193.78 3092.48 3093.28 N/A. R, OR ARCI hitect authoriat under 18 U and longitude	AR/AE, Ae BFE.  Ch  feet	AR/A heck heck CEI	the measurem meters (Puert meters (Puert met	AR/AO. Complete Items C2.a-h  nent used. De Rico only)	
*A C2. Ele bel Be Co a) b) c) d) e) f) g) h)  This ca information under	new Elevation Certifice evations – Zones A1-A low according to the banchmark Utilized 121 enversion/Comments  Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of ec Lowest adjacent (fir Highest adjacent (fir Highest adjacent grastructural support ertification is to be signation. I certify that the restand that any false s	cate will be requi A30, AE, AH, A (soliding diagram Vertical Datum  (including basen are floor at horizontal struct (op of slab) (machinery or eccupied and local added at lowest elections and sealed lead and sealed lead and sealed lead and sealed lead are provided or	red when construction with BFE), VE, V1-V3 specified in Item A7. 1988 3094.98  The control of th	n of the building N, V (with BFE Use the same enclosure floor nes only) e building Irs, including R, ENGINEER regineer, or arc sents my best e or imprisonmer Were latitude a	g is complete c), AR, AR/A, datum as the datum as the 3093.11 3093.78 N/A. N/A. 3193.78 3092.48 3093.28 N/A. R, OR ARCI hitect authoriat under 18 U and longitude	AR/AE, AR	AR/AA heck heck heck heck heck heck heck heck	the measurem meters (Puert met	AR/AO. Complete Items C2.a-h  Inent used. In Rico only) In Rico only	
*A C2. Ele bel Be Co a) b) c) d) e) f) g) h)  This ce inform: I under	new Elevation Certifice evations – Zones A1-A low according to the banchmark Utilized 121 enversion/Comments	cate will be requi A30, AE, AH, A (soliding diagram Vertical Datum  (including basen are floor at horizontal struct (op of slab) (machinery or eccupied and local added at lowest elections and sealed lead and sealed lead and sealed lead and sealed lead are provided or	red when construction with BFE), VE, V1-V3 specified in Item A7. 1988 3094.98  The control of th	n of the building N, V (with BFE Use the same enclosure floor nes only) e building irs, including R, ENGINEER ngineer, or arcisents my best effor imprisonmer Were latitude a slicensed land s	g is completed; AR, AR/A, AR/A	AR/AE, Ae BFE.  Crim feet feet feet feet feet feet feet fee	AR/AA hheck hheck hheck hheck hheck hheck hheck hheck hheck had a horizontal his his base had a horizontal heck hheck had a horizontal his help had a hori	the measurem meters (Puert met	AR/AO. Complete Items C2.a-h  Inent used.  In Rico only) In Rico only only only only only only only onl	
*A C2. Ele bel Be Co a) b) c) d) e) f) g) h)  This ca information / under	new Elevation Certifice evations – Zones A1-A low according to the banchmark Utilized 121 enversion/Comments  Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of extra discount of the Lowest adjacent (fir Highest adjacent (fir Lowest adjacent grastructural support ertification is to be signation. I certify that the erstand that any false is the comments of the	cate will be requi A30, AE, AH, A (soliding diagram Vertical Datum  (including basen are floor at horizontal struct (op of slab) (machinery or eccupied and local added at lowest elections and sealed lead and sealed lead and sealed lead and sealed lead are provided or	red when construction with BFE), VE, V1-V3 specified in Item A7. 1988 3094.98  The control of th	n of the building No, V (with BFE Use the same enclosure floor nes only) e building irs, including R, ENGINEER regineer, or arc sents my best e or imprisonmer Were latitude a licensed land s	g is completed. AR, AR/A, and a state of datum as the dat	AR/AE, AR	AR/AA hheck hhe hheck hhe hheck hhe hheck hhe hheck hhe hheck hhe hhe hhe hhe hhe hhe hhe hhe hhe hh	the measurem meters (Puert met	AR/AO. Complete Items C2.a-h  sent used.  Rico only)	

IMPORTANT: In these spaces, copy the consponding information from Section A.	For Incurence Company Uses
Building Street Address (including Apt., Unit, Suite, d/or Bldg. No.) or P.O. Route and Box No.	For Insurance Company Use: Policy Number
182 W HEREFORD DRIVE	Folicy Number
City CAMP VERDEState AZ ZIP Code 86322	Company NAIC Number
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFIC	ATION (CONTINUED)
Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and	(3) building owner.
Comments LOWEST MACHINERY IS A HOT WATER HEATER SET AT FINISHED FLOOR. RM 121 S	OWN ON FIRM 04025C2205F CONVERTED TO
1988 DATUM.	
Signature Date	
Signature Date	Charlebon forthermore
SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR	Check here if attachments
TOTAL DELICATION IN CHIMATION (CONTENTION NEGOTIED) FOR	LONE AO AND ZONE A (WITHOUT BIL)
For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOI and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico of	or LOMR-F request, complete Sections A, B,
E1. Provide elevation information for the following and check the appropriate boxes to show whether the	
grade (HAG) and the lowest adjacent grade (LAG).	
	meters above or below the HAG. meters above or below the LAG.
E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (s	pages 8-9 of Instructions), the next higher floor
(elevation C2.b in the diagrams) of the building is ☐ feet ☐ meters ☐ above or	below the HAG.
E3. Attached garage (top of slab) is	
E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in according to t	
ordinance? Yes No Unknown. The local official must certify this information in Section	n G.
SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTAT	VE) CERTIFICATION
The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowled	(without a FEMA-issued or community-issued BFE)
Property Owner's or Owner's Authorized Representative's Name	
Address City	State ZIP Code
Signature Date	Telephone
Comments	
	☐ Check here if attachments
SECTION G - COMMUNITY INFORMATION (OPTIO	
The local official who is authorized by law or ordinance to administer the community's floodplain management of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement	nt ordinance can complete Sections A, B, C (or E), nt used in Items G8 and G9.
The information in Section C was taken from other documentation that has been signed and sealer is authorized by law to certify elevation information. (Indicate the source and date of the elevation	d by a licensed surveyor, engineer, or architect who
A community official completed Section E for a building located in Zone A (without a FEMA-issued	
G3. ☐ The following information (Items G4-G9) is provided for community floodplain management purpo	
	cate Of Compliance/Occupancy Issued
Go. Bate Certification	cate of compliance/occupancy issued
67. This permit has been issued for: New Construction Substantial Improvement	
	rs (PR) Datum
	rs (PR) Datum
610. Community's design flood elevation	rs (PR) Datum
Local Official's Name Title	
Community Name Telephone	
Signature Date	
Comments	

☐ Check here if attachments

Building Photographs

one arrange Blaig, Ma.) or P.O. Route and Box Mo.

countries are protegraphs than we fit on the processing page, after the additional photographs halow, latinity all countries are used. From View Land 'Rear View', and, it required, 'Right Side View' and 'Led Side View'.



Suilding Photographs
See Instructions for Item A6

Lite and/or little No.) or P.O. Routt and Box No.

