U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008

Expiration Date: July 31, 2015

SECTION A – PROPERTY INFORMATION FOR					FOR IN	SURANCE COMPANY USE	
A1. Building Owner's Nam	e IRENE TRAUTMA	λN				Policy N	lumber:
A2. Building Street Addres 367 E PARADE GROUND		it, Suite, and/or Bldg.	No.) or P.O. Ro	oute and Box N	lo.	Compar	IC Number:
City CAMP VERDE			State AZ	ZIP Code 8	36322		
A3. Property Description (I 404-30-169	_ot and Block Numbe	ers, Tax Parcel Numb	er, Legal Descr	iption, etc.)			
 A4. Building Use (e.g., Res A5. Latitude/Longitude: La A6. Attach at least 2 photo A7. Building Diagram Num A8. For a building with a cr a) Square footage of 6 b) Number of permanor enclosure(s) with c) Total net area of flod d) Engineered flood or 	t. 34°34'01" Long. 1 graphs of the buildin ber 1A rawlspace or enclose crawlspace or enclose ent flood openings in nin 1.0 foot above ac add openings in A8.b	111°50′51″ Horizoni g if the Certificate is bure(s): sure(s) 0 n the crawlspace lijacent grade 0 0	tal Datum: 🔲	NAD 1927 ⊠ otain flood insu A9. For a l a) Sq b) Nu wit c) To	rance. building with an atta juare footage of atta	ached gar t flood ope adjacent g d openings	age <u>528</u> sq ft enings in the attached garage grade <u>0</u>
	SECTIO	N B – FLOOD INS	URANCE RAT	TE MAP (FIR	M) INFORMATIO	N	
B1. NFIP Community Name CAMP VERDE 40131	& Community Num		County Name /APAI			B3. Stat AZ	e
B4. Map/Panel Number 04025C2180	B5. Suffix B	6. FIRM Index Date 09-03-2010	Effective/R	M Panel evised Date 3-2010	B8. Flood Zone(s) AE		Base Flood Elevation(s) (Zone AO, use base flood depth) 3084.70'
B10. Indicate the source of t ☐ FIS Profile B11. Indicate elevation datu B12. Is the building located Designation Date:	☐ FIRM ☐ m used for BFE in It in a Coastal Barrier	Community Determinem B9: NGVD 19 Resources System (C	ned 🔲 0 29 🖾 N BRS) area or 0	Other/Source: _ NAVD 1988	Other/Source:		□ Yes ⊠ No
	SECTION C	- BUILDING ELE	VATION INFO	RMATION (SURVEY REQUI	RED)	
C1. Building elevations are based *A new Elevation Certification C2. Elevations – Zones A1–below according to the based *Benchmark Utilized: 118	pased on: cate will be required A30, AE, AH, A (with building diagram spe	Construction Drawing when construction of a BFE), VE, V1–V30, cified in Item A7. In P	gs* the building is c V (with BFE), A uerto Rico only, ertical Datum: 1	Building Under complete. R, AR/A, AR/A enter meters. 1929 CONVER	r Construction* E, AR/A1–A30, AR TED 1988	⊠ Fi	
A new Elevation Certific C2. Elevations – Zones A1–, below according to the b	pased on: cate will be required A30, AE, AH, A (with building diagram spe	Construction Drawing when construction of a BFE), VE, V1–V30, cified in Item A7. In P	gs	Building Under complete. R, AR/A, AR/A enter meters. 1929 CONVER	r Construction* E, AR/A1–A30, AR TED 1988 ☑ NAVD 1988 ☑ (⊠ Fi	AO. Complete Items C2.a-h
A new Elevation Certific C2. Elevations – Zones A1–, below according to the b Benchmark Utilized: 118 Indicate elevation datum	pased on: pased on: pate will be required and and and all and all and	Construction Drawing when construction of a BFE), VE, V1–V30, cified in Item A7. In P V6 ons in items a) throughthe same as that used crawlspace, or enclosemember (V Zones onlent servicing the build in Comments) cuilding (LAG) building (HAG)	gs the building is c V (with BFE), Al uerto Rico only, ertical Datum: 1 gh h) below. d for the BFE. ure floor) ly)	Building Unde omplete. R, AR/A, AR/A enter meters. 1929 CONVER NGVD 1929 SAMA N/A N/A 308/308/308/308/308/308/308/308/308/308/	r Construction* E, AR/A1–A30, AR TED 1988 ☑ NAVD 1988 ☑ Chec 7.03 .N/A .N/A 6.06 6.59 4.64 5.74	⊠ Fi	AO. Complete Items C2.a-h
A new Elevation Certific C2. Elevations – Zones A1– below according to the below according to the benchmark Utilized: 118 Indicate elevation datum Datum used for building a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest belowed by Attached garage (top e) Lowest elevation of me (Describe type of equents) f) Lowest adjacent (finis g) Highest adjacent (finis	cased on: cate will be required A30, AE, AH, A (with building diagram spe an used for the elevati elevations must be ancluding basement, of floor flo	Construction Drawing when construction of a BFE), VE, V1–V30, cified in Item A7. In P V6 ons in items a) throughthe same as that used crawlspace, or enclosemember (V Zones onlent servicing the build in Comments) cuilding (LAG) building (HAG)	gs the building is c V (with BFE), Al uerto Rico only, ertical Datum: 1 gh h) below. dror the BFE. ure floor) ly) ing	Building Unde complete. R, AR/A, AR/A enter meters. 1929 CONVER NGVD 1929 S N/A N/A 3086 3086 3086 3086 support N/A	r Construction* E, AR/A1–A30, AR TED 1988 ☑ NAVD 1988 ☑ Chec 7.03 .N/A .N/A 6.06 6.59 4.64 5.74	☐ Fill AR/A AR/A AR/A AR/A AR/A AR/A AR/A AR	AO. Complete Items C2.a–h rce: surement used.
A new Elevation Certific C2. Elevations – Zones A1– below according to the below according to the benchmark Utilized: 118 Indicate elevation datum Datum used for building a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest benchmark d) Attached garage (top e) Lowest elevation of me (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis	cased on: Cate will be required A30, AE, AH, A (with building diagram special	Construction Drawing when construction of BFE), VE, V1–V30, cified in Item A7. In P Valoris and in Item A7	the building is cook (with BFE), Aluerto Rico only, ertical Datum: 1 the building structural of the BFE. To a structural of the BFE. To a structural of the BFE, of the BFE. To a structural of the BFE, of the BFE. To a structural of the BFE, of the BFE. To a structural of the BFE, of the BFE. To a structural of the BFE, of the BFE. To a structural of the BFE, of the BFE. To a structural of the BFE, of the BFE. To a structural of the BFE.	Building Under complete. R, AR/A, AR/A enter meters. 1929 CONVER NGVD 1929 308 N/A N/A 308 308 308 308 308 308 308 30	r Construction E, AR/A1–A30, AR TED 1988 NAVD 1988 Chec 7.03 N/A N/A 6.06 6.59 4.64 5.74 N/A law to certify eleva e data available. de, Section 1001. etion A provided by es □ No 26925 IAPPING Code 86322	Dther/Source k the mea feet feet feet feet feet feet feet fe	AO. Complete Items C2.a–h rce: surement used.

LLLVATION OLIVINIOATE, P	29 c 4			
IMPORTANT: In these spaces, of	copy the corresponding information	from Section A	. FO	R INSURANCE COMPANY USE
Building Street Address (including Apt 367 E PARADE BROUND CIR	., Unit, Suite, and/or Bldg. No.) or P.O. Rou	ite and Box No.	Pol	licy Number:
City CAMP VERDE	State AZ	ZIP Code 86	6322 Col	mpany NAIC Number:
SECTION	D – SURVEYOR, ENGINEER, OR AI	RCHITECT CER	TIFICATION (CONT	TINUED)
Copy both sides of this Elevation Certi	ficate for (1) community official, (2) insuran	ce agent/company,	and (3) building owner	er.
Comments LOWEST MACHINERY IS	S AN AC UNIT ELEVATION 3086.59			
On Le	MML 2	18.15	-	
Signature		Date		
SECTION E - BUILDING ELE	VATION INFORMATION (SURVEY N	OT REQUIRED)	FOR ZONE AO AN	ID ZONE A (WITHOUT BFE)
and C. For Items E1–E4, use natural of	omplete Items E1–E5. If the Certificate is in grade, if available. Check the measurement	tended to support a t used. In Puerto Ri	a LOMA or LOMR-Fire co only, enter meters.	equest, complete Sections A, B,
E1. Provide elevation information for	the following and check the appropriate bo			
grade (HAG) and the lowest adja a) Top of bottom floor (including	acent grade (LAG). basement, crawlspace, or enclosure) is		feet □ meters □ al	bove or □ below the HAG
b) Top of bottom floor (including	basement, crawlspace, or enclosure) is	🗆 1	feet 🗌 meters 🗌 al	bove or Delow the LAG.
E2. For Building Diagrams 6–9 with (elevation C2.b in the diagrams)	permanent flood openings provided in Sect of the building is	ion A Items 8 and/o	or 9 (see pages 8–9 of	Instructions), the next higher floor
E3. Attached garage (top of slab) is		above or belov	w the HAG.	
	d/or equipment servicing the building is			
ordinance? Yes No	number is available, is the top of the botton Unknown. The local official must certify the	n floor elevated in a his information in S	accordance with the co ection G.	ommunity's floodplain management
	F – PROPERTY OWNER (OR OWNE			CATION
	zed representative who completes Sections		•	
or Zone AO must sign here. The stater	nents in Sections A, B, and E are correct to	the best of my kno	wledge.	. Isolada or community isolada 21 2/
Property Owner's or Owner's Authorize	d Representative's Name			
Address	City	/	State	ZIP Code
Signature	Dat	e	Telephone	
Comments				
				_
				Check here if attachments.
	SECTION G - COMMUNITY IN			
The local official who is authorized by law of this Elevation Certificate. Complete the	or ordinance to administer the community's applicable item(s) and sign below. Check th	floodplain manager e measurement use	nent ordinance can co ed in Items G8–G10. Ir	mplete Sections A, B, C (or E), and G n Puerto Rico only, enter meters.
G1. ☐ The information in Section C v is authorized by law to certify of	vas taken from other documentation that ha elevation information. (Indicate the source	is been signed and and date of the elev	sealed by a licensed vation data in the Com	surveyor, engineer, or architect who nments area below.)
	d Section E for a building located in Zone A			ssued BFE) or Zone AO.
G3. The following information (Iten	ns G4–G10) is provided for community floor	dplain managemen	t purposes.	
G4. Permit Number	G5. Date Permit Issued	G6. Date	Certificate Of Complia	ance/Occupancy Issued
G7. This permit has been issued for:	☐ New Construction ☐ Substant	ial Improvement		
38. Elevation of as-built lowest floor (in		feet	☐ meters ☐ Da	atum
G9. BFE or (in Zone AO) depth of flood		feet	☐ meters Da	atum
G10. Community's design flood elevation	ı:	feet	☐ meters Da	atum
Local Official's Name		Title		
Community Name		Telephone		
Signature		Date		
Comments				
				Check here if attachments.

ELEVATION CERTIFICATE, page 3

Building Photographs See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Unit, Suite, and/	or Bldg. No.) or P.O. Route	e and Box No.	Policy Number:	
City	State	ZIP Code	Company NAIC Number:	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



ELEVATION CERTIFICATE, page 4

Building Photographs Continuation Page

IMPORTANT: In these spaces, copy the c	FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Unit, Suite	e, and/or Bldg. No.) or P.O. Route and Box No.	Policy Number:
City	State ZIP Code	Company NAIC Number:

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.

