U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2018

ELEVATION CERTIFICATEImportant: Follow the instructions on pages 1–9.



Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION	FOR INSURANCE COMPANY USE
A1. Building Owner's Name	Policy Number:
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.	Company NAIC Number:
City State	ZIP Code
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)	
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.)	
A5. Latitude/Longitude: Lat Long Horizontal Datu	ım: NAD 1927 NAD 1983
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insu	ırance.
A7. Building Diagram Number	
A8. For a building with a crawlspace or enclosure(s):	
a) Square footage of crawlspace or enclosure(s) sq ft	
b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot about	ve adjacent grade
c) Total net area of flood openings in A8.b sq in	
d) Engineered flood openings?	
A9. For a building with an attached garage:	
a) Square footage of attached garage sq ft	
b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacen	t grade
c) Total net area of flood openings in A9.b sq in	
d) Engineered flood openings?	
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORM	IATION
B1. NFIP Community Name & Community Number B2. County Name	B3. State
B4. Map/Panel Number B5. Suffix B6. FIRM Index Date B7. FIRM Panel Effective/ Revised Date B8. Flood Zone	B9. Base Flood Elevation(s) (Zone AO, use Base Flood Depth)
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Ite	em B9:
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 O	Other/Source:
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Pro	otected Area (OPA)?
Designation Date: CBRS DPA	

ELEVATION CERTIFICATE			Expiration Date: November 30, 2018
IMPORTANT: In these spaces, copy t	he corresponding information fr	om Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., 3435 E. YUMA DRIVE	Unit, Suite, and/or Bldg. No.) or P	.O. Route and Box No.	Policy Number:
City RIMROCK	State Arizona	ZIP Code 86335	Company NAIC Number
SECTION C	- BUILDING ELEVATION INFO	ORMATION (SURVEY	REQUIRED)
C2. Elevations – Zones A1–A30, AE, Complete Items C2.a–h below ac Benchmark Utilized: RM 129	e required when construction of the AH, A (with BFE), VE, V1–V30, V cording to the building diagram spectrum. Vertical	(with BFE), AR, AR/A, A ecified in Item A7. In Pu Datum: 3443.25 (NAVD	AR/AE, AR/A1–A30, AR/AH, AR/AO. erto Rico only, enter meters.
☐ NGVD 1929 🔀 NAVD			
Datum used for building elevation	s must be the same as that used for	or the BFE.	Check the measurement used.
a) Top of bottom floor (including l	basement, crawlspace, or enclosur	re floor)3390 _. 8	X feet meters
b) Top of the next higher floor		N/A	x feet meters
c) Bottom of the lowest horizonta	l structural member (V Zones only)	N/A	X feet meters
d) Attached garage (top of slab)		3389 7	x feet meters
 e) Lowest elevation of machinery (Describe type of equipment are 	or equipment servicing the buildin nd location in Comments)	g <u>3392</u> . <u>3</u>	x feet meters
f) Lowest adjacent (finished) grad	de next to building (LAG)	3388, 9	X feet meters
g) Highest adjacent (finished) gra	de next to building (HAG)	3390. 4	X feet meters
 h) Lowest adjacent grade at lowe structural support 	st elevation of deck or stairs, include	ding <u>3390</u> . 4	x feet meters
SECTION I	O – SURVEYOR, ENGINEER, O	R ARCHITECT CERTI	FICATION
This certification is to be signed and se I certify that the information on this Cer statement may be punishable by fine o			by law to certify elevation information. ilable. I understand that any false
Were latitude and longitude in Section			X Check here if attachments.
Certifier's Name TIMOTHY L. HAMMES	License Numb L.S. 29263	er	The same
Title PRESIDENT			SOLUTION TO STATE AS A
Company Name HAMMES SURVEYING LLC Address			PHINOSHY L. O
2100 VIA SILVERADO			A Proposition of the state of t
City CAMP VERDE	State Arizona	ZIP Code 86322	Expires 6/30/11
Signature L. Hamme	Date 09/20/2017	Telephone (928) 567-2833	
Copy all pages of this Elevation Certificat	e and all attachments for (1) commu	inity official, (2) insurance	e agent/company, and (3) building owner.
Comments (including type of equipment Lowest elevation of electrical equipment		ble)	

BUILDING PHOTOGRAPHS

See Instructions for Item A

OMB No. 1660-0008

See Instructions for Item A6. Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY USE Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Policy Number: City State ZIP Code Company NAIC Number If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page. Photo One Photo One Caption Photo Two Photo Two Caption

ELEVATION CERTIFICATE

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding inform	mation from Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg.	No.) or P.O. Route and Box No.	Policy Number:
City State	ZIP Code	Company NAIC Number
If submitting more photographs than will fit on the preceding with: date taken; "Front View" and "Rear View"; and, if re photographs must show the foundation with representative example.	equired, "Right Side View" and "L	eft Side View." When applicable,
	Photo One	
Photo One Caption		
	Photo Two	
Photo Two Caption		

ELEVATION CERTIFICATE

FE. RAL EMERGENCY MANAGEMEN' GENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077 Expires July 31, 1999

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

	DDODEDTY INTO	PARATION		
	PROPERTY INFO	HMATION		FOR INSURANCE COMPANY USE
STREET ADDRESS (Including Apt., Unit, Suite and/or	Bldg. Number) OR AO. F	ROUTE AND BOX NUMBER		COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and Block Numbers, etc.)	05-06-	282/Lot	118 Mo	ntezumaPk l
Lake Montez	UMA B FLOOD INSURA	ANCE RATE MAP (FIRM)	INFORMATION	
Provide the following from the proper FIRM		THE TIPE (FIRM)		
COMMUNITY NUMBER 2. PANEL NUMB		4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION
040093 1105	5.50712	6-8-98	A7	(in AO Zones, use depth) 3 3 8 7. 5
7. Indicate the elevation datum system used 8. For Zones A or V, where no BFE is provide the community's BFE:	ded on the FIRM, ar	nd the community has est	ablished a BFE i	Other (describe on back) for this building site, indicate
Si	ECTION C BUILDI	NG ELEVATION INFORM	MATION	
of 387. D feet NGVD (or other (b). FIRM Zones V1-V30, VE, and V (with the selected diagram, is at an elevation (c). FIRM Zone A (without BFE). The flood below (check one) the highest grade (d). FIRM Zone AO. The floor used as the one) the highest grade adjacent to the level) elevated in accordance with the 3. Indicate the elevation datum system use under Comments on Page 2). (NOTE: 1)	BFE). The bottom of the following of the series of the building. If no flood community's floodput in determining the fifthe elevation dature.	of the lowest horizontal state of the lowest horizontal state of the NGVD (or other FIF noe level from the selected building. In the selected diagram is a depth number is available lain management ordinary above reference level elements and the selected in measuring the second selected in the second selected in the second selected in the second selected in the second selected s	AM datum—see S d diagram is le, is the building ce? Yes evations: \(\sum_{\text{NG}} \) NG elevations is diffe	dection B, Item 7). dection B
the FIRM [see Section B, Item 7], then equation under Comments on Page 2.) 4. Elevation reference mark used appears	convert the elevatio	ns to the datum system u	sed on the FIRM	1 and show the conversion
5. The reference level elevation is based or (NOTE: Use of construction drawings is case this certificate will only be valid for twill be required once construction is compared to the construction is based or construction in the construction is based or construction in the construction is based or construction in the construction in the construction is based or construction in the construction in the construction is based or construction drawings in the construction in the cons	n: A actual constru only valid if the buil he building during th plete.)	uction construction of ding does not yet have the course of construction.	rawings e reference leve A post-construc	ction Elevation Certificate
6. The elevation of the lowest grade immed Section B, Item 7).	liately adjacent to th	e building is: 1387	l. O feet NGVD	(or other FIRM datum-see
	SECTION D CO	OMMUNITY INFORMATI	ON	
If the community official responsible for vision to the "lowest floor" as defined in the floor" as defined by the ordinance is: Date of the start of construction or substitution.	community's floodp	lain management ordinar NGVD (or other FIRM dat	ce, the elevation	n of the building's "lowest


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)
Kenneth E. Spedding	Sear (of Allix Sear)
TITLE	COMPANY NAME
District Director	Yavapai County Flood Control District
ADDRESS	CITY STATE ZIP
255 E. Gurley St.	Prescott AZ 86
SIGNATURE	9/23/98 PHONE (520) 771-31
copies should be made of this Certaficate for	1) community official, 2) insurance agent/company, and 3) building owner.
COMMENTS:	



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.