

O.M.B. No 3067-0077 Expires May 31, 1993

**ELEVATION CERTIFICATE** 

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

		<del> </del>					
SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE		
BUILDING OWNER'S NAME					POLICY NUMBER		
Evgene (	rovah	·····					
STREET ADDRESS (Including Ap		2	ROUTE AND BOX NUMBER		COMPANY NAIC NUMBER		
	OTHER DESCRIPTION (Lot and Block Numbers, etc.)						
Tax Parcel 405-06-297 Lot 133 Montezuma PK #6							
Rimrock				A 2	ZIP CODE 86335		
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION							
Provide the following from the proper FIRM (See Instructions):							
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)		
040093	1105	B	8-19-85	A7	3390.3		
7. Indicate the elevation dat	tum system used on t	he FIRM for Ba	se Flood Elevations (BFE	:): 🔼 NGVD '29	Other (describe on back)		
8. For Zones A or V, where					r this building site, indicate		
the community's BFE: L	feet N	IGVD (or other	FIRM datum-see Section	B, Item 7)			
	SECTION	ON C BUILDI	NG ELEVATION INFORM	IATION			
of Diff. difee  (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below (check one)  (d). FIRM Zone AO. The fone) the highest grade level) elevated in acco  3. Indicate the elevation dat under Comments on Pag the FIRM [see Section to equation under Comments)	wilding's reference level AE, AH, and A (with BE) VE, and V (with BFE) is at an elevation of LE). The floor used the highest grade action used as the reference adjacent to the build reference with the community system used in decrease. (NOTE: If the est, Item 7], then converts on Page 2.)	AM datum—see  The bottom of the following of the second of	of the reference level floor Section B, Item 7).  If the lowest horizontal strain feet NGVD (or other FIR name level from the selected uilding.  In the selected diagram is depth number is available ain management ordinance above reference level element of the datum system uses to the datum system uses	r from the selected uctural member of M datum—see Set I diagram is	ed diagram is at an elevation of the reference level from action B, Item 7) feet above or ove or below (check is lowest floor (reference No Unknown D '29 Other (describe ent than that used on		
4. Elevation reference mark used appears on FIRM: Yes No (See Instructions on Page 4) 5. The reference level elevation is based on: A actual construction Construction drawings							
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)							
6. The elevation of the lowest grade immediately adjacent to the building is: 1991. If feet NGVD (or other FIRM datum-see Section B, Item 7).							
SECTION D COMMUNITY INFORMATION							
If the community official resistance is not the "lowest floor" as floor" as defined by the orange.     Date of the start of construction.	s defined in the commrdinance is:	nunity's floodpla	ain management ordinanc GVD (or other FIRM datu	e, the elevation o	of the building's "lowest		


## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER:	S NAME KENNETH E. SPEDDING	LICENSE NUMBER (or Affix Seal)				
DISTRICT DIRECTOR  ADDRESS  255 E. GURLEY ST.,		YAVAPAI COUNTY FLOOD CONTROL DISTRICT				
		PRESCOTT	AZ 86301 ZIP			
SIGNATURE	11/	2/14/95	(602) 771-3196			
Copies si	nould be made of this Certificate for: 1) c	community official, 2) insurance ag				
COMMEN	TS:					
		-				



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

## 'As Built' Elevations for Site Built Home

ASSESSORS NUMBER 40-5-01-297		
SUBDIVISION NAME AND NUMBER ZOTA	33 MINTEZUMA PARK WHITE	
OWNER KROUGH		
BASE BENCHMARK NUMBER (on floodplain circuit)	RM # 45	
PROPERTY BENCHMARK ELEVATION	339%/	
SURVEYED FIRST FLOOR ELEVATION	3397.9	
REQUIRED FIRST FLOOR ELEVATION (as per development permit)		
DIFFERENCE		