FE VAL EMERGENCY MANAGEMENT AGENTATIONAL FLOOD INSURANCE PROGRAM

ELEVATION CERTIFICATE

O.M.B. No. 3087-0077 Expires July 31, 2002

Important: Read t	he instructions on pages	1 - 6.	# 99-0903 CSX	
SECTION A - PROP	ERTY OWNER INFORMATIO	ON	For Insurance Company Use:	
BUILDING OWNER'S NAME LOU MIDDELSTORE	R		Policy Number	
BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bide		X NO.	Company NAIC Num	
CITY 2	STATE		ZIP CODE	
COTTONWOOD	A	2	86326	
PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Num		6-07-1307	-	
BUILDING USE (e.g., Residential, Non-residential, Addition, Accessor) RESI DEVITAL	r, etc. Use comments section if no			
LATITUDE/LONGITUDE (OPTIONAL) HORIZONTAL DA		PS (Type:		
(##P - ## - ## .#######) LI NAD 1927 L. I	IAD 1983	SGS Quad Map	Other:	
SECTION B - FLOOD INSU	RANCE RATE MAP (FIRM) IN	FORMATION		
B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER B2. COUNTY NAME B3. STATE				
YAVARAI COUNTY 040093	YAVAPAI		ARIZOWA	
B4. MAP AND PANÉL B5. SUFFIX B6. FIRM INDEX NUMBER DATE E	B7. FIRM PANEL FFECTIVE/REVISED DATE	B& FLOOD ZONE(8)	89. BASE FLOOD ELEVATION(S) (Zone AO, use depth of flooding)	
040093-0865 D MAR 9, 1999 T		A 12	3267.0	
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.				
FIS Profile FIRM Community Determined Other (Describe:				
B11. Indicate the elevation datum used for the BFE in B9; NGVD 1929 NAVD 1988 Other (Describe:				
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes No Designation Date:				
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)				
C1. Building elevations are based on: Construction Drawings* Building Under Construction* X Finished Construction				
*A new Elevation Certificate will be required when construction of the building is complete.				
C2. Building Diagram Number 5 (Select the building diagram most similar to the building for which this certificate is being completed - see				
pages 4 and 5. If no diagram accurately represents the building, provide a sketch or photograph.)				
C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO				
Complete Items C3s-I below according to the building diagram specified in Item C2, State the datum used, if the datum is different from				
the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion				
calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.				
Datum NG VD 129 Conversion/Comments				
Elevation reference mark used RM 19-A Do	es the elevation reference ma		on the FIRM? X Yes No	
a) Top of bottom floor (including basement or enclosure) b) Top of next higher floor		∑ft.(m) 1	DESTAND OR.	
☐ c) Bottom of lowest horizontal structural mamber (V zone	MONE .	ft.(m)	THE THE PARTY OF T	
d) Attached garage (top of slab)	MONE .	_ft.(m) ##	13015	
e) Lowest elevation of machinery and/or equipment	no.	n.(m)	PATRICKW.	
servicing the building	N/A	n.(m) 44	NAVILLE ON	
0 f) Lowest adjacent grade (LAG)		ft.(m) 2.5		
g) Highest adjacent grade (HAG)		n.(m) 2 0	To San ed 19.	
h) No. of permanent openings (flood vents) within 1 ft. at	ove adjacent grade None	()	PRIZONA, US	
☐ i) Total area of all permanent openings (flood vents) in C	3h <u>N/A</u> sq. in. (s	q. am)		
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION				
This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information.				
I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available.				
I understand that any false statement may be punishable by fin			ion 1001.	
PATRICK W. NAVILLE	LICENS	E NUMBER	LS 13015	
V.P.	COMPANY NAME	E.C. INC.	10010	
ADORESS	CITY	STATE	ZIP CODE	
SIGNATURE Paturble Spoulle	DATE	TELEPHO		
Patrickle Hould	10/13/00	520-6	34-5889	

for a LOMA or LOMR-F, Section C must be completed. E1. Building Diagram Number (Select the building diagram most similar to the building for which this certificate is being completed — see pages 4 and 5. If no diagram accurately represents the building, provide a sketch or photograph.) E2. The top of the bottom floor (including basement or enclosure) of the building is ft.(m) in.(cm) above or below (check one) the highest adjacent grade. E3. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G. SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-Issued or community-Issued BFE) or Zone AO must sign here. PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME ADDRESS CITY STATE ZIP CODE SIGNATURE DATE TELEPHONE COMMENTS
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED) Copy both sides of this Elevation Certificate for (1) community official, (2) Insurance agent/company, and (3) building owner. COMMENTS AS OF THE DATE OF THIS CERTIFICATION, THERE WAS NO SKIRTING OR CONEENG OF ANY TVIE IN PLACE ON THE STRUCTURE. LI Check here if attachment SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONES AQ and A (MITHOUT SFE) For Zones AQ and A (without BFE), complete items E1 through E3. If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMA-F, Section C must be completed. E1. Building Diagram Number (Select the building diagram most almillar to the building for which this certificate is being completed— see pages 4 and 5. If no diagram accurately represents the building, provide a sketch or photograph.) E2. The top of the bottom floor (including basement or enclosure) of the building is
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED) Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner. COMMENTS AS OF THE DATE OF THIS CERTIFICATION, THERE WAS NO SKIRTHILL OR CONTINUED. OF ANY TYPE IN PLACE ON THE STRUCTURE. LI Check here if attachment sections and A (without BFE), complete Items E1 through E3. If the Elevation Certificate is Intended for use as supporting Information for a LOMA or LOMR-F, Section C must be completed. E1. Building Diagram Number (Select the building diagram most similar to the building for which this certificate is being completed—see pages 4 and 5. If no diagram accurately represents the building, provide a stetch or photograph.) E2. The top of the bottom floor (including basement or enclosure) of the building is [] ft.(m) [] shove or [] below (check one) the highest adjacent grade. E3. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? [] Yes [] No [] Unknown. The local official must certify this information in Section G. SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-Issued or community-Issued BFE) or Zone AO must sign here. PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME ADDRESS CITY STATE ZIP CODE SIGNATURE DATE TELEPHONE
COMMENTS AS OF THE DATE OF THIS CERTIFICATION, THERE WAS NO SKIRTHIL OR CONCENSE. DE ANY TVPE IN PLACE ON THE STRUCTURE. Check here if attachmen
AS OF THE DATE OF THIS CERTIFICATION, THERE WILLS NO SKIRTHIL OR CONSUME OF ANY TVPE IN PLACE ON THE STRUCTURE. Check here if attachmeng
AS OF THE DATE OF THIS CERTIFICATION, THERE WAS NO SKIRTING, OR CONSUME. OF ANY TVIRE IN PLACE ON THE STRUCTURE. Check here if attachmen
Check here if sttachmen SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONES AO and A (MTHOUT BFE) For Zones AO and A (without BFE), complete items E1 through E3. If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed. E1. Building Diagram Number
SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONES AO and A (MTHOUT SFE) For Zones AO and A (without BFE), complete Items E1 through E3. If the Elevation Certificate is Intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed. E1. Building Diagram Number
SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONES AO and A (MTHOUT SFE) For Zones AO and A (without BFE), complete Items E1 through E3. If the Elevation Certificate is Intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed. E1. Building Diagram Number
SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONES AO and A (MTHOUT SFE) For Zones AO and A (without BFE), complete Items E1 through E3. If the Elevation Certificate is Intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed. E1. Building Diagram Number (Select the building diagram most similar to the building for which this certificate is being completed — see pages 4 and 5. If no diagram accurately represents the building, provide a sketch or photograph.) E2. The top of the bottom floor (including basement or enclosure) of the building is ft.(m) in.(cm) above or below (check one) the highest adjacent grade. E3. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G. SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-Issued or community-issued BFE) or Zone AO must sign here. PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME ADDRESS CITY STATE ZIP CODE SIGNATURE DATE TELEPHONE COMMENTS
For Zones AO and A (without BFE), complete items E1 through E3. If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed. E1. Building Diagram Number (Select the building diagram most almitar to the building for which this certificate is being completed — see pages 4 and 5. If no diagram accurately represents the building, provide a sketch or photograph.) E2. The top of the bottom floor (including basement or enclosure) of the building is ft.(m) in.(cm) above or below (check one) the highest adjacent grade. E3. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G. SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-Issued or community-Issued BFE) or Zone AO must sign here. PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME ADDRESS CITY STATE ZIP CODE SIGNATURE
for a LOMA or LOMR-F, Section C must be completed. E1. Building Diagram Number (Select the building diagram most similar to the building for which this certificate is being completed — see pages 4 and 5. If no diagram accurately represents the building, provide a sketch or photograph.) E2. The top of the bottom floor (including basement or enclosure) of the building is ft.(m) in.(cm) above or below (check one) the highest adjacent grade. E3. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G. SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-Issued or community-Issued BFE) or Zone AO must sign here. PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME ADDRESS CITY STATE ZIP CODE SIGNATURE DATE TELEPHONE COMMENTS
The property owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-Issued or community-issued BFE) or Zone AO must sign here. PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME ADDRESS CITY STATE ZIP CODE SIGNATURE DATE TELEPHONE
PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRÉSENTATIVE'S NAME ADDRESS CITY STATE ZIP CODE SIGNATURE DATE TELEPHONE COMMENTS
ADDRESS CITY STATE ZIP CODE SIGNATURE DATE TELEPHONE COMMENTS
SIGNATURE DATE TELEPHONE COMMENTS
COMMENTS
Check here if attachmen
SECTION G - COMMUNITY INFORMATION (OPTIONAL)
The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Check the applicable box(es) and sign below. G1 The Information in Section C was taken from other documentation that has been signed and embossed by a licensed surveyor, angineer, or architect who is authorized by state or local law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
G2. [_] A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
G3. The following information (items G4-G9) is provided for community floodplain management purposes. G4. PERMIT NUMBER G5. DATE PERMIT ISSUED G6. DATE CERTIFICATE OF COMPLIANCE/OCCUPANCY
ISSUED
G7. This permit has been issued for: New Construction Substantial Improvement G8. Elevation of as-built lowest floor (including basement) of the building is: ft.(m) Datum:
G9. BFE or (in Zone AO) depth of flooding at the building site is:
The state of the s
A A A A A A A A A A A A A A A A A A A
COMMUNITY NAME TELEPHONE
SIGNATURE
ALCO TOTAL
SIGNATURE

DIAGRAM # (from Page 5 & 6 of OMB No. 3067-0070 Section 2 - Complete if appropriate 'As Built' Elevation for Manufactured Homes SURVEYED BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES (seal) Signed **As Built' Elevation for Site Built Homes SURVEYED LOWEST FLOOR (seal) Signed FOR DISTRICT USE: REQUIRED ELEVATION TO BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES (As Per Development Permit DIFFERENCE REQUIRED LOWEST FLOOR ELEVATION (As Per Development Permit)	"AS BUILT" ELEVATIONS FOR EITHER MANUFACTURED HOMES OR SITE BUILT HOMES
Section 1 - Complete entire section DATE	
SUBDIVISION NAME AND LOT NUMBER METES & BOLINDS OWNER LOU MIDDELSTORE BASE BENCHMARK NUMBER (On floodplain circuit) ELEVATION OF THE LOWEST GRADE IMMEDIATELY ADJACENT TO THE BUILDING 326.8 PROPERTY BENCHMARK ELEVATION 3269.38 DIAGRAM # (from Page 5 & 6 of OMB No. 3067-0070 5 Section 2 - Complete if appropriate 'As Built' Elevation for Manufactured Homes SURVEYED BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES 3269.00 Signed Signed SURVEYED LOWEST FLOOR (seal) SIGNED SURVEYED LOWEST FLOOR (seal) SIGNED SIGNED FOR DISTRICT USE: REQUIRED ELEVATION TO BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES (As Per Development Permit DIFFERENCE REQUIRED LOWEST FLOOR ELEVATION (As Per Development Permit)	
DUNER LOW MIDDELSTORS BASE BENCHMARK NUMBER (on floodplain circuit) ELEVATION OF THE LOWEST GRADE IMMEDIATELY ADJACENT TO THE BUILDING 326.8 PROPERTY BENCHMARK ELEVATION 3269.38 DIAGRAM # (from Page 5 & 6 of OMB No. 3067-0070 5 Section 2 - Complete if appropriate 'As Built' Elevation for Manufactured Homes SURVEYED BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES 3269.00 Signed 700 13015 PARROW MANUFACTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES SURVEYED LOWEST FLOOR (Seal) SIGNED SIGNED FOR DISTRICT USE: REQUIRED ELEVATION TO BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES (As Per Development Permit DIFFERENCE REQUIRED LOWEST FLOOR ELEVATION (As Per Development Permit)	DATE 10/10/00 ASSESSORS NUMBER 406-07-130T
BASE BENCHMARK NUMBER (on floodplain circuit) ELEVATION OF THE LOWEST GRADE IMMEDIATELY ADJACENT TO THE BUILDING PROPERTY BENCHMARK ELEVATION Bection 2 - Complete if appropriate 'As Built' Elevation for Manufactured Homes SURVEYED BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES (seal) Signed SURVEYED LOWEST FLOOR (seal) Signed FOR DISTRICT USE: REQUIRED ELEVATION TO BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES (As Per Development Permit DIFFERENCE REQUIRED LOWEST FLOOR ELEVATION (As Per Development Permit)	SUBDIVISION NAME AND LOT NUMBER METES & BOUNDS
Con floodplain circuit) ELEVATION OF THE LOWEST GRADE IMMEDIATELY ADJACENT TO THE BUILDING 3269.38 DIAGRAM # (from Page 5 & 6 of OMB No. 3067-0070 Section 2 - Complete if appropriate 'As Built' Elevation for Manufactured Homes SURVEYED BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES (seal) Signed SURVEYED LOWEST FLOOR (seal) Signed FOR DISTRICT USE: REQUIRED ELEVATION TO BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES (As Per Development Permit DIFFERENCE REQUIRED LOWEST FLOOR ELEVATION (As Per Development Permit)	OWNER LOU MIDDELSTORB
IMMEDIATELY ADJACENT TO THE BUILDING 3266.8 PROPERTY BENCHMARK ELEVATION 3269.38 DIAGRAM # (from Page 5 & 6 of OMB No. 3067-0070 5 Section 2 - Complete if appropriate 'As Built' Elevation for Manufactured Homes SURVEYED BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES 3269.00 Signed Section 3 - Complete if appropriate 'As Built' Elevation for Site Built Homes SURVEYED LOWEST FLOOR (seal) Signed FOR DISTRICT USE: REQUIRED ELEVATION TO BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES (As Per Development Permit DIFFERENCE REQUIRED LOWEST FLOOR ELEVATION (As Per Development Permit)	BASE BENCHMARK NUMBER RM 19-A (on floodplain circuit)
DIAGRAM # (from Page 5 & 6 of OMB No. 3067-0070 Section 2 - Complete if appropriate 'As Built' Elevation for Manufactured Homes SURVEYED BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES (seal) Signed **As Built' Elevation for Site Built Homes SURVEYED LOWEST FLOOR (seal) Signed FOR DISTRICT USE: REQUIRED ELEVATION TO BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES (As Per Development Permit DIFFERENCE REQUIRED LOWEST FLOOR ELEVATION (As Per Development Permit)	ELEVATION OF THE LOWEST GRADE IMMEDIATELY ADJACENT TO THE BUILDING 3266.8
SURVEYED BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES Signed Signed Signed Signed *As Built' Elevation for site Built Homes SURVEYED LOWEST FLOOR (seal) Signed FOR DISTRICT USE: REQUIRED ELEVATION TO BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES (As Per Development Permit DIFFERENCE REQUIRED LOWEST FLOOR ELEVATION (As Per Development Permit)	PROPERTY BENCHMARK ELEVATION 3269.38
SURVEYED BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES SURVEYED LOWEST FLOOR (seal) Signed AWAILLE AWAILLE AND Signed Signed Signed Signed Signed FOR DISTRICT USE: REQUIRED ELEVATION TO BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES (As Per Development Permit DIFFERENCE REQUIRED LOWEST FLOOR ELEVATION (As Per Development Permit)	DIAGRAM # (from Page 5 & 6 of OMB No. 3067-0070
SURVEYED BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES (seal) Signed 'As Built' Elevation for Site Built Homes SURVEYED LOWEST FLOOR (seal) Signed FOR DISTRICT USE: REQUIRED ELEVATION TO BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES (As Per Development Permit DIFFERENCE REQUIRED LOWEST FLOOR ELEVATION (As Per Development Permit)	Section 2 - Complete if appropriate
Section 3 - Complete if appropriate 'As Built' Elevation for Site Built Homes SURVEYED LOWEST FLOOR (seal) Signed Signed FOR DISTRICT USE: REQUIRED ELEVATION TO BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES (As Per Development Permit DIFFERENCE REQUIRED LOWEST FLOOR ELEVATION (As Per Development Permit)	'As Built' Elevation for Manufactured Homes
Signed Signed NAVILLE 'As Built' Elevation for Site Built Homes SURVEYED LOWEST FLOOR (seal) Signed FOR DISTRICT USE: REQUIRED ELEVATION TO BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES (As Per Development Permit DIFFERENCE REQUIRED LOWEST FLOOR ELEVATION (As Per Development Permit)	LOWEST POINT OF ANY ATTACHED APPLIANCES 3269.00
Section 3 - Complete if appropriate 'As Built' Elevation for Site Built Homes SURVEYED LOWEST FLOOR (seal) Signed FOR DISTRICT USE: REQUIRED ELEVATION TO BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES (As Per Development Permit DIFFERENCE REQUIRED LOWEST FLOOR ELEVATION (As Per Development Permit)	(Sed1)
SURVEYED LOWEST FLOOR (seal) FOR DISTRICT USE: REQUIRED ELEVATION TO BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES (As Per Development Permit DIFFERENCE REQUIRED LOWEST FLOOR ELEVATION (As Per Development Permit)	
Signed FOR DISTRICT USE: REQUIRED ELEVATION TO BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES (As Per Development Permit DIFFERENCE REQUIRED LOWEST FLOOR ELEVATION (As Per Development Permit)	'As Built' Elevation for Site Built Homes
Signed FOR DISTRICT USE: REQUIRED ELEVATION TO BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES (As Per Development Permit DIFFERENCE REQUIRED LOWEST FLOOR ELEVATION (As Per Development Permit)	
FOR DISTRICT USE: REQUIRED ELEVATION TO BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES (As Per Development Permit DIFFERENCE REQUIRED LOWEST FLOOR ELEVATION (As Per Development Permit)	· · · · · · · · · · · · · · · · · · ·
FOR DISTRICT USE: REQUIRED ELEVATION TO BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES (As Per Development Permit DIFFERENCE REQUIRED LOWEST FLOOR ELEVATION (As Per Development Permit)	Signed
OR LOWEST POINT OF ANY ATTACHED APPLIANCES (As Per Development Permit DIFFERENCE REQUIRED LOWEST FLOOR ELEVATION (As Per Development Permit)	FOR DISTRICT USE:
DIFFERENCE REQUIRED LOWEST FLOOR ELEVATION (As Per Development Permit)	REQUIRED ELEVATION TO BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES
REQUIRED LOWEST FLOOR ELEVATION (As Per Development Permit)	(As Per Development Permit
(As Per Development Permit)	DIFFERENCE
	REQUIRED LOWEST FLOOR ELEVATION
	(As Per Development Permit)
DIFFERENCE	DIFFERENCE