U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: July 31, 2015

			PROPERTY IN						
- 4.4		OR INSURANCE COMPANY USE							
	Building Owner's Name Leo Gardner				<u> </u>	olicy Number:			
A2.	Building Street Address (including Apt., Unit, Suit 999 N. Rio Verde Circle				ompany NAIC Number:				
	City Cottonwood		State		Z))	^{2 Code} 86326			
АЗ.		Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Lot 16 Rio Verde Acres Plat 2 APN 406-20-028							
	Building Use (e.g., Residential, Non-Residential, A			ntial					
	Latitude/Longitude: Lat. 34 44 55.3		. 111 00 13.3			itum: NAD 1927 🗷 NAD 1983			
A6.	Attach at least 2 photographs of the building if the Building Diagram Number 18.	ne Certificate is	being used to obta	iin flood in:	surance.				
A8.	For a building with a crawlspace or enclosure(s):	^		A9. For a	ouilding with an atta				
	a) Square footage of crawlspace or enclosure(s)b) No. of permanent flood openings in the crawls	enago or	sq ft		uare footage of atta				
	enclosure(s) within 1.0 foot above adjacent g			wit	thin 1.0 foot above a				
	c) Total net area of flood openings in A8.b		sq in		al net area of flood				
	d) Engineered flood openings? Yes X	No		a) En	gineered flood open	ings? 🗌 Yes 🔀 No			
		FLOOD INSU			M) INFORMATION				
	NFIP Community Name & Community Number Yavapai Countyy #40093		B2. County Name Yavapai			B3. State AZ			
B4.	Map/Panel Number B5. Suffix B6. FIRM	I Index Date	B7. FIRM Panel E Revised Date		B8. Flood Zone(s)	B9. Base Flood Elevation(s) (Zone AO, use base flood depth)			
	04025C1757 G 09/0	03/2010	09/03/20	10	AE	3285.7			
B10	D. Indicate the source of the Base Flood Elevation (I ▼ FIS Profile FIRM Community Determine The Profile FIRM		•	ered in Iten	n B9:				
B11			ner/Source: 1929 🕱 NAVI	1988	☐ Other/Source: _	· ·			
	2. Is the building located in a Coastal Barrier Resou								
	Designation Date://	☐ CBRS [☐ OPA						
	SECTION C - BL	JILDING ELEV	ATION INFORM	ATION (S	URVEY REQUIRE	ED)			
C1.	Building elevations are based on: Consti *A new Elevation Certificate will be required when	ruction Drawings construction o			onstruction*	Finished Construction			
C2.	2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.								
		specified in Item		only, ente					
	Benchmark Utilized: RM 246		Vertical D	only, enteratum:34	103.50 (NAVD 19	988)			
	Benchmark Utilized: RM 246 Indicate elevation datum used for the elevations	in items a) thro	Vertical Dugh h) below. 🔲 l	only, enteratum:34	103.50 (NAVD 19 → NAVD 1988 [988)] Other/Source:			
	Benchmark Utilized: RM 246 Indicate elevation datum used for the elevations Datum used for building elevations must be the s	in items a) thro same as that us	Vertical C ugh h) below. ☐ I ed for the BFE.	o only, enter atum: <u>34</u> NGVD 1929	403.50 (NAVD 19 → NAVD 1988 [Check the mea	988) Other/Source:surrement used.			
	Benchmark Utilized: RM 246 Indicate elevation datum used for the elevations Datum used for building elevations must be the s a) Top of bottom floor (including basement, crawl	in items a) thro same as that us	Vertical C ugh h) below.	only, enteratum:34	403.50 (NAVD 19 → NAVD 1988 [Check the mea	Other/Source:surrement used.			
	Benchmark Utilized: RM 246 Indicate elevation datum used for the elevations Datum used for building elevations must be the s	in items a) thro same as that us space, or enclo	Vertical C ugh h) below. ☐ I sed for the BFE. sure floor) 32 N nly) N	o only, enter atum: 34 NGVD 1929 84 24 /A	403.50 (NAVD 19 → NAVD 1988 [Check the mea	988) Other/Source: surrement used.			
	Benchmark Utilized: RM 246 Indicate elevation datum used for the elevations Datum used for building elevations must be the s a) Top of bottom floor (including basement, crawl b) Top of the next higher floor	in items a) thro same as that us space, or enclo	Vertical C ugh h) below. If the led for the BFE. sure floor) North led for the BFE.	o only, enter atum: 34 NGVD 1929 1929 1929 1929 1929 1929 1929 192	#03.50 (NAVD 19 D NAVD 1988 [Check the mea	Other/Source:			
	Benchmark Utilized: RM 246 Indicate elevation datum used for the elevations Datum used for building elevations must be the s a) Top of bottom floor (including basement, crawl b) Top of the next higher floor c) Bottom of the lowest horizontal structural mer d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment s	in items a) thro same as that us space, or enclo- mber (V Zones of servicing the bui	Vertical C ugh h) below. I led for the BFE. sure floor) N Inly) N	o only, enter atum: 34 NGVD 1929 84 24 /A	#03.50 (NAVD 1988 [Check the mea ⊠ feet	Other/Source:			
	Benchmark Utilized: RM 246 Indicate elevation datum used for the elevations Datum used for building elevations must be the s a) Top of bottom floor (including basement, crawl b) Top of the next higher floor c) Bottom of the lowest horizontal structural mer d) Attached garage (top of slab)	in items a) thro same as that us space, or enclo- mber (V Zones of servicing the buil omments)	Vertical C ugh h) below. ☐ I led for the BFE. sure floor) 32 N	o only, enter atum: 34 NGVD 1929 1929 1929 1929 1929 1929 1929 192	#03.50 (NAVD 1988 [Check the mea Check the mea feet feet feet feet feet	Other/Source:			
	Benchmark Utilized: RM 246 Indicate elevation datum used for the elevations Datum used for building elevations must be the s a) Top of bottom floor (including basement, crawl b) Top of the next higher floor c) Bottom of the lowest horizontal structural mer d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment s (Describe type of equipment and location in C	in items a) thro same as that us space, or enclo- mber (V Zones of servicing the buil omments) ing (LAG)	Vertical C ugh h) below. ☐ I led for the BFE. sure floor) 32 N N N I ding 32 32 32	o only, enter atum: 34 NGVD 1929 84 . 24 /A	#03.50 (NAVD 1988 [Check the mea Check the mea feet feet feet feet feet feet feet feet feet	Other/Source:			
	Benchmark Utilized: RM 246 Indicate elevation datum used for the elevations Datum used for building elevations must be the s a) Top of bottom floor (including basement, crawl b) Top of the next higher floor c) Bottom of the lowest horizontal structural mer d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment s (Describe type of equipment and location in C f) Lowest adjacent (finished) grade next to buildit	in items a) thro same as that us space, or enclo- mber (V Zones of servicing the buil omments) ing (LAG) ling (HAG)	Vertical C ugh h) below. ☐ I ed for the BFE. sure floor) 32 N only) N dding 32 32 32	o only, enter atum: 34 NGVD 1929 1929 1929 1929 1929 1929 1929 192	#03.50 (NAVD 1988 [Check the mea Check the feet	Other/Source:			
	Benchmark Utilized: RM 246 Indicate elevation datum used for the elevations Datum used for building elevations must be the s a) Top of bottom floor (including basement, crawl b) Top of the next higher floor c) Bottom of the lowest horizontal structural mer d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment s (Describe type of equipment and location in C f) Lowest adjacent (finished) grade next to build g) Highest adjacent (finished) grade next to build h) Lowest adjacent grade at lowest elevation of c structural support	in items a) thro same as that us space, or enclo- mber (V Zones of servicing the buil omments) ing (LAG) ling (HAG) deck or stairs, in	Vertical C ugh h) below. If the low is the	84 . 24 /A	#03.50 (NAVD 1988 [Check the mea	Other/Source: Issurement used. meters			
inforr	Benchmark Utilized: RM 246 Indicate elevation datum used for the elevations Datum used for building elevations must be the state of the properties of the next higher floor. a) Top of bottom floor (including basement, crawled) Top of the next higher floor. b) Bottom of the lowest horizontal structural mered) Attached garage (top of slab). c) Lowest elevation of machinery or equipment structural mered (Describe type of equipment and location in Cortice of type of e	in items a) thro same as that us space, or enclosember (V Zones of servicing the build omments) ing (LAG) ling (HAG) deck or stairs, in SURVEYOR, E	Vertical C ugh h) below. If the ugh h) belo	84 . 24 /A	Check the mea Check the mea Check the mea Feet Feet Feet Feet Feet Feet Feet Fe	Other/Source:			
inforr <i>I unde</i> ⊠ Ch	Benchmark Utilized: RM 246 Indicate elevation datum used for the elevations Datum used for building elevations must be the sa. a) Top of bottom floor (including basement, crawl b) Top of the next higher floor c) Bottom of the lowest horizontal structural mer d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment sa. (Describe type of equipment and location in C f) Lowest adjacent (finished) grade next to build fig) Highest adjacent (finished) grade next to build h) Lowest adjacent grade at lowest elevation of constructural support SECTION D — Secrification is to be signed and sealed by a land sealed b	in items a) thro same as that us space, or enclosember (V Zones of servicing the build omments) ing (LAG) ling (HAG) deck or stairs, in surveyor, engined ate represents new by fine or imporn. Were lated.	Vertical C ugh h) below. If the ugh h) belo	84 . 24	Check the mean of the feet of	Other/Source:			
inforr I unde X Ch X Ch Certi	Benchmark Utilized: RM 246 Indicate elevation datum used for the elevations Datum used for building elevations must be the sa. a) Top of bottom floor (including basement, crawl b) Top of the next higher floor c) Bottom of the lowest horizontal structural mer d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment sa. (Describe type of equipment and location in C f) Lowest adjacent (finished) grade next to building) Highest adjacent (finished) grade next to building) Highest adjacent grade at lowest elevation of control structural support SECTION D — Sa. Certification is to be signed and sealed by a land sa mation. I certify that the information on this Certification structural supports and that any false statement may be punishable neck here if comments are provided on back of formeck here if attachments.	in items a) thro same as that us space, or enclosember (V Zones of servicing the build omments) ing (LAG) ling (HAG) deck or stairs, in surveyor, engined ate represents new by fine or imporn. Were lated.	Vertical Cugh h) below. I ugh h) below. I ugh h) below. I ugh h) below. I ugh h) below. Sure floor) A ugh h I ding A ugh h A ugh h I ding I ding I ding I ding I ding I ding I ding I ding I ding I ding I din	oonly, enter atum: 34 NGVD 1929 84 24 /A /	Check the mean state of the sta	Other/Source:			
inforr I unde X Ch X Ch Certi Tim	Benchmark Utilized: RM 246 Indicate elevation datum used for the elevations Datum used for building elevations must be the state of the properties of the next higher floor. a) Top of bottom floor (including basement, crawled) Top of the next higher floor. b) Top of the next higher floor. c) Bottom of the lowest horizontal structural mered. Attached garage (top of slab). e) Lowest elevation of machinery or equipment structural mered. (Describe type of equipment and location in Common floor of the structural support. (finished) grade next to build the structural support. SECTION D — Secretification is to be signed and sealed by a land structural support. It certification is to be signed and sealed by a land structural support. It certification is to be signed and sealed by a land structural support. It certification is to be signed and sealed by a land structural support. It certification is to be signed and sealed by a land structural support. It certification is to be signed and sealed by a land structural support. It certification is to be signed and sealed by a land structural support. It certification is to be signed and sealed by a land structural support. It certification is to be signed and sealed by a land structural support. It certification is to be signed and sealed by a land structural support. It certification is to be signed and sealed by a land structural support. It certification is to be signed and sealed by a land structural support.	in items a) thro same as that us space, or enclor mber (V Zones of servicing the bui omments) ing (LAG) ling (HAG) deck or stairs, in SURVEYOR, E surveyor, engined ate represents n e by fine or impor n. Were lat licensed	Vertical Cugh h) below. I ugh h) below. I ugh h) below. I ugh h) below. I ugh h) below. Sure floor) A now hold in a series of the	oonly, enter atum: 34 NGVD 1929 84 . 24 /A	Check the mean state of the sta	Other/Source: Issurement used. Insurement used			
inforr I unde X Ch X Ch Certi Tim	Benchmark Utilized: RM 246 Indicate elevation datum used for the elevations Datum used for building elevations must be the state of the properties of the state	in items a) thro same as that us space, or enclor mber (V Zones of servicing the bui omments) ing (LAG) ling (HAG) deck or stairs, in SURVEYOR, E surveyor, engined ate represents n e by fine or impor n. Were lat licensed	Vertical Cugh h) below. I ugh h) below how. I ugh h) b	oonly, enter atum: 34 NGVD 1929 84 . 24 /A	Check the mea Check the mea Check the mea Get	Other/Source: Issurement used. Insurement used			
inforr I unde Ch Certi Time Title Pres Addr 210	Benchmark Utilized: RM 246 Indicate elevation datum used for the elevations Datum used for building elevations must be the state of the properties of the state	in items a) thro same as that us space, or enclo- mber (V Zones of servicing the build forments) fing (LAG) fing (HAG) fi	Vertical Cugh h) below. I ugh h) below. I ugh h) below. I ugh h) below. I ugh h) below. Sure floor) A now hold in a series of the	oonly, enter atum: 34 NGVD 1929 84 . 24 /A	Check the mean state of the sta	Other/Source: Issurement used. Insurement used			

ELEVATION CERTIFICATE, page 2

IMPORTANT: In those spaces	the corresponding information from Co-	tion A	EOD INICUDANCE COMPANY LICE
Building Street Address (including Ar	FOR INSURANCE COMPANY USE Policy Number:		
999 N. Rio Verde Circle	ot., Unit, Suite, and/or Bldg. No.) or PO. R	×	
City Cottonwood	State AZ	ZIP Code 86326	Company NAIC Number:
SECTIO	N D – SURVEYOR, ENGINEER, OR	ARCHITECT CE	RTIFICATION (CONTINUED)
Copy both sides of this Elevation Ce	rtificate for (1) community official, (2) insu	rance agent/comp	any, and (3) building owner.
Comments Lowest elevation of m	nachinery servicing the house is for a	spa heater and	pump.
Elevation of outside A		,	, , ,
Signature Control Inc.	A	Date 05/12/2	014
SECTION E - BUILDING EL	EVATION INFORMATION (SURVEY	NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)
For Zones AO and A (without BFE), co		intended to suppor	rt a LOMA or LOMR-F request, complete Sections A, B, and C.
grade (HAG) and the lowest adjac	cent grade (LAG).	oxes to show whet	ther the elevation is above or below the highest adjacent
		*	☐ feet ☐ meters ☐ above or ☐ below the HAG.
			☐ feet ☐ meters ☐ above or ☐ below the LAG.
	ermanent flood openings provided in Sec	tion A Items 8 and	
	2.b in the diagrams) of the building is	•	☐ feet ☐ meters ☐ above or ☐ below the HAG. ☐ feet ☐ meters ☐ above or ☐ below the HAG.
E3. Attached garage (top of slab) is	Vor aguipment comising the huilding to	*	☐ feet ☐ meters ☐ above or ☐ below the HAG. ☐ feet ☐ meters ☐ above or ☐ below the HAG.
	/or equipment servicing the building is		accordance with the community's floodplain management
	Unknown. The local official must certify t		
SECTIO	N F - PROPERTY OWNER (OR OW	NER'S REPRES	ENTATIVE) CERTIFICATION
	rized representative who completes Secti ents in Sections A, B, and E are correct t		Zone A (without a FEMA-issued or community-issued BFE) or lowledge.
Property Owner or Owner's Authorized	d Representative's Name		
Address		City	State ZIP Code
Signature		Date	Telephone
Comments			
Comments			
			☐ Check here if attachments.
	SECTION G – COMMUNITY	INFORMATION	(OPTIONAL)
			nagement ordinance can complete Sections A, B, C (or E), and nent used in Items G8–G10. In Puerto Rico only, enter meters.
who is authorized by law to	certify elevation information. (Indicate th	e source and date	ed and sealed by a licensed surveyor, engineer, or architect of the elevation data in the Comments area below.)
			1A-issued or community-issued BFE) or Zone AO.
G3. 📋 The following information (II	tems G4-G9) is provided for community	floodplain manage	ment purposes.
G4. Permit Number	G5. Date Permit Issued	G6.	Date Certificate Of Compliance/Occupancy Issued
G7. This permit has been issued for		tial Improvement	
	(including basement) of the building:		feet meters Datum
G9. BFE or (in Zone AO) depth of flo	- "		☐ feet ☐ meters Datum
G10.Community's design flood eleva			feet meters Datum
Local Official's Name		Title	
Community Name		Telephone	·
Signature		Date	
Comments			
•			☐ Check here if attachments.
FEMA Form 086-0-33 (7/12)			Replaces all previous editions

BUILDING PHOTOGRAPHS

See Instructions for Item A6.

IMPORTANT: In these spaces, copy t	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt	Policy Number:		
City	State	ZIP Code	Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



406-20-028 FRONT



406-20-028 LEFT SIDE



406-20-028 REAR



406-20-028 RIGHT SIDE

FEMA Form 086-0-33 (7/12) Replaces all previous editions.