O.M.B. No 3067-0077 Expires May 31, 1993

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION				FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME		POLICY NUMBER		
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg, Number) OR P.O. ROUTE AND BOX NUMBER				COMPANY NAIC NUMBER
775 Green Riv	4.0 mg (1.1 in)			
OTHER DESCRIPTION (Lot and Block Numbers, etc.)		~	Applied Actuals	
Tax Parcel 406-45	5-112	<u> </u>	ASTATE	ZIP CODE
Cottonwood			AZ	86326
	LOOD INSURA	ANCE RATE MAP (FIRM)	INFORMATION	
Provide the following from the proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER 2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION
040093 865	B	8 19 85	A12	(in AO Zones, use depth)
 Indicate the elevation datum system used on tags. For Zones A or V, where no BFE is provided of the community's BFE: feet N 	n the FIRM, ar	nd the community has est	ablished a BFE f	Other (describe on back) or this building site, indicate
SECTION	ON C BUILDI	NG ELEVATION INFORM	ATION	
 (b). FIRM Zones V1-V30, VE, and V (with BFE) the selected diagram, is at an elevation of L (c). FIRM Zone A (without BFE). The floor used below (check one) the highest grade ac (d). FIRM Zone AO. The floor used as the refer 	d as the referentiacent to the b	feet NGVD (or other FIF nce level from the selecte uilding.	M datum-see S d diagram is	ection B, Item 7). feet above or
one) the highest grade adjacent to the build level) elevated in accordance with the common street of the elevation datum system used in dunder Comments on Page 2). (NOTE: If the elevation of th	ing. If no flood nunity's floodpl etermining the	depth number is available ain management ordinant above reference level ele	e, is the building ce?	's lowest floor (reference No Unknown VD '29 Other (describe
the FIRM [see Section B, Item 7], then conve equation under Comments on Page 2.)	ert the elevation	ns to the datum system us	sed on the FIRM	and show the conversion
4. Elevation reference mark used appears on FIF	RM: 🔁 Yes 🛚	No (See Instructions of	n Page 4)	
5. The reference level elevation is based on: A (NOTE: Use of construction drawings is only case this certificate will only be valid for the buy will be required once construction is complete.)	valid if the build ilding during th	ding does not yet have the e course of construction.	reference level A post-construc	tion Elevation Certificate
The elevation of the lowest grade immediately Section B, Item 7).	adjacent to the	e building is: <u> お以下サ</u>	. 5 feet NGVD	(or other FIRM datum-see
SE SE	CTION D CO	MMUNITY INFORMATIO	N	Resident transportation
I. If the community official responsible for verifying is not the "lowest floor" as defined in the community floor" as defined by the ordinance is: Date of the start of construction or substantial.	nunity's floodpl		e, the elevation	of the building's "lowest


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME KENNETH E. SPEDDING		LICENSE NUMBER (or Affix Seal)				
TITLE	DISTRICT DIRECTOR	YAVAPAI COUNTY FLOOD CONTROL DISTRICT				
ADDRESS	255 E. GURLEY ST.,	PRESCOTT	AZ 86301 ZIP			
SIGNATURE	9 11	3/1/95 DATE	PHONE (602) 271-3196			
Copies s	hould be made of this Certificate for: 1)	community official, 2) insurance a	gent/company, and 3) building owner.			
COMMEN	VTS:					



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.