U.S. DEPARTMENT OF HOMELAND SECURITY

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires March 31, 2012

Federal Emergency Management Agency

ram							and the same the same that
				DRMATI	NC	UNCON MARK VOLUME TO SERVICE TO S	ompany Use
		ldg No) or P.O.	Route and E	3ox No		Company NAIC	Number
ot and Block Numbe E UNIT No. 5, APN	rs, Tax Parcel N 406-47-524	umber, Legal De	scription, etc	p.)			
34-42-22.78 N Lographs of the building or 1B awispace or enclosurawispace or enclosurawispace or enclosurawispace in the 1.0 foot above adjacted openings in A8.b penings?	ng 111-58-29.4(g if the Certificate re(s): sure(s) crawlspace or cent grade /es \[\] No	OW e is being used to N/A sq ft N/A sq in	o obtain flood A9. If it	d insurance For a build Square No. of within Total r d) Engine	e ing with an atta e footage of atta permanent floo 1 0 foot above let area of flood eered flood ope	ached garage: ached garage ad openings in the at adjacent grade d openings in A9 b enings?	550 sq ft tached garage 8 400 sq in
SECTIO	NB-FLOOD	INSURANCE I	RATE MAP	(FIRM)	NFORMATIC	ON	
& Community Num . 040093	ber					B3. State AZ	
B5 Suffix G	B6. FIRM Index Date 9/3/2010	Effective	Revised Da	ate	B8, Flood Zone(s) AE	AO, use ba	d Elevation(s) (Zono ase flood depth) 3249.0
based on: cate will be required A30, AE, AH, A (with building diagram spe	Construction Dr when construction BFE), VE, V1-Vecified in Item A7	rawings* on of the building /30, V (with BFE '_ Use the same	☐ Building is complete), AR, AR/A, datum as the	g Under C AR/AE, A e BFE	onstruction* R/A1-A30, AR/		ete Items C2,a-h
BENCH FROM SUI	PERCEDEU FIN	IN PAREL CON	VERTEDIA	Ch	eck the measur	rement used.	
her floor st horizontal structu op of slab)	ral member (V Z	ones only)	3250 3 N/A N/A 3249 3 3250 3	☐ feet☐ feet☐ feet☐ feet☐	☐ meters (Pu☐ met	ierto Rico only) ierto Rico only) ierto Rico only)	
equipment and locat	ion in Comments	s)	<u>3247.0</u>				
finished) grade next rade at lowest eleva	to building (HAC tion of deck or si	6) tairs, including	3247.9 3247.0		☐ meters (Pu	uerto Rico only)	
SECTION	D - SURVEYO	OR, ENGINEE	R, OR ARC	HITECT	CERTIFICAT	TION	
			t under 18 U	S. Code,	Section 1001		SEDLAND
statement may be pi its are provided on b	unishable by fine	Were latitude licensed land	surveyor?	⊠ Yes	□ No		PLACE SEAL S
statement may be plus are provided on but the	unishable by tine pack of form.	licensed land	surveyor?	⊠ Yes umber 32	□ No	y ³ /	PLISCE SEAL S ASIANCE ON
statement may be puts are provided on but the	unishable by fine lack of form.	licensed land	surveyor? License N	Yes	□ No 230	W RB	PLACE SEAL S ASHINGTON UDDEKE III 2
statement may be puts are provided on but the	unishable by tine pack of form.	licensed land	surveyor?	Yes	□ No	W RB	SEAL SAMOTON UDDEKE III. 2
	State AZ ZIP Coot and Block Number E UNIT No 5, APN idential, Non-Reside 34-42-22.78 N Lographs of the building part of the building part of the building of the Base Flood Elev SECTION (Cook & Community Number 1.0 foot above adjact of the Base Flood Elev FIRM SECTION (Cook & Community Number 1.0 for BFE in It in a Coastal Barrier SECTION (Cook & Community Number 1.0 for BFE in It in a Coastal Barrier SECTION (Cook & Community Number 1.0 for BFE in It in a Coastal Barrier SECTION (Cook & Community Number 1.0 for BFE in It in a Coastal Barrier (Cook & Cook &	SECT FEDERAL NATIONAL MORTGAG (including Apt., Unit, Suite, and/or B State AZ ZIP Code 86326 ot and Block Numbers, Tax Parcel N E UNIT No. 5, APN 406-47-524 idential, Non-Residential, Addition, A 34-42-22.78 N Long 111-58-29.40 graphs of the building if the Certificate over 1B awlspace or enclosure(s) cod openings in the crawlspace or 1.0 foot above adjacent grade ood openings in A8 b penings? Yes No SECTION B - FLOOD 8 Community Number 7.040093 B5 Suffix G B6 FIRM Index Date 9/3/2010 the Base Flood Elevation (BFE) data FIRM Community Det of used for BFE in Item B9: NGN of in a Coastal Barrier Resources System SECTION C - BUILDING based on: Construction Dicate will be required when construction A30, AE, AH, A (with BFE), VE, V1-N building diagram specified in Item A7 A1270 Vertical Datum NAVD88 BENCH FROM SUPERCEDED FIRM of including basement, crawlspace, of the floor of slab) of machinery or equipment servicing the sequipment and location in Comments of inished) grade next to building (LAG) finished) grade next to building (LAG) finished and sealed by a land surveyor fine formation on this Cartificate reputation of deck or s	SECTION A - PROP FEDERAL NATIONAL MORTGAGE ASSOCIATION (including Apt., Unit, Suite, and/or Bidg, No.) or P.O. State AZ ZIP Code 86326 ot and Block Numbers, Tax Parcel Number, Legal Defe UNIT No. 5, APN 406-47-524 idential, Non-Residential, Addition, Accessory, etc.) Editential, Accessory, etc.) Editential, Accessory, etc.) Editential, Accessory, etc.) Editential, Accessory, etc.) Edition Editential, Accessory, etc.) Editential, Accessory, etc.) Edition Editential, Accessory, etc.) Edition Editential, Accessory, etc.) Edition Edition Edition Edition Edition Edition Edition Edition Edi	SECTION A - PROPERTY INFO FEDERAL NATIONAL MORTGAGE ASSOCIATION (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and B. State AZ ZIP Code 86326 of and Block Numbers, Tax Parcel Number, Legal Description, etc. E UNIT No 5, APN 406-47-524 idential, Non-Residential, Addition, Accessory, etc.) RESIDENTIA 34-42-22.78 N Long, 111-58-29.40 W graphs of the building if the Certificate is being used to obtain floor bor 1B awlspace or enclosure(s): A9, 11 awlspace or enclosure(s): A9, 15 awlspace or enclosure(s): A9, 16 awlspace or enclosure(s): A9, 17 And April	SECTION A - PROPERTY INFORMATION FEDERAL NATIONAL MORTGAGE ASSOCIATION (including Apt., Unit, Suite, and/or Bidg. No.) or P.O. Route and Box No. State AZ ZIP Code 86326 of and Block Numbers, Tax Parcel Number, Legal Description, etc.) E UNIT No. 5, APN 406-47-524 idential, Non-Residential, Addition, Accessory, etc.) RESIDENTIAL 33-42-22.78 N. Long. 111-58-29.40 W. H. Taraphs of the building if the Certificate is being used to obtain flood insurance or 18 awispace or enclosure(s):	SECTION A - PROPERTY INFORMATION FEDERAL NATIONAL MORTGAGE ASSOCIATION (including Apt., Unit, Suite, and/or Bidg. No.) or P.O. Route and Box No. State AZ ZIP Code 86326 ot and Block Numbers, Tax Parcel Number, Legal Description, etc.) EUNIT No. 5, APN 406-47-524 idential, Non-Residential, Addition, Accessory, etc.) RESIDENTIAL 34-42-22.78 N Long. 111-58-29.40 W Horizontal Datur praphs of the building if the Certificate is being used to obtain flood insurance. Per a building with an atta zawlspace or enclosure(s) A9. For a building with an atta zawlspace or enclosure(s) N/A sq ft a) Square footage of att ood openings in the crawlspace or 1.0 foot above adjacent grade N/A sq in c) Total net area of flood openings in A8 b N/A sq in c) Total net area of flood openings? Yes No SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION 8. Community Number 1.8 Community Number 1.8 Community Number 2. County Name YAVAPAI COUNTY B5. Suffix B6. FIRM Index G7. FIRM Panel B7. FIRM Panel B8. Flood Zone(s) A9. For a building with an atta and flood openings in the crawlspace or b) No. of permanent floor within 1.0 foot above adjacent grade N/A sq in c) Total net area of flood by Engineered flood open SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION B8. Suffix B9. FIRM Index B9. FIRM Panel B8. Flood Zone(s) A9. For a building with an atta and flood open in a coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? B9. Suffix B9. FIRM Community Determined CBRS D9A SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQU Dased on: C0nstruction Drawings* Cate will be required when construction of the building is complete. A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AD/AB, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AD/AB, AR/AB, AR/A1-A30, AR/AD/AB, AR	SECTION A - PROPERTY INFORMATION For Insurance C FEDERAL NATIONAL MORTGAGE ASSOCIATION Policy Number (including Apt, Unit, Suite, and/or Bidg, No.) or P.O. Route and Box No. State AZ ZIP Code 86326 ot and Block Numbers, Tax Parcel Number, Legal Description, etc.) E UNIT No. S. APN 406-47-524 de Unit No. S. APN 406-47-524 E UNIT No. S. APN 406-47-524 BANA 42-22 78 N. Long: 111-58-29.40 W Transpare of the building if the Certificate is being used to obtain flood insurance. Per 1B Avaluate of enclosure(s) AP, For a building with an attached garage: an Square footage of attached garage by No. of permanent flood openings in the attached garage cod openings in the crawispace or 10 N/A sq in 10 foot above adjacent grade N/A 11 foot above adjacent grade N/A 12 foot above adjacent grade N/A 13 foot above adjacent grade N/A 14 foot above adjacent grade N/A 15 foot above adjacent grade N/A 16 foot above adjacent grade N/A 17 foot above adjacent grade N/A 17 foot above adjacent grade N/A 18 foot above adjacent grade N/A 19 foot above adjacent grade N/A 19 foot above adjacent grade N/A 10 foot above adjacent gr

and the second s	and the information information	on from Section A	For Insurance Company Use:
IMPORTANT: In these spaces, co Building Street Address (including Apt., I	py the corresponding informati	Route and Box No.	Policy Number
4673 COMANCHE DRIVE	Jilli, Suite, and/or blug, No.) or 1.0.1		
City COTTONWOOD State AZ ZIP Co	de 86326		Company NAIC Number
SECTION I	- SURVEYOR, ENGINEER, OR	ARCHITECT CERTIFICAT	ION (CONTINUED)
Copy both sides of this Elevation Certific			
Comments HOUSE IS SLAB ON BLOC BUILDING. HOT WATER HEATER LOC VENTS, 8 - CINDER BLOCK IN WALL T CONCRETE DRIVEWAY	CK STEM WALL WITH ATTACHED G CATED IN THE GARAGE ELEVATED FURNED ON THEIR SIDE HOUSE IA	ARAGE, STUCCO FINISH WIT	H REAR WOOD DECK ON THE REAR OF THE TION. ATTACHED GARAGE HAS FLOOD BY 4 FOOT WIDE CONCRETE WALK AND
Signature Com M B	Solde II	Date 2/29/2012	
		V NOT REQUIRED) FOR ZO	ONE AO AND ZONE A (WITHOUT BFE)
and C. For Items E1-E4, use natural gr E1 Provide elevation information for t grade (HAG) and the lowest adjact a) Top of bottom floor (including b) Top of bottom floor (including b) Top of bottom floor (including b) E2. For Building Diagrams 6-9 with per (elevation C2.b in the diagrams) E3. Attached garage (top of slab) is E4. Top of platform of machinery and E5. Zone AO only: If no flood depth in	rade, if available. Check the measure the following and check the appropriate the following and check the appropriate the following and check the appropriate the following is assement, crawlspace, or enclosure) is assement, crawlspace, or enclosure) is assement, crawlspace, or enclosure) is assement flood openings provided in Section of the building is feet meters for equipment servicing the building is a small provided in Section of the building in the building is a small provided in Section of the building in the building is a small provided in Section of the building in the building is a small provided in Section of the building in the b	e boxes to show whether the else feet feet feet section A Items 8 and/or 9 (see above or above or below the H/or feet meters feet feet feet feet feet feet feet fee	meters above or below the highest adjacent meters above or below the HAG meters above or below the LAG. pages 8-9 of Instructions), the next higher floor below the HAG. AG. ters above or below the HAG. above or below the HAG.
ordinance? ☐ Yes ☐ No ☐	Unknown. The local official must ce	rtify this information in Section i	G.
SECTION	F - PROPERTY OWNER (OR OV	WNER'S REPRESENTATIV	thout a SEMA issued or community issued BEEN
or Zone AO must sign here. The stater	nents in Sections A, B, and E are com	rect to the best of my knowledge	ithout a FEMA-issued or community-issued BFE)
Property Owner's or Owner's Authorize	d Representative's Name		
Address		City	State ZIP Code
Signature		Date	Telephone
Comments			
			☐ Check here if attachme
	OFOTION C. COMMUNIT	Y INFORMATION (OPTION	
The least official who is authorized by lay	was assistance to administer the comp	nunity's floodolain management	ordinance can complete Sections A. B. C (or E),
and G of this Elevation Certificate. Com G1. The information in Section C v is authorized by law to certify of G2. A community official complete	plete the applicable item(s) and sign of was taken from other documentation the elevation information. (Indicate the so d Section E for a building located in Z	nat has been signed and sealed burce and date of the elevation of one A (without a FEMA-issued	I by a licensed surveyor, engineer, or architect who data in the Comments area below.) or community-issued BFE) or Zone AO
G3. The following information (Iten	ns G4-G9) is provided for community		cate Of Compliance/Occupancy Issued
G4. Permit Number	G5. Date Permit Issued	G6 Date Certific	cate Of Compliance/Occupancy issued
G7 This permit has been issued for: G8. Elevation of as-built lowest floor (ir G9. BFE or (in Zone AO) depth of flood G10. Community's design flood elevation	ncluding basement) of the building:	☐ feet ☐ meter	rs (PR) Datum rs (PR) Datum rs (PR) Datum
Local Official's Name		Title	
Community Name		Telephone	
Signature		Date	
Comments			
			☐ Check here if attachm
FEMA Form 81-31, Mar 09			Replaces all previous editi

Building Photographs Continuation Page

For insulance Company Ose
Policy Number
Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View."



FRONT RIGHT



REAR

Building Photographs

See Instructions for Item A6.

For insurance Company Use
Policy Number
,Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page, following.



FRONT LEFT



SIDE LEFT

LEVATION CERTIFICATI

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

	CECTION A DD	OBERTY MES	DMATION	1	
DIW SING OWNERS	SECTION A PR	OPERTY INFO	HMATION		FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME	~ \. \. \.			İ	POLICY NUMBER
STREET ADDRESS (Including Ap	t., Unit. Suite and/or Bldg.	Number) OR P.O. F	ROUTE AND BOX NUMBER		COMPANY NAIC NUMBER
الم محم حميست مان	-omanch				Samulations Howell
OTHER DESCRIPTION (Lot and E	Block Numbers, etc.)	1	1 , ,	1) 1	2 4 2
Tax larce	1406-47	-524	Lot 2367	Verde 1	11/age #5
Cottonw				STATE A 2	ZIP CODE SUB 26
	SECTION B FI	OOD INSURA	NCE RATE MAP (FIRM)	INFÓRMATION	
Provide the following from the	ne proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
040093	965	C	9-20-96	A12	3246.8
7. Indicate the elevation dat 8. For Zones A or V, where	um system used on t no BFE is provided o	he FIRM for Ba n the FIRM, an	ase Flood Elevations (BFE	E): MOVD '29 ablished a BFE fo	Other (describe on back)
the community's BFE:					
	SECTION	ON C BUILDII	NG ELEVATION INFORM	TATION	
of 32+7.f fee (b). FIRM Zones V1-V30, V the selected diagram, i (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The fone) the highest grade	t NGVD (or other FIF VE, and V (with BFE) s at an elevation of L BFE). The floor used the highest grade ac loor used as the refer adjacent to the build rdance with the commum system used in d e 2). (NOTE: If the e B, Item 7], then conve	IM datum—see The bottom of the	Section B, Item 7). If the lowest horizontal strain feet NGVD (or other FIR nee level from the selected uilding. In the selected diagram is depth number is available ain management ordinance above reference level elem used in measuring the elem of the lowest in the selection was a selected to the selected of the selected to the selected of the se	ructural member of M datum-see Sed diagram is feet able, is the building's ce? Yes i vations: A NGV blevations is different	ction B, Item 7). delta left in the content of the
4. Elevation reference mark	- '	RM: 🗹 Yes 🗌	No (See Instructions of	n Page 4)	
5. The reference level eleva (NOTE: Use of construct case this certificate will on will be required once cons	tion is based on: 🖄 ion drawings is only t ily be valid for the but	actual constru valid if the build ilding during the	ction construction dr	awings e reference level f	
6. The elevation of the lower Section B, Item 7).	st grade immediately	adjacent to the	e building is: [. Feet NGVD (or other FIRM datum-see
	SE	CTION D CO	MMUNITY INFORMATIO	N	······································
1. If the community official re is not the "lowest floor" as floor" as defined by the or 2. Date of the start of constr	defined in the communications defined in the communication of the commun	nunity's floodpla	ain management ordinand	e, the elevation o	f the building's "lowest


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)						
Kenneth E. Spedding							
TITLE	COMPANY NAME						
District Director	Yavapai County Flo	ood Contr	o 1				
ADDRESS	CITY		STATE	ZIP			
255 E. Gurley St.	Prescott		ΑZ	86301			
SIGNATURE /	1 9/55	PHONE	(520)	771-3197			
Copies should be made of this Certificate fo							
COMMENTS:							



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.