U.S. DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

ELEVATION CERTIFICATE

OMB No. 1660-0008

Important: Read the instructions on pages 1-8.

Expires February 28, 2009

						1
A4 Dellater O	Dettil 1		TION A - PROF	PERTY INFOR	MATION	For Insurance Company Use:
A1. Building Owner's Name Patrick K. and Lori Lymangrover						Policy Number
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 4200 E. Commanche Drive						Company NAIC Number
City Cottonwood	State AZ ZIP Co	de 86326				
A3. Property Description Lot 2436 Verde Village Un	(Lot and Block Num nit 5, APN # 406-47	mbers, Tax Parcel N 7-593	Number, Legal De	escription, etc.)		
A4. Building Use (e.g., Re A5. Latitude/Longitude: L A6. Attach at least 2 phol A7. Building Diagram Nur A8. For a building with a a) Square footage o b) No. of permanent enclosure(s) walls c) Total net area of	.at. 84°42′25.192″ tographs of the bui mber 8 crawl space or end of crawl space or end t flood openings in s within 1.0 foot ab	Long. 111°58'52.0iding if the Certifical closure(s), provide inclosure(s) the crawl space or love adjacent grade	88" te is being used to 802 sq ft	A9. For a b) h	surance. a building with an atta Square footage of atta No. of permanent floor valls within 1.0 foot at	ched garage, provide: ched garage 530 sq ft d openings in the attached garage ove adjacent grade 2 openings in A9.b 96 sq in
					RM) INFORMATIO	
B1. NFIP Community Nam City of Cottonwood 04009	ne & Community N	umber	B2. County Nan Yavapai			B3. State AZ
B4. Map/Panel Number 04025C1805	B5. Suffix	B6. FIRM Index Date June 6, 2001	Effective	FIRM Panel e/Revised Date le 6, 2001	B8. Flood Zone(s) AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 3249.00
12. Is the building located Designation Date			CBRS	☐ OPA	(SURVEY REQUIF	□Yes ⊠No
Building elevations are A new Elevation Certil Elevations – Zones A1	ificate will be requir		on of the building			☐ Finished Construction H, AR/AO. Complete Items C2.a-g
below according to the Benchmark Utilized R	building diagram			, 114, 1141, 1141	אב, הועהויהטט, הועה	
The same of the sa						A, Alvac. Compute tens oz.a-g
Conversion/Comments					Check the measure	
Conversion/Comments Top of bottom floor (inc	s <u>none</u> cluding basement,	Vertical Datum Y	avapai County		Check the measure	ment used. to Rico only)
Conversion/Comments Top of bottom floor (inc b) Top of the next his	s none cluding basement, igher floor	Vertical Datum Y	avapai County		feet meters (Puer feet meters (Puer	ment used. to Rico only) to Rico only)
Conversion/Comments Top of bottom floor (inc b) Top of the next hi c) Bottom of the low d) Attached garage (s none cluding basement, igher floor rest horizontal struc (top of slab)	Vertical Datum Y	avapai County closure floor)_ ones only)	3251.02 \(\text{3245.75}\)	feet	ment used. to Rico only) to Rico only) ers (Puerto Rico only) to Rico only)
Conversion/Comments Top of bottom floor (inc b) Top of the next his c) Bottom of the low d) Attached garage (e) Lowest elevation	cluding basement, igher floor rest horizontal structor of slab) of machinery or eq	Vertical Datum Your Vertic	avapai County closure floor)_ ones only)	3251.02 \(\text{3245.75}\)	feet	ment used. to Rico only) to Rico only) ers (Puerto Rico only) to Rico only)
Conversion/Comments Top of bottom floor (inc b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (cluding basement, igher floor rest horizontal structor (top of slab) of machinery or equipment in Com (finished) grade (LA)	Vertical Datum Your Vertic	avapai County closure floor)_ ones only)	3251.02 × 3 3245.75 × 3 3247.53 × 3 3243.67 × 3	feet	ment used. to Rico only) to Rico only) ers (Puerto Rico only) to Rico only) to Rico only) to Rico only)
Conversion/Comments Top of bottom floor (inc b) Top of the next his c) Bottom of the low d) Attached garage (e) Lowest elevation ((Describe type of f) Lowest adjacent (cluding basement, igher floor rest horizontal structor of slab) of machinery or equipment in Com	Vertical Datum Your Vertic	avapai County closure floor)_ ones only)	3251.02 × 3 3245.75 × 3 3247.53 × 3 3243.67 × 3	feet	ment used. to Rico only) to Rico only) ers (Puerto Rico only) to Rico only) to Rico only) to Rico only)
Conversion/Comments Top of bottom floor (inc b) Top of the next his c) Bottom of the low d) Attached garage (e) Lowest elevation ((Describe type of f) Lowest adjacent (g) Highest adjacent	duding basement, igher floor rest horizontal struct (top of slab) of machinery or equipment in Come (finished) grade (L4 (finished) grade (H	vertical Datum Y crawl space, or encetural member (V Zo uipment servicing the ments) AG) AG) ND - SURVEYO	closure floor)_ ones only) he building	3251.02 ⊠ 3245.75 ⊠ 3247.53 ⊠ 3243.67 ⊠ 3245.45 ⊠ 0 OR ARCHITE	feet meters (Puer feet	ment used. Ito Rico only)
Conversion/Comments Top of bottom floor (inc b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation ((Describe type of f) Lowest adjacent (g) Highest adjacent (This certification is to be sinformation. I certify that to understand that any false	cluding basement, igher floor rest horizontal struct (top of slab) of machinery or equipment in Com (finished) grade (L/(finished) grade (H/) SECTION (Information on the statement may be	crawl space, or encetural member (V Zoulpment servicing the ments) AG) AG) ON D - SURVEYO ON D - SURVEYO This Certificate reprise punishable by fine	closure floor) ches only) the building OR, ENGINEER engineer, or archipsents my best of	3251.02 ⊠ 3245.75 ⊠ 3247.53 ⊠ 3243.67 ⊠ 3245.45 ⊠ 6 OR ARCHITE itect authorized beforts to interpret	feet meters (Puer feet	ment used. Ito Rico only)
Conversion/Comments Top of bottom floor (inc b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent (This certification is to be sinformation. I certify that the funderstand that any false Check here if comment	cluding basement, igher floor rest horizontal struct (top of slab) of machinery or equipment in Com (finished) grade (LA (finished) grade (HA SECTION) grade and sealed to the information on the statement may be not a reprovided on the statement may be not a statement may be	crawl space, or encetural member (V Zoulpment servicing the ments) AG) AG) ON D - SURVEYO ON D - SURVEYO This Certificate reprise punishable by fine	closure floor)_ closure floor)_ cones only) the building PR, ENGINEER engineer, or archipsents my best of or imprisonment	3245.75 ⋈ 3247.53 ⋈ 6 3243.67 ⋈ 3245.45 ⋈ 6 OR ARCHITE illect authorized by forts to interpret author 18 U.S. Comments of the state o	feet meters (Puer feet	ment used. to Rico only) to Rico only) ers (Puerto Rico only) to Rico only)
Conversion/Comments Top of bottom floor (inc b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent (This certification is to be sinformation. I certify that to I understand that any false Check here if comment	cluding basement, igher floor rest horizontal struct (top of slab) of machinery or equipment in Com (finished) grade (LA (finished) grade (H SECTIO) signed and sealed to the information on the statement may be onto a reprovided on the control of the statement may be statement.	crawl space, or encetural member (V Zoulpment servicing the ments) AG) AG) ND - SURVEYO Dy a land surveyor, whis Certificate reprise punishable by fine back of form.	closure floor). chosure floor).	3251.02 ⊠ 3245.75 ⊠ 3247.53 ⊠ 3243.67 ⊠ 3245.45 ⊠ 6 OR ARCHITE itect authorized beforts to interpret	feet meters (Puer feet	ment used. Ito Rico only)
Conversion/Comments Top of bottom floor (inc b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent (This certification is to be sinformation. I certify that the understand that any false Check here if comment	cluding basement, igher floor rest horizontal struct (top of slab) of machinery or equipment in Com (finished) grade (LA (finished) grade (HA SECTIO signed and sealed to the information on the statement may be onto a reprovided on the same provided on the same	crawl space, or encetural member (V Zoulpment servicing the ments) AG) AG) ND - SURVEYO Dy a land surveyor, whis Certificate reprise punishable by fine back of form.	closure floor)_ closure floor)_ cones only) the building PR, ENGINEER engineer, or archipsents my best of or imprisonment	3245.75 ⋈ 3247.53 ⋈ 6 3243.67 ⋈ 3245.45 ⋈ 6 OR ARCHITE illect authorized by forts to interpret author 18 U.S. Comments of the state o	feet meters (Puer feet	ment used. to Rico only) to Rico only) ers (Puerto Rico only) to Rico only) to Rico only) to Rico only) to Rico only) to Rico only) ON ion

IMPORTANT: In these spaces,	copy the corresponding inf	formation from Section	A	For Insurance Company Use:	
Building Street Address (including Ap 4200 E. Commanche Drive	t., Unit, Suite, and/or Bldg. No.) o	or P.O. Route and Box No.		Policy Number	
City Cottonwood State AZ ZIP Cod	e 86326			Company NAIC Number	
SECTION	N D - SURVEYOR, ENGINEE	R, OR ARCHITECT CE	RTIFICATION (CON	TINUED)	
Copy both sides of this Elevation Cert	tificate for (1) community official.	(2) insurance agent/compa	ny, and (3) building own	er.	
Comments Cooling unit is on roof.	Lowest mechanical device is the	gas meter. Bottom of elect	rical panel elevation is 3	3244.763.	
Signature		Date		Check here if attachments	
SECTION E - BUILDING ELE	VATION INFORMATION (SL	JRVEY NOT REQUIRE	D) FOR ZONE AO AI	Check here if attachments ND ZONE A (WITHOUT BFE)	
 b) Top of bottom floor (including E2. For Building Diagrams 6-8 with (elevation C2.b in the diagrams E3. Attached garage (top of slab) is E4. Top of platform of machinery an E5. Zone AO only: If no flood depth ordinance?	grade, if available. Check the more the following and check the appliacent grade (LAG). g basement, crawl space, or enclor permanent flood openings provide) of the building is feet mid/or equipment servicing the building in number is available, is the top of Unknown. The local official NF - PROPERTY OWNER (Contract of the property of the provided representative who complete the provided in Sections A, B, and E and and check the provided representative who complete the provided representative who complete the provided representative A, B, and E and contract the provided representative who complete the provided representative A, B, and E and contract the provided representative who complete the provided representative the provided represe	easurement used. In Puerloropriate boxes to show who propriate boxes to show who posure) is	to Rico only, enter meter ether the elevation is ab feet meters a feet meters a feet meters a d/or 9 (see page 8 of Ins ebove or below the H elow the HAG. eet meters above in accordance with the continuous accordance. ENTATIVE) CERTIFI Zone A (without a FEM.	ove or below the highest adjacent bove or below the HAG. bove or below the LAG. structions), the next higher floor IAG. e or below the HAG. community's floodplain management CATION A-issued or community-issued BFE)	
				Check here if attachment	
he local official who is sufficient to the	SECTION G - COMMI	UNITY INFORMATION	(OPTIONAL)		
he local official who is authorized by la nd G of this Elevation Certificate. Com	iw or ordinance to administer the applete the applicable item(s) and	community's floodplain ma sign below. Check the mea	nagement ordinance ca	n complete Sections A, B, C (or E),	
 The information in Section C is authorized by law to certify 	was taken from other documental elevation information. (Indicate to	tion that has been signed a he source and date of the e	nd sealed by a licensed elevation data in the Cor	surveyor, engineer, or architect who mments area below.)	
3. The following information (Iter	ed Section E for a building located ms G4G9.) is provided for comm	in ∠one A (without a FEM nunity floodplain managem	A-issued or community- ent purposes.	issued BFE) or Zone AO.	
G4. Permit Number	G5. Date Permit Issued			ance/Occupancy Issued	
7. This permit has been issued for:	☐ New Construction ☐	Substantial Improvement			
8. Elevation of as-built lowest floor (inc	cluding basement) of the building:	•	meters (PR) Datum _		
9. BFE or (in Zone AO) depth of flooding	ng at the building site:		meters (PR) Datum _		
Local Official's Name		Title			
Community Name		Telephone			
Signature		Date			
Comments					





406-47-593

PIC DATE ZOUTUSZOUT











