U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

IMPORTANT: Follow the instructions on pages 1-9.

OMB No. 1660-0008

O1110 110	J. <u>T</u> OOO ,	,,,,,	
Expirati	on Date:	July 31.	2015

			SECTIO	N A – PRO	PERTY INFORMAT	ION	FOR INSURANCE C	OMPANY USE
A1.	Building Owner's Nan	ne Steven M.					Policy Number	
	798 E. Cherr	ss (including Apt. y Hills Way	, Unit, Suite, and/or	Bldg. No.) o	or PO. Route and Box N		Company NAIC TYDING	er:
	City Cottonwood				State AZ	Z	IP Code 86326	
A3.	Property Description Yavapai County A			umber, Lega	l Description, etc.)			
A4.	Building Use (e.g., Re	esidential, Non-Re	esidential, Addition, A	ccessory, e	tc.) Residential			
	Latitude/Longitude: I				°01'07.09"W used to obtain flood in		Datum: NAD 19	27 🗷 NAD 1983
	Building Diagram Nur		-	ate is being	used to obtain nood ii	isulance.		
	For a building with a			N/A	A	building with an atta		E00 04
	a) Square footage ofb) No. of permanent	•	• •		•	quare footage of att		526.64 sq ft
	enclosure(s) withi	n 1.0 foot above	adjacent grade	N/A	W	ithin 1.0 foot above	adjacent grade	the attached garage
	c) Total net area of 1	• •		N/A	•	otal net area of flood	. •	N/A sq in
	d) Engineered flood		Yes 🛛 No			ngineered flood ope		⊠ No
D1 '	MEID Community At				E RATE MAP (FIR	M) INFORMATIO		
	NFIP Community Nam Yavapai County #4	<u> 10093</u>		<u>Yav</u>	County Name apai		AZ	State
B4. N	Map/Panel Number	B5. Suffix	B6. FIRM Index Da		TRM Panel Effective/ Revised Date	B8. Flood Zone(s		l Elevation(s) (Zone se flood depth)
(04025C 1759	G	09/03/2010		09/03/2010	A		508.58
	Indicate the source o		• •	or base floo	od depth entered in Ite	m B9:		
	Indicate elevation da	_ ::		NGVD 1929	MAVD 1988	☐ Other/Source:	,	
					area or Otherwise Prote			
	Designation Date:			□ OPA		(3,7,7,		
		SECTIO	N C - BUILDING	ELEVATIO	N INFORMATION (SURVEY REOUIR	(ED)	
	Building elevations as	re based on:	☐ Construction Dr	awings*	N INFORMATION (RED) Finished Constr	uction
C2.	*A new Elevation Cer Elevations – Zones A	re based on: tificate will be rec 1–A30, AE, AH, A	Construction Drauired when construction When Construction (with BFE), VE, V1-V	awings* ction of the I	☐ Building Under Coulding is complete. BFE), AR, AR/A, AR/AE	onstruction*	Finished Constr	
C2.	*A new Elevation Cer Elevations – Zones A C2.a–h below accord	re based on: tificate will be red 1–A30, AE, AH, A ing to the building	Construction Drauired when construction BFE), VE, V1-V. diagram specified in	awings* ction of the I	☐ Building Under C building is complete. BFE), AR, AR/A, AR/AE, n Puerto Rico only, ent	onstruction* , AR/A1–A30, AR/Aler meters.	Finished Constr	
C2.	*A new Elevation Cer Elevations – Zones A C2.a–h below accord Benchmark Utilized:	re based on: tificate will be rec 1–A30, AE, AH, A ing to the building P 493 / PID: ES	Construction Dr. quired when construct (with BFE), VE, V1–V. g diagram specified in \$0669	awings* tion of the I 30, V (with I n Item A7. I	☐ Building Under Coulding is complete. BFE), AR, AR/A, AR/AE	onstruction* , AR/A1-A30, AR/AP er meters. AVD 1988	☑ Finished Construction	e Items
C2.	*A new Elevation Cer Elevations – Zones A C2.a–h below accord Benchmark Utilized:	re based on: tificate will be red 1–A30, AE, AH, A ing to the building P 493 / PID: ES turn used for the	Construction Dr. quired when construct (with BFE), VE, V1–V. g diagram specified in \$0669 elevations in items a	awings* tion of the I 30, V (with I n Item A7. II	□ Building Under Couilding is complete. BFE), AR, AR/A, AR/AE, Puerto Rico only, ento Vertical Datum: N/ below. □ NGVD 192 the BFE.	AR/A1-A30, AR/AI or meters. NVD 1988 NAVD 1988	☑ Finished Construction	e Items
C2.	*A new Elevation Cer Elevations – Zones A C2.a–h below accord Benchmark Utilized: _ Indicate elevation dat	re based on: tificate will be red 1–A30, AE, AH, A ing to the building P 493 / PID: ES tum used for the ing elevations mu	Construction Dr. Quired when construction (with BFE), VE, V1–V. g diagram specified in 60669 elevations in items a set be the same as the	awings* ction of the I 30, V (with I n Item A7. II) through h) hat used for	□ Building Under Couilding is complete. BFE), AR, AR/A, AR/AE, Puerto Rico only, ento Vertical Datum: N/ below. □ NGVD 192 the BFE. Boor) 3512 90	AR/A1-A30, AR/AI er meters. AVD 1988 NAVD 1988	☐ Other/Source: _easurement used.	e Items
C2.	*A new Elevation Cer Elevations – Zones A: C2.a-h below accord Benchmark Utilized: _ Indicate elevation dal Datum used for build a) Top of bottom floo b) Top of the next hig	re based on: tificate will be rec 1–A30, AE, AH, A ing to the building P 493 / PID: ES tum used for the ing elevations mu r (including baser gher floor	Construction Dr. quired when construction BFE), VE, V1–V. g diagram specified in 60669 elevations in items a st be the same as timent, crawlspace, or	awings* stion of the I 30, V (with I n Item A7. II) through h) hat used for enclosure fl	□ Building Under Couilding is complete. BFE), AR, AR/A, AR/AE, Puerto Rico only, entouritor Vertical Datum: N/O 192 the BFE. BEGON: □ NGVD 192 the BFE. BEGON: □ NGVD 193 the BFE.	AR/A1-A30, AR/AP FOR THE	Finished Construction H, AR/AO. Complete Other/Source: _ easurement used. meters meters	e Items
C2.	*A new Elevation Cer Elevations – Zones A: C2.a-h below accord Benchmark Utilized: _ Indicate elevation dat Datum used for build a) Top of bottom floo b) Top of the next hig c) Bottom of the lowe	re based on: tificate will be rec 1-A30, AE, AH, A ing to the building P 493 / PID: ES tum used for the ing elevations mu r (including baser gher floor est horizontal stru	Construction Dr. quired when construction BFE), VE, V1–V. g diagram specified in 60669 elevations in items a st be the same as timent, crawlspace, or	awings* stion of the I 30, V (with I n Item A7. II) through h) hat used for enclosure fl	□ Building Under Couilding is complete. BFE), AR, AR/A, AR/AE, n Puerto Rico only, entroperations of the Puerto NGVD 192 the BFE. BOOT) 3512 90 N/A N/A	AR/A1-A30, AR/AN er meters. AVD 1988 9 NAVD 1988 Check the me feet feet	Finished Construction H, AR/AO. Complete Other/Source: _ easurement used.	e Items
C2.	*A new Elevation Cer Elevations – Zones A: C2.a-h below accord Benchmark Utilized: _ Indicate elevation dat Datum used for build a) Top of bottom floo b) Top of the next hig c) Bottom of the low d) Attached garage (i	re based on: tificate will be rec 1-A30, AE, AH, A ing to the building P 493 / PID: ES tum used for the ing elevations mu r (including baser gher floor est horizontal stru top of slab)	Construction Dr. quired when construct (with BFE), VE, V1-V. g diagram specified in 50669 elevations in items a list be the same as the ment, crawlspace, or uctural member (V Zo	awings* stion of the I 30, V (with I n Item A7. Ii) through h) hat used for enclosure fl ones only)	□ Building Under Couilding is complete. BFE), AR, AR/A, AR/AE, n Puerto Rico only, entroperation of the Puerto Rico only, entroperation of the Puerto Rico only, entroperation of the Puerto Rico only of the RFE. Boor) 3512 90 N/A N/A 3512 09	AR/A1-A30, AR/AN er meters. AVD 1988 9 NAVD 1988 Check the me feet feet feet	Finished Construction H, AR/AO. Complete Other/Source: _ easurement used.	e Items
C2.	*A new Elevation Cer Elevations – Zones A: C2.a-h below accord Benchmark Utilized: _ Indicate elevation dat Datum used for build a) Top of bottom floo b) Top of the next hig c) Bottom of the low d) Attached garage (i e) Lowest elevation of	re based on: tificate will be rec 1-A30, AE, AH, A ing to the building P 493 / PID: ES tum used for the ing elevations mu r (including baser gher floor est horizontal stra top of slab) of machinery or ec	Construction Dr. quired when construct (with BFE), VE, V1-V. g diagram specified in 50669 elevations in items a list be the same as the ment, crawlspace, or uctural member (V Zo	awings* stion of the I 30, V (with I n Item A7. Ii) through h) hat used for enclosure fl ones only) ne building	□ Building Under Couilding is complete. BFE), AR, AR/A, AR/AE, n Puerto Rico only, entroperto vertical Datum: N/below. □ NGVD 192 the BFE. BFE Soor 3512 90 90 912 90 912 90 90 90 90 90 90 90 9	AR/A1-A30, AR/AN er meters. AVD 1988 9 NAVD 1988 Check the me feet feet	Finished Construction H, AR/AO. Complete Other/Source: _ easurement used.	e Items
C2.	*A new Elevation Cer Elevations – Zones A: C2.a-h below accord Benchmark Utilized: _ Indicate elevation dai Datum used for build a) Top of bottom floo b) Top of the next hig c) Bottom of the low d) Attached garage (i e) Lowest elevation ((Describe type of 6) f) Lowest adjacent (i	re based on: tificate will be rec 1-A30, AE, AH, A ing to the building P 493 / PID: ES tum used for the ing elevations mu r (including baser gher floor est horizontal stru top of slab) of machinery or ec equipment and lo finished) grade ne	Construction Dr. quired when construct (with BFE), VE, V1-V. g diagram specified in 50669 elevations in items a set be the same as the ment, crawlspace, or actural member (V Zoquipment servicing the cation in Comments) ext to building (LAG)	awings* awings* awings 30, V (with I n Item A7. Ii n) through h) hat used for enclosure fl ones only) ne building	□ Building Under Couilding is complete. BFE), AR, AR/A, AR/AE, n Puerto Rico only, entroperto Vertical Datum: N/below. □ NGVD 192 the BFE. BF	AR/A1-A30, AR/AN er meters. AVD 1988 9 NAVD 1988 Check the me feet feet feet feet feet	Finished Construction H, AR/AO. Complete Other/Source: _ easurement used. meters	e Items
C2.	*A new Elevation Cer Elevations – Zones A: C2.a-h below accord Benchmark Utilized: _ Indicate elevation dal Datum used for build a) Top of bottom floo b) Top of the next hig c) Bottom of the low d) Attached garage (I) e) Lowest elevation of (Describe type of f) Lowest adjacent (I) g) Highest adjacent (I)	re based on: tificate will be red 1-A30, AE, AH, A ing to the building P 493 / PID: ES tum used for the e ing elevations mu r (including baser gher floor est horizontal stru top of slab) of machinery or ed equipment and lo finished) grade ne (finished) grade ne	Construction Dr. quired when construction BFE), VE, V1-V. g diagram specified in 50669 elevations in items a set be the same as the ment, crawlspace, or actural member (V Zoquipment servicing the cation in Comments) ext to building (LAG) ext to building (HAG)	awings* stion of the I 30, V (with I n Item A7. II n) through h) hat used for enclosure fl ones only) he building	□ Building Under Couilding is complete. BFE), AR, AR/A, AR/AE, a Puerto Rico only, enter Vertical Datum: N/below. □ NGVD 192 the BFE. BOOR) 3512 90 3512 90 3512 90 3512 60	AR/A1-A30, AR/AP or meters. AVD 1988 Check the me feet feet feet feet feet feet feet fe	Finished Construction H, AR/AO. Complete Other/Source: _ easurement used.	e Items
C2. (*A new Elevation Cer Elevations – Zones A: C2.a-h below accord Benchmark Utilized: _ Indicate elevation dai Datum used for build a) Top of bottom floo b) Top of the next hig c) Bottom of the low d) Attached garage (i e) Lowest elevation ((Describe type of 6) f) Lowest adjacent (i	re based on: tificate will be rec 1-A30, AE, AH, A ing to the building P 493 / PID: ES tum used for the ing elevations mu r (including baser gher floor est horizontal stru top of slab) of machinery or ec equipment and lo finished) grade ne grade at lowest ele irade at lowest ele itigicate militimes and lo grade at lowest ele itigicate in the control of the control irade at lowest ele itigicate in the control irade at lowest ele itigicate in the control irade at lowest ele irade at	Construction Dr. quired when construction BFE), VE, V1-V. g diagram specified in 50669 elevations in items a set be the same as the ment, crawlspace, or actural member (V Zoquipment servicing the cation in Comments) ext to building (LAG) ext to building (HAG)	awings* stion of the I 30, V (with I n Item A7. II n) through h) hat used for enclosure fl ones only) he building	□ Building Under Couilding is complete. BFE), AR, AR/A, AR/AE, a Puerto Rico only, enter Vertical Datum: N/below. □ NGVD 192 the BFE. BOOR) 3512 90 3512 90 3512 90 3512 60	AR/A1-A30, AR/AN er meters. AVD 1988 9 NAVD 1988 Check the me feet feet feet feet feet	Finished Construction H, AR/AO. Complete Other/Source: _ easurement used. meters	e Items
C2.	*A new Elevation Cer Elevations – Zones A: C2.a-h below accord Benchmark Utilized: _ Indicate elevation dai Datum used for build a) Top of bottom floo b) Top of the next hig c) Bottom of the low d) Attached garage (i e) Lowest elevation ((Describe type of 6) f) Lowest adjacent (i g) Highest adjacent g	re based on: tificate will be rec 1-A30, AE, AH, A ing to the building P 493 / PID: ES tum used for the ing elevations mu r (including baser gher floor est horizontal stru top of slab) of machinery or ec equipment and loc finished) grade ne grade at lowest ele-	Construction Dr. quired when construct (with BFE), VE, V1-V. g diagram specified in 50669 elevations in items a set be the same as the ment, crawlspace, or actural member (V Zo quipment servicing the cation in Comments) ext to building (LAG) evation of deck or sta	awings* ation of the I 30, V (with I n Item A7. II n) through h) hat used for enclosure fl ones only) ne building hairs, including	□ Building Under Couilding is complete. BFE), AR, AR/A, AR/AE, a Puerto Rico only, enter Vertical Datum: N/below. □ NGVD 192 the BFE. BOOR) 3512 90 3512 90 3512 90 3512 60	AR/A1-A30, AR/AP or meters. AVD 1988 Solution of the meters. Check the meters of feet feet feet feet feet feet feet f	Finished Construction H, AR/AO. Complete Other/Source: _ easurement used. meters meters	e Items
C2.	*A new Elevation Cer Elevations – Zones A: C2.a-h below accord Benchmark Utilized: _ Indicate elevation dai Datum used for build a) Top of bottom floo b) Top of the next hig c) Bottom of the low d) Attached garage (i e) Lowest elevation of (Describe type of f) Lowest adjacent (i g) Highest adjacent (g h) Lowest adjacent g structural support	re based on: tificate will be rec 1–A30, AE, AH, A ing to the building P 493 / PID: ES tum used for the ing elevations mu r (including baser gher floor est horizontal stru top of slab) of machinery or ec equipment and lo finished) grade ne finished) grade ne frade at lowest ele SECTI gned and sealed	Construction Drauired when construction BFE), VE, V1–V. g diagram specified in S0669 elevations in items a list be the same as the ment, crawlspace, or actural member (V Zoquipment servicing the cation in Comments) ext to building (LAG) evation of deck or statements of the cation of the	awings* ation of the I 30, V (with I n Item A7. II n) through h) hat used for enclosure fl ones only) he building airs, includir	□ Building Under Couilding is complete. BFE), AR, AR/A, AR/AE, Puerto Rico only, entred Vertical Datum: N/below. □ NGVD 192 the BFE. BFE), AR, AR/A, AR/AE, Puerto Rico only, entred NGVD 192 the BFE. BFE, OR ARCHITEC	AR/A1-A30, AR/AP er meters. AVD 1988 9 NAVD 1988 Check the me feet feet feet feet feet feet feet feet	Finished Construction H, AR/AO. Complete Other/Source: _ easurement used.	e Items
C2.	*A new Elevation Cer Elevations – Zones A: C2.a-h below accord Benchmark Utilized: _ Indicate elevation dat Datum used for build a) Top of bottom floo b) Top of the next hip c) Bottom of the low d) Attached garage (i e) Lowest elevation (Describe type of (i) Lowest adjacent (ii) Highest adjacent (iii) Highest adjacent g structural support	re based on: tificate will be rec 1-A30, AE, AH, A ing to the building P 493 / PID: ES tum used for the ing elevations mu r (including baser gher floor est horizontal stru top of slab) of machinery or ec equipment and loc finished) grade ne grade at lowest ele sections	Construction Dr. quired when construct (with BFE), VE, V1–V. g diagram specified in 50669 elevations in items a set be the same as the ment, crawlspace, or actural member (V Zo quipment servicing the cation in Comments) ext to building (LAG) evation of deck or sta	awings* stion of the I 30, V (with I n Item A7. II n) through h) hat used for enclosure fl ones only) he building hairs, including OR, ENGIN ngineer, or a ents my bes	□ Building Under Couilding is complete. BFE), AR, AR/A, AR/AE, Puerto Rico only, entre Vertical Datum: N/below. □ NGVD 192 the BFE. BFE	AR/A1-A30, AR/AI er meters. AVD 1988 9 NAVD 1988 Check the me feet feet feet feet feet feet feet fe	Finished Construction H, AR/AO. Complete Other/Source: _ easurement used.	e Items
C2.	*A new Elevation Cer Elevations – Zones A: C2.a-h below accord Benchmark Utilized: _ Indicate elevation dat Datum used for build a) Top of bottom floo b) Top of the next hig c) Bottom of the low d) Attached garage (i e) Lowest elevation of (Describe type of of f) Lowest adjacent (i g) Highest adjacent (i g) Highest adjacent g structural support ertification is to be signation. I certify that the rstand that any false sick here if comments	re based on: tificate will be rec 1–A30, AE, AH, A ing to the building P 493 / PID: ES tum used for the ing elevations mu r (including baser gher floor est horizontal stru top of slab) of machinery or ec equipment and lo finished) grade ne (finished) grade ne trade at lowest ele e information on t statement may be are provided on t	Construction Drauired when construct (with BFE), VE, V1–V. g diagram specified in 50669 elevations in items a set be the same as the ment, crawlspace, or actural member (V Zo quipment servicing the cation in Comments) ext to building (LAG) evation of deck or sta ON D - SURVEYO by a land surveyor, en his Certificate represe- punishable by fine o back of form.	awings* ation of the I 30, V (with I n Item A7. II n) through h) hat used for enclosure fl ones only) he building airs, including OR, ENGIN ngineer, or a ents my bes r Imprisonm ere latitude	□ Building Under Couilding is complete. BFE), AR, AR/A, AR/AE. Puerto Rico only, entr Vertical Datum: N/ below. □ NGVD 192 the BFE. B	AR/A1-A30, AR/AP er meters. AVD 1988 9 NAVD 1988 Check the me feet feet feet feet feet feet feet fee	Finished Construction H, AR/AO. Complete Other/Source: _ easurement used.	e Items
C2. (*A new Elevation Cer Elevations – Zones A: C2.a—h below accord Benchmark Utilized: _ Indicate elevation dat Datum used for build a) Top of bottom floo b) Top of the next hig c) Bottom of the low d) Attached garage (I) e) Lowest elevation of (Describe type of f) Lowest adjacent (I) g) Highest adjacent (I) g) Highest adjacent g structural support ertification is to be sig ation. I certify that the restand that any false s eck here if comments eck here if attachment	re based on: tificate will be rec 1–A30, AE, AH, A ing to the building P 493 / PID: ES tum used for the ing elevations mu r (including baser gher floor est horizontal stru top of slab) of machinery or ec equipment and lo finished) grade ne (finished) grade ne trade at lowest ele e information on t statement may be are provided on t	Construction Drauired when construct (with BFE), VE, V1–V. g diagram specified in 50669 elevations in items a set be the same as the ment, crawlspace, or actural member (V Zo quipment servicing the cation in Comments) ext to building (LAG) evation of deck or sta ON D - SURVEYO by a land surveyor, en his Certificate represe- punishable by fine o back of form.	awings* stion of the I 30, V (with I n Item A7. In) through h) hat used for enclosure fl ones only) he building airs, including DR, ENGIN ngineer, or a ents my bes r imprisonm	□ Building Under Couilding is complete. BFE), AR, AR/A, AR/AE. Puerto Rico only, entr Vertical Datum: N/ below. □ NGVD 192 the BFE. B	AR/A1-A30, AR/AP or meters. AVD 1988 9 NAVD 1988 Check the me feet feet feet feet feet feet feet fe	Finished Construction H, AR/AO. Complete Other/Source: _ easurement used.	e Items
C2.	*A new Elevation Cer Elevations – Zones A: C2.a-h below accord Benchmark Utilized: _ Indicate elevation dat Datum used for build a) Top of bottom floo b) Top of the next hig c) Bottom of the low d) Attached garage (i e) Lowest elevation of (Describe type of of f) Lowest adjacent (i g) Highest adjacent (i g) Highest adjacent g structural support ertification is to be signation. I certify that the rstand that any false sick here if comments	re based on: tificate will be rec 1–A30, AE, AH, A ing to the building P 493 / PID: ES tum used for the ing elevations mu r (including baser gher floor est horizontal stru top of slab) of machinery or ec equipment and lo finished) grade ne (finished) grade ne trade at lowest ele e information on t statement may be are provided on t	Construction Drauired when construct (with BFE), VE, V1–V. g diagram specified in 50669 elevations in items a set be the same as the ment, crawlspace, or actural member (V Zo quipment servicing the cation in Comments) ext to building (LAG) evation of deck or sta ON D - SURVEYO by a land surveyor, en his Certificate represe- punishable by fine o back of form.	awings* ation of the I 30, V (with I n Item A7. II n) through h) hat used for enclosure fl ones only) he building airs, including OR, ENGIN ngineer, or a ents my bes r Imprisonm ere latitude	□ Building Under Couilding is complete. BFE), AR, AR/A, AR/AE. Puerto Rico only, entr Vertical Datum: N/ below. □ NGVD 192 the BFE. B	AR/A1-A30, AR/AP er meters. AVD 1988 9 NAVD 1988 Check the me feet feet feet feet feet feet feet fee	Finished Construction H, AR/AO. Complete Other/Source: _ easurement used.	e Items
C2.	*A new Elevation Cer Elevations – Zones A: C2.a—h below accord Benchmark Utilized: _ Indicate elevation dai Datum used for build a) Top of bottom floo b) Top of the next hig c) Bottom of the low d) Attached garage (I e) Lowest elevation ((Describe type of 6) f) Lowest adjacent (I g) Highest adjacent (I g) Highest adjacent (I g) Highest adjacent (I g) Lowest adjacent (I g) Highest Adjace	re based on: tificate will be rec 1–A30, AE, AH, A ing to the building P 493 / PID: ES tum used for the ing elevations mu r (including baser gher floor est horizontal stru top of slab) of machinery or ec equipment and lo finished) grade ne (finished) grade ne trade at lowest ele e information on t statement may be are provided on t	Construction Drauired when construct (with BFE), VE, V1–V. g diagram specified in S0669 elevations in items a list be the same as the ment, crawlspace, or actural member (V Zoquipment servicing the cation in Comments) ext to building (LAG) evation of deck or state of the cation of the cati	awings* ation of the I 30, V (with I n Item A7. II n) through h) hat used for enclosure fl ones only) he building airs, including OR, ENGIN ngineer, or a ents my bes r Imprisonm ere latitude	Building Under Couilding is complete. BFE), AR, AR/A, AR/AE, Puerto Rico only, entrepreted by Vertical Datum: N/A below. □ NGVD 192 the BFE.	AR/A1-A30, AR/AP er meters. AVD 1988 9 NAVD 1988 Check the me feet feet feet feet feet feet feet fee	Finished Construction H, AR/AO. Complete Other/Source: _ easurement used.	e Items

Signature

Telephone (928) 634-5889

ELEVATION CERTIFICATE, page 2

IMPORTANT: In these spaces, copy the corr	esponding information from Secti	ion A.		FO	R INSURANCE	COMPANY USE
Building Street Address (including Apt., Unit, 798 E. Cherry Hills Way	Suite, and/or Bldg, No.) or RO, Ro	ute and Box No.		Po	licy Number:	
Cottonwood	State AZ	ZIP Code 86326			mpany NAIC Nur	nber:
	SURVEYOR, ENGINEER, OR A					
Copy both sides of this Elevation Certificate f	or (1) community official, (2) insur	ance agent/comp	any, and (3) building ow	ner.	
Comments The elevation shown on C2e. upper level having an elevation	is the bottom of a refrigerator on of 3512.50' and an area of	r, washer and d 104.42 square	ryer. The a leet.	attached ga	arage has tw	o levels with the
Signature MM	<u></u>	Date //-	-5-14	L		
SECTION E - BUILDING ELEVATIO	N INFORMATION (SURVEY I	NOT REQUIRED) FOR ZO	NE AO AN	ID ZONE A (WITHOUT BFE)
For Zones AO and A (without BFE), complete II For Items E1–E4, use natural grade, if availab	le. Check the measurement used	. In Puerto Rico o	nly, enter m	eters.		
E1. Provide elevation information for the follow grade (HAG) and the lowest adjacent grade	e (LAG).				_	_
 a) Top of bottom floor (including basemen b) Top of bottom floor (including basemen 				☐ meters ☐ meters	_	below the HAG.
E2. For Building Diagrams 6–9 with permanen						
the next higher floor (elevation C2.b in the				Dages o=9 0 ☐ meters		☐ below the HAG.
E3. Attached garage (top of slab) is	-		feet	meters	=	below the HAG.
E4. Top of platform of machinery and/or equip	oment servicing the building is	·	☐ feet	meters	above or	Delow the HAG.
E5. Zone AO only: If no flood depth number is ordinance? ☐ Yes ☐ No ☐ Unknow	available, is the top of the bottom n. The local official must certify th	n floor elevated in ils information in	accordance Section G.	e with the co	emmunity's floo	dplain management
	ROPERTY OWNER (OR OWN					
The property owner or owner's authorized repr Zone AO must sign here. The statements in S	esentative who completes Section	ns A, B, and E for	Zone A (wit	hout a FEMA	N-issued or con	nmunity-issued BFE) or
		the best of my kin	owieuge.			
Property Owner or Owner's Authorized Represi	entative's Name					
Property Owner or Owner's Authorized Represo	entative's Name	City		State	7ID C	nda .
Address	entative's Name	City		State	ZIP C	ode
Address Signature	entative's Name	City		State Teleph		ode
Address	entative's Name		-			ode
Address Signature	entative's Name		-		one	
Address Signature Comments		Date	(OPTION	Teleph	one	nde here if attachments.
Address Signature Comments The local official who is authorized by law or ord	SECTION G — COMMUNITY	Date INFORMATION ity's floodglain mai	nagement o	Teleph	Check	here if attachments.
Address Signature Comments The local official who is authorized by law or ord G of this Elevation Certificate. Complete the ap	SECTION G COMMUNITY dinance to administer the communi plicable item(s) and sign below. Ch	Date INFORMATION ity's floodplain maileck the measuren	nagement o nent used in	Telephoto Teleph	Check	here if attachments. cions A, B, C (or E), and Rico only, enter meters.
Address Signature Comments The local official who is authorized by law or ord of this Elevation Certificate. Complete the ap G1. The information in Section C was tal	SECTION G — COMMUNITY dinance to administer the communiplicable item(s) and sign below. Checken from other documentation the	INFORMATION ity's floodplain manueck the measurement has been signe	nagement on nent used in	AL) rdinance can hitems G8-G	Check	tions A, B, C (or E), and Rico only, enter meters.
Address Signature Comments The local official who is authorized by law or ord G of this Elevation Certificate. Complete the ap	SECTION G — COMMUNITY dinance to administer the communiplicable item(s) and sign below. Checen from other documentation the evation information. (Indicate the	INFORMATION Ity's floodplain maneck the measuren at has been signed source and date	nagement onent used in dand seal of the elev	AL) rdinance can tems G8-G ed by a licer	Check complete Section. In Puerto Insed surveyor, in the Commen	tions A, B, C (or E), and Rico only, enter meters. engineer, or architect its area below.)
Address Signature Comments The local official who is authorized by law or ord of this Elevation Certificate. Complete the ap G1. The information in Section C was tal who is authorized by law to certify elevation.	SECTION G — COMMUNITY dinance to administer the communiplicable item(s) and sign below. Che community that the community of the control of t	INFORMATION ity's floodplain maneck the measuren at has been signed source and date	nagement on nent used in d and seal of the elev A-issued on	AL) rdinance can tems G8-Ged by a licer ration data in roommunity-	Check complete Section. In Puerto Insed surveyor, in the Commen	tions A, B, C (or E), and Rico only, enter meters. engineer, or architect its area below.)
Address Signature Comments The local official who is authorized by law or ord of this Elevation Certificate. Complete the ap G1. The information in Section C was tal who is authorized by law to certify el G2. A community official completed Section	SECTION G — COMMUNITY dinance to administer the communiplicable item(s) and sign below. Che community that the community of the control of t	INFORMATION Ity's floodplain maneck the measuren at has been signe a source and date a A (without a FEM oodplain manage	nagement on nent used in d and seal of the elev A-issued on ment purpo	AL) Idinance can blems G8-Ged by a licer attion data in community-ses.	Check complete Section. In Puerto Insed surveyor, in the Commen	tions A, B, C (or E), and Rico only, enter meters, engineer, or architect its area below.)
Address Signature Comments The local official who is authorized by law or ord of this Elevation Certificate. Complete the ap G1. The information in Section C was tal who is authorized by law to certify el G2. A community official completed Section G3. The following information (Items G4-G4. Permit Number G7. This permit has been issued for:	SECTION G — COMMUNITY dinance to administer the communiplicable item(s) and sign below. Che even from other documentation the evation information. (Indicate the on E for a building located in Zone -G9) is provided for community fle G5. Date Permit Issued lew Construction Substanti	INFORMATION Ity's floodplain maneck the measuren at has been signe a source and date a A (without a FEM oodplain manage	nagement on nent used in d and seal of the elev A-issued or ment purpo Date Certif	AL) rdinance can n Items G8-G ed by a licer ration data in r community- ses. icate Of Com	Check complete Section. In Puerto insed surveyor, in the Commer issued BFE) or	tions A, B, C (or E), and Rico only, enter meters, engineer, or architect its area below.)
Address Signature Comments The local official who is authorized by law or ord of this Elevation Certificate. Complete the ap G1. The information in Section C was tall who is authorized by law to certify el G2. A community official completed Section Cartifolic Cartif	SECTION G — COMMUNITY dinance to administer the communiplicable item(s) and sign below. Che can from other documentation the evation information. (Indicate the cone of a building located in Zone-G9) is provided for community file G5. Date Permit Issued dew Construction Substanting basement) of the building:	INFORMATION Ity's floodplain man leck the measuren at has been signe a source and date a A (without a FEM oodplain manage	nagement on ent used in dand seal of the eleving A-issued or ment purportate Certif	AL) Idinance can hitems G8-Ged by a liceration data in rommunity-sees.	Check complete Section of the Comments of the	tions A, B, C (or E), and Rico only, enter meters. engineer, or architect area below.) Zone AO.
Address Signature Comments The local official who is authorized by law or ord of this Elevation Certificate. Complete the ap G1. The information in Section C was tall who is authorized by law to certify el G2. A community official completed Section C3. The following information (Items G4-G4. Permit Number G7. This permit has been issued for: G8. Elevation of as-built lowest floor (includin G9. BFE or (in Zone AO) depth of flooding at the comments of the comm	SECTION G — COMMUNITY dinance to administer the communiplicable item(s) and sign below. Che can from other documentation the evation information. (Indicate the cone of a building located in Zone-G9) is provided for community file G5. Date Permit Issued dew Construction Substanting basement) of the building:	INFORMATION Ity's floodplain man leck the measuren at has been signe a source and date a A (without a FEM oodplain manage	nagement on ent used in dand seal of the eleving Alissued or ment purport Date Certif	AL) Idinance can be litems G8-Ged by a licer action data in a community-ses. I meters meters meters	Check complete Section of the Comments of the	tions A, B, C (or E), and Rico only, enter meters. engineer, or architect area below.) Zone AO.
Address Signature Comments The local official who is authorized by law or ord of this Elevation Certificate. Complete the ap G1. The information in Section C was tal who is authorized by law to certify el G2. A community official completed Section G3. The following information (Items G4-G4. Permit Number G7. This permit has been issued for: G8. Elevation of as-built lowest floor (including G9. BFE or (in Zone AO) depth of flooding at G10. Community's design flood elevation:	SECTION G — COMMUNITY dinance to administer the communiplicable item(s) and sign below. Che can from other documentation the evation information. (Indicate the cone of a building located in Zone-G9) is provided for community file G5. Date Permit Issued dew Construction Substanting basement) of the building:	INFORMATION Ity's floodplain man leck the measuren at has been signe be source and date be A (without a FEM coodplain manage) G6. G6. G6.	nagement on ent used in dand seal of the eleving Alissued or ment purport Date Certif	AL) Idinance can hitems G8-Ged by a liceration data in rommunity-sees.	Check complete Section of the Comments of the	tions A, B, C (or E), and Rico only, enter meters. engineer, or architect area below.) Zone AO.
Address Signature Comments The local official who is authorized by law or ord of this Elevation Certificate. Complete the ap G1. The information in Section C was tall who is authorized by law to certify el G2. A community official completed Section G3. The following information (Items G4-G4. Permit Number G7. This permit has been issued for: G8. Elevation of as-built lowest floor (including G9. BFE or (in Zone AO) depth of flooding at G10. Community's design flood elevation: Local Official's Name	SECTION G — COMMUNITY dinance to administer the communiplicable item(s) and sign below. Che can from other documentation the evation information. (Indicate the cone of a building located in Zone-G9) is provided for community file G5. Date Permit Issued dew Construction Substanting basement) of the building:	INFORMATION Ity's floodplain man eck the measuren e source and date e A (without a FEN oodplain manage G6. Ital Improvement	nagement on ent used in dand seal of the eleving Alissued or ment purport Date Certif	AL) Idinance can be litems G8-Ged by a licer action data in a community-ses. I meters meters meters	Check complete Section of the Comments of the	tions A, B, C (or E), and Rico only, enter meters. engineer, or architect area below.) Zone AO.
Address Signature Comments The local official who is authorized by law or ord of this Elevation Certificate. Complete the ap G1. The information in Section C was tall who is authorized by law to certify el G2. A community official completed Section C3. The following information (Items G4-G4. Permit Number G7. This permit has been issued for: G8. Elevation of as-built lowest floor (includin G9. BFE or (in Zone AO) depth of flooding at G10. Community's design flood elevation: Local Official's Name Community Name	SECTION G — COMMUNITY dinance to administer the communiplicable item(s) and sign below. Che can from other documentation the evation information. (Indicate the cone of a building located in Zone-G9) is provided for community file G5. Date Permit Issued dew Construction Substanting basement) of the building:	INFORMATION Ity's floodplain manage at has been signed source and date at (without a FEM oodplain manage) G6. Ital Improvement Title Telephone	nagement on ent used in dand seal of the eleving Alissued or ment purport Date Certif	AL) Idinance can be litems G8-Ged by a licer action data in a community-ses. I meters meters meters	Check complete Section of the Comments of the	tions A, B, C (or E), and Rico only, enter meters. engineer, or architect area below.) Zone AO.
Address Signature Comments The local official who is authorized by law or ord of this Elevation Certificate. Complete the ap G1. The information in Section C was tal who is authorized by law to certify el G2. A community official completed Section G3. The following information (Items G4-G4. Permit Number G7. This permit has been issued for: G8. Elevation of as-built lowest floor (including G9. BFE or (in Zone AO) depth of flooding at the G10. Community's design flood elevation: Local Official's Name Community Name Signature	SECTION G — COMMUNITY dinance to administer the communiplicable item(s) and sign below. Che can from other documentation the evation information. (Indicate the cone of a building located in Zone-G9) is provided for community file G5. Date Permit Issued dew Construction Substanting basement) of the building:	INFORMATION Ity's floodplain man eck the measuren e source and date e A (without a FEN oodplain manage G6. Ital Improvement	nagement on ent used in dand seal of the eleving Alissued or ment purport Date Certif	AL) Idinance can be litems G8-Ged by a licer action data in a community-ses. I meters meters meters	Check complete Section of the Comments of the	tions A, B, C (or E), and Rico only, enter meters. engineer, or architect area below.) Zone AO.
Address Signature Comments The local official who is authorized by law or ord of this Elevation Certificate. Complete the ap G1. The information in Section C was tall who is authorized by law to certify el G2. A community official completed Section C3. The following information (Items G4-G4. Permit Number G7. This permit has been issued for: G8. Elevation of as-built lowest floor (includin G9. BFE or (in Zone AO) depth of flooding at G10. Community's design flood elevation: Local Official's Name Community Name	SECTION G — COMMUNITY dinance to administer the communiplicable item(s) and sign below. Che can from other documentation the evation information. (Indicate the cone of a building located in Zone-G9) is provided for community file G5. Date Permit Issued dew Construction Substanting basement) of the building:	INFORMATION Ity's floodplain manage at has been signed source and date at (without a FEM oodplain manage) G6. Ital Improvement Title Telephone	nagement on ent used in dand seal of the eleving Alissued or ment purport Date Certif	AL) Idinance can be litems G8-Ged by a licer action data in a community-ses. I meters meters meters	Check complete Section of the Comments of the	tions A, B, C (or E), and Rico only, enter meters. engineer, or architect area below.) Zone AO.
Address Signature Comments The local official who is authorized by law or ord of this Elevation Certificate. Complete the ap G1. The information in Section C was tal who is authorized by law to certify el G2. A community official completed Section G3. The following information (Items G4-G4. Permit Number G7. This permit has been issued for: G8. Elevation of as-built lowest floor (including G9. BFE or (in Zone AO) depth of flooding at the G10. Community's design flood elevation: Local Official's Name Community Name Signature	SECTION G — COMMUNITY dinance to administer the communiplicable item(s) and sign below. Che can from other documentation the evation information. (Indicate the cone of a building located in Zone-G9) is provided for community file G5. Date Permit Issued dew Construction Substanting basement) of the building:	INFORMATION Ity's floodplain manage at has been signed source and date at (without a FEM oodplain manage) G6. Ital Improvement Title Telephone	nagement on ent used in dand seal of the eleving Alissued or ment purport Date Certif	AL) Idinance can be litems G8-Ged by a licer action data in a community-ses. I meters meters meters	Check complete Section of the Comments of the	tions A, B, C (or E), and Rico only, enter meters. engineer, or architect area below.) Zone AO.
Address Signature Comments The local official who is authorized by law or ord of this Elevation Certificate. Complete the ap G1. The information in Section C was tal who is authorized by law to certify el G2. A community official completed Section G3. The following information (Items G4-G4. Permit Number G7. This permit has been issued for: G8. Elevation of as-built lowest floor (including G9. BFE or (in Zone AO) depth of flooding at the G10. Community's design flood elevation: Local Official's Name Community Name Signature	SECTION G — COMMUNITY dinance to administer the communiplicable item(s) and sign below. Che can from other documentation the evation information. (Indicate the cone of a building located in Zone-G9) is provided for community file G5. Date Permit Issued dew Construction Substanting basement) of the building:	INFORMATION Ity's floodplain manage at has been signed source and date at (without a FEM oodplain manage) G6. Ital Improvement Title Telephone	nagement on ent used in dand seal of the eleving Alissued or ment purport Date Certif	AL) Idinance can be litems G8-Ged by a licer action data in a community-ses. I meters meters meters	Check complete Section of the Comments of the	tions A, B, C (or E), and Rico only, enter meters. engineer, or architect area below.) Zone AO.

BUILDING PHOTOGRAPHS

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the	FOR INSURANCE COMPANY USE	
Building Street Address (including Apt. 798 E. Cherry Hills Way	, Unit, Suite, and/or Bldg. No.) or PO. Route and Box No.	Policy Number:
Cottonwood	State ZIP Code AZ 86326	Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.

FRONT VIEW

TAKEN: 11/04/2014



BUILDING PHOTOGRAPHS

Continuation Page

IMPORTANT: In these spaces, copy t	FOR INSURANCE COMPANY USE	
Building Street Address (including Apt. 798 E. Cherry Hills Way	, Unit, Suite, and/or Bldg, No.) or PO. Route and Box No.	Policy Number:
City Cottonwood	State ZIP Code AZ 86326	Company NAIC Number:

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.

REAR VIEW

TAKEN: 11/04/2014

