

406-58-015

O.M.B. No. 3067-0077  
Expires July 31, 1999

# ELEVATION CERTIFICATE

## FEDERAL EMERGENCY MANAGEMENT AGENCY

### NATIONAL FLOOD INSURANCE PROGRAM

**ATTENTION:** Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION		FOR INSURANCE COMPANY USE
BUILDING OWNERS NAME <b>Dick &amp; Cherone Kent</b>	POLICY NUMBER	
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER <b>2110 Gerrysue Blvd</b>	COMPANY NAIC NUMBER	
OTHER DESCRIPTION (Lot and Block Numbers, etc.) <b>Lot 141 Haskell Springs #1, Tax Parcel 406-58-015</b>		
CITY <b>Clarkdale</b>	STATE <b>AZ</b>	ZIP CODE <b>86324</b>

SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION					
Provide the following from the proper FIRM (See Instructions):					
1. COMMUNITY NUMBER <b>040095</b>	2. PANEL NUMBER <b>2</b>	3. SUFFIX <b>B</b>	4. DATE OF FIRM INDEX <b>12/1/82</b>	5. FIRM ZONE <b>A</b>	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): <input checked="" type="checkbox"/> NGVD '29 <input type="checkbox"/> Other (describe on back)					
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: <input type="text" value="3"/> <input type="text" value="6"/> <input type="text" value="8"/> <input type="text" value="3"/> . <input type="text" value="2"/> feet NGVD (or other FIRM datum-see Section B, Item 7).					

SECTION C BUILDING ELEVATION INFORMATION
1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level <u>1</u> .
2. (a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of <u>3687.85</u> feet NGVD (or other FIRM datum-see Section B, Item 7).
(b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of <u>        </u> feet NGVD (or other FIRM datum-see Section B, Item 7).
(c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is <u>        </u> feet above <u>        </u> or below <u>        </u> (check one) the highest grade adjacent to the building.
(d). FIRM Zone AO. The floor used as the reference level from the selected diagram is <u>        </u> feet above <u>        </u> or below <u>        </u> (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown
3. Indicate the elevation datum system used in determining the above reference level elevations: <input checked="" type="checkbox"/> NGVD '29 <input type="checkbox"/> Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM (see Section B, Item 7), then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
4. Elevation reference mark used appears on FIRM: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (See Instructions on Page 4)
5. The reference level elevation is based on: <input checked="" type="checkbox"/> actual construction <input type="checkbox"/> construction drawings (NOTE:) Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
6. The elevation of the lowest grade immediately adjacent to the building is: <input type="text" value="3"/> <input type="text" value="6"/> <input type="text" value="8"/> <input type="text" value="7"/> . <input type="text" value="6"/> feet NGVD (or other FIRM datum-see Section B, Item 7).

SECTION D COMMUNITY INFORMATION
1. If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C. Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is: <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> . <input type="text"/> feet NGVD (or other FIRM datum-see Section B, Item 7).
2. Date of the start of construction or substantial improvement <u>7/22/99</u> .

**SECTION E CERTIFICATION**

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

*I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.*

CERTIFIER'S NAME <b>Kenneth E. Spedding,</b>		LICENSE NUMBER (or Affix Seal)	
TITLE <b>District Director</b>		COMPANY NAME	
ADDRESS <b>500 S. Marina St.</b>		CITY <b>Prescott</b>	STATE <b>AZ</b>
SIGNATURE 		DATE <b>8/27/99</b>	PHONE <b>(520) 771-3197</b>
Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.			


COMMENTS: \_\_\_\_\_

\_\_\_\_\_ Required finished floor elevation per Haskell Springs Final Subdivision Plat. As built survey performed by Dugan L. McDonald.

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_



"AS BUILT" ELEVATIONS FOR EITHER MANUFACT  
When Completed Return To: Yavapai County Flood Control

Post-it* Fax Note	7671	Date	8-24-99	# of pages	2
To	KATHY	From	BRENDA		
Co./Dept.	Flood Control	Co.	HERITAGE LS		
Phone #	639-8154	Phone #	567-9170		
Fax #	639-8153	Fax #	567-9135		

Section 1 - Complete entire section

DATE 8-10-1999 ASSESSORS NUMBER 406-58-015

SUBDIVISION NAME AND LOT NUMBER HASRELL SPRINGS

OWNER DICK RENT

BASE BENCHMARK NUMBER W 1/4 COR. SEC. 32, Elev = 3781.81 / USGS 1929 DAT  
(on floodplain circuit) Yavapai County Flood Control District Brass Cap  
MKD. DR. MORGAN

ELEVATION OF THE LOWEST GRADE IMMEDIATELY ADJACENT TO THE BUILDING 3687.6

PROPERTY BENCHMARK ELEVATION N/A

DIAGRAM # (from Page 5 & 5 of OMB No. 3067-0070) # 1

Section 2 - Complete if appropriate

'As Built' Elevation for Manufactured Homes

SURVEYED BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES \_\_\_\_\_

(seal)


Signed \_\_\_\_\_

Section 3 - Complete if appropriate

'As Built' Elevation for Site Built Homes

SURVEYED LOWEST FLOOR \_\_\_\_\_ 3687.85

(seal)



Signed \_\_\_\_\_

FOR DISTRICT USE:

REQUIRED ELEVATION TO BOTTOM OF STRUCTURAL FRAME OR LOWEST POINT OF ANY ATTACHED APPLIANCES \_\_\_\_\_

(As Per Development Permit)

DIFFERENCE \_\_\_\_\_

REQUIRED LOWEST FLOOR ELEVATION \_\_\_\_\_

(As Per Development Permit)

3684.2

DIFFERENCE \_\_\_\_\_ + 3.65