FEDER EMERGENCY MANAGEMENT / :NCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077 Expires July 31,1999

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

	SECTION A	PROPERT	Y INFORMATION		FOR INSURANCE COMPANY USE					
BUILDING OWNERS NAME	POLICY NUMBER									
Peter Ireys										
STREET ADDRESS (Including P.O. Box 953	COMPANY NAIC NUMBER									
OTHER DESCRIPTION (Lot a	and Block Numbers, etc.)			•						
Skidmore Acres Tax Pa	rcel 407-20-228									
CITY ST Clarkdale					ZIP CODE					
Ciai kuaie	SECTION D EI	OOD INCHE	RANCE RATE MAP (FIRM	AZ A) INFORMA	86324					
Provide the following from				I) INFORMA	TION					
	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION					
040093	865	D	3/9/99	A15	(in AO Zones, use depth) 3233.3					
7. Indicate the elevation date	um system used on th	e FIRM for B	ase Flood Elevations (BFE):	X NGVD '29						
8. For Zones A or V, where the community's BFE:	no BFE is provided o		and the community has establi NGVD (or other FIRM datur							
SECTION C BUILDING ELEVATION INFORMATION										
of 3234.32 feet (b). FIRM Zones V1-V30 the selected diagram (c). FIRM Zone A (without below (check on (d)). FIRM Zone AO. The one) the highest grade level) elevated in account of the selevation day and the FIRM (see Section equation under Comments on Pather FIRM equation under Comments on Pather FIRM equation under Comments on Pather FIRM equation under Comments on Pather Equation under	O, AE, AH, and A (with NGVD (or other FIR O, VE, and V (with B m, is at an elevation of the highest grade in the highest grade in the highest grade on the highest grade immediate of the highest grade imme	th BFE). The M-datum-see FE). The bott of feet Nused as the rest adjacent to the eference level wilding. If no firmmunity's floor determining the elevation date of the el	Section B, Item 7). om of the lowest horizontal standard of the selected diagram is the above reference level from the savailate odplain management ordinare the above reference level elected that unused in measuring the estions to the datum system uses No (See Instructions construction construction uniding does not yet have the general standard of the secondard of the course of construction.	structural membersee Section B, ed diagram is feet aboute, is the buildinge? Yes vations: X elevations is differed on the FIRM on Page 4) drawings exercise reference level A post-construction 8 feet NO	or below (check ng's lowest floor (reference No Unknown NGVD '29 Other (describe ferent than that used on and show the conversion et floor in place, in which					
	SEC	HON D CO	MMUNITY INFORMAT	UN						
	as defined in the compredinance is:	munity's floor	1 1	, the elevation of						


SECTION E CERTIFICATION

This certification is to be signed by•a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30.VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME Kenneth E. Spedding	LICENSE NU	LICENSE NUMBER (or Affix Seal)							
TITLE	COMPANY NAME								
District Director	Yavapai Count	y Flood	Control	Dist	rict				
ADDRESS	CITY			TATE	ZIP				
500 S. Marina St.	Prescott			λZ	• 86303				
SIGNATURE	al loa	TE	PHONE						
	4//6/99			520)	771-3197				
Copies should be made of this Certificate COMMENTS:	Total Ty community official, 2) insular		ompany, and 3)	bullain	g owner.				
Structure is a manufacture	d home. Elevation (2a) is to the	e bottom	of the structu	ıral fran	me.				



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.