O.M.B. No. 3067-0077 Expires December 31, 2005

-	NATIONAL FLOOD INSURANCE PROGRAM
	ELEVATION CERTIFICATE


Important Read the instructions on pages 1 - 7.

DERAL EMERGENCY MANAGEMENT AGENCY

		SECTION	A - PROPERTY OWNER I	FORMATION		For Insurance Company Use:
BUILDING OWNER'S NA	WIE					Policy Number
John Dennis	DE00 // / /					Company NAIC Number
Po. Box 600 /// 3		low to in		E AND BOX NO.		
CITY			STATE		ZIP CO 86325	DE
Comville		Numbers Tex Deser	Az		00323	
407-29-020B, Book 2636	Pg. 790 Yavapai (County Recorders Off				
BUILDING USE (e.g., Res Residential	sidential, Non-resid	ential, Addition, Acce	ssory, etc. Use a Commen	s area, if necessa	ry.)	
			ONTAL DATUM: 027 🗌 NAD 1983	SOURCE	E GPS (Typ	
	s	ECTION B - FLOOD	INSURANCE RATE MAP	(FIRM) INFORM	ATION	
			B2. COUNTY NAME	(33. STATE
B1. NFIP COMMUNITY NAME Yavapai Count 040093		BER	B2. COUNTY NAME Yavapai			Arizona
B4. MAP AND PANEL	1		B7. FIRM PANE			B9. BASE FLOOD ELEVATION
NUMBER	B5. SUFFIX	B6. FIRM INDEX DAT	E EFFECTIVE/REVISED		LOOD ZONE(S)	(Zone AO, use depth of flooding
04025C 1445	F	06-06-01	06-06-2001		AE X	3423.6
10. Indicate the source of the	e Base Flood Elevat	ion (BFE) data or base	flood depth entered in B9.			
FIS Profile	FIRM	Corpmunity De	etermined 0	ther (Describe):		
11. Indicate the elevation dat	turn used for the BF	E in B9: XNGVD 192	29 🗌 N	AVD 1988 Ot		
12. Is the building located in	a Coastal Barrier Re	sources System (CBR	S) area or Otherwise Protected	Area (OPA)?	Yes No	Designation Date
			ELEVATION INFORMAT			
1. Building elevations are ba	sed on: Constru	ction Drawinos*	Building Under Construction	n* 🛛 Finishe	d Construction	
		hen construction of the				
		climia taom menecih ne		ertificate is being co	moleted - see nac	des 6 and 7. If no diadram
2. Building Diagram Number	$r \underline{3}$ (Select the building		r to the building for which this o	ertificate is being co	mpleted - see pag	ges 6 and 7. If no diagram
2. Building Diagram Number accurately represents the	$r \underline{3}$ (Select the building building, provide a second	sketch or photograph.)	r to the building for which this o			ges 6 and 7. If no diagram
 Building Diagram Number accurately represents the Elevations – Zones A1-A3 	r 3 (Select the building building, provide a 30, AE, AH, A (with $r 30$	sketch or photograph.) BFE), VE, V1-V30, V (w	r to the building for which this o vith BFE), AR, AR/A, AR/AE, A	R/A1-A30, AR/AH, /	AR/AO	
 Building Diagram Number accurately represents the Elevations – Zones A1-A3 Complete Items C3ai bit 	r $\underline{3}$ (Select the build building, provide a 30, AE, AH, A (with b below according to th	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram spe	r to the building for which this o vith BFE), AR, AR/A, AR/AE, A cified in Item C2. State the datu	R/A1-A30, AR/AH, / Im used. If the datur	AR/AO n is different from	n the datum used for the BFE in
 Building Diagram Number accurately represents the 3. Elevations – Zones A1-A3 Complete Items C3a-i b Section B, convert the data 	r 3 (Select the building, provide a 30, AE, AH, A (with I below according to the atum to that used for	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram spec the BFE. Show field me	r to the building for which this o rith BFE), AR, AR/A, AR/AE, A cified in Item C2. State the datu easurements and datum conve	R/A1-A30, AR/AH, / Im used. If the datur	AR/AO n is different from	
 Building Diagram Number accurately represents the 3. Elevations – Zones A1-A3 Complete Items C3a-i b Section B, convert the dat Section D or Section G, a 	r 3 (Select the buildin building, provide a 30, AE, AH, A (with f velow according to the sturn to that used for as appropriate, to do	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram spec the BFE. Show field me	r to the building for which this o rith BFE), AR, AR/A, AR/AE, A cified in Item C2. State the datu easurements and datum conve	R/A1-A30, AR/AH, / Im used. If the datur	AR/AO n is different from	n the datum used for the BFE in
 Building Diagram Number accurately represents the C3. Elevations – Zones A1-A3 Complete Items C3a-i b Section B, convert the dal Section D or Section G, a Datum Conversion 	r 3 (Select the buildin building, provide a 30, AE, AH, A (with f relow according to the atum to that used for as appropriate, to do on/Comments	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram spe the BFE. Show field me curnent the datum conv -	r to the building for which this o with BFE), AR, AR/A, AR/AE, A cified in Item C2. State the datu easurements and datum conve- version.	R/A1-A30, AR/AH, / m used. If the datur rsion calculation. U	AR/AO n is different from se the space pro	n the datum used for the BFE in
 Building Diagram Number accurately represents the C3. Elevations – Zones A1-A3 Complete Items C3a-i b Section B, convert the dal Section D or Section G, a Datum Conversion 	r 3 (Select the buildin building, provide a 30, AE, AH, A (with f relow according to the atum to that used for as appropriate, to do on/Comments	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram spe the BFE. Show field me curnent the datum conv -	r to the building for which this o rith BFE), AR, AR/A, AR/AE, A cified in Item C2. State the datu easurements and datum conve	R/A1-A30, AR/AH, / m used. If the datur rsion calculation. U	AR/AO n is different from se the space prov	n the datum used for the BFE in
 Building Diagram Number accurately represents the 3. Elevations – Zones A1-A3 Complete Items C3a-i b Section B, convert the dal Section D or Section G, a Datum Conversion 	r 3 (Select the building, provide a 30, AE, AH, A (with the velow according to the atum to that used for as appropriate, to do on/Comments c used <u>RM-83</u> Does	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram spe- the BFE. Show field me curnent the datum conv - the elevation reference	r to the building for which this o with BFE), AR, AR/A, AR/AE, A cified in Item C2. State the datu easurements and datum conve- version.	R/A1-A30, AR/AH, / m used. If the datur rsion calculation. U	AR/AO n is different from se the space prov	the datum used for the BFE in vided or the Comments area of
 Building Diagram Number accurately represents the 3. Elevations – Zones A1-A3 Complete Items C3a-i bu Section B, convert the dal Section D or Section G, a Datum Conversion Elevation reference mark o a) Top of bottom floor (r 3 (Select the buildin building, provide a 30, AE, AH, A (with the velow according to the atum to that used for as appropriate, to do on/Comments s used <u>RM-83</u> Does (including basement	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram spe- the BFE. Show field me curnent the datum conv - the elevation reference	r to the building for which this o with BFE), AR, AR/A, AR/AE, A cified in Item C2. State the datu easurements and datum conver- version. mark used appear on the FIRM <u>3433. 80 ft.(m)</u>	R/A1-A30, AR/AH, / m used. If the datur rsion calculation. U	AR/AO n is different from se the space prov	the datum used for the BFE in vided or the Comments area of
 Building Diagram Number accurately represents the 3. Elevations – Zones A1-A3 Complete (terms C3a-i b) Section B, convert the dal Section D or Section G, a Datum Conversion Elevation reference mark o a) Top of bottom floor (o b) Top of next higher file 	r 3 (Select the building, provide a solutiding, provide a solutiding, provide a solutiding, AH, A (with the selow according to the atum to that used for as appropriate, to do on/Comments	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram spec the BFE. Show field me curnent the datum conv - the elevation reference or enclosure)	r to the building for which this o with BFE), AR, AR/A, AR/AE, A cified in Item C2. State the datu easurements and datum conver- version. mark used appear on the FIRM <u>3433.</u> <u>80 ft.(m)</u> <u>3434.</u> . <u>55 ft.(m)</u>	R/A1-A30, AR/AH, / m used. If the datur rsion calculation. U	AR/AO n is different from se the space prov	the datum used for the BFE in vided or the Comments area of
 Building Diagram Number accurately represents the 3. Elevations – Zones A1-A3 Complete (tems C3a+i b) Section B, convert the dal Section D or Section G, a Datum Conversion Elevation reference mark o a) Top of bottom floor (o b) Top of next higher flio o c) Bottom of lowest holds. 	r 3 (Select the buildin building, provide a 30, AE, AH, A (with the elow according to the atum to that used for as appropriate, to do on/Comments	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram spec the BFE. Show field me curnent the datum conv - the elevation reference or enclosure)	r to the building for which this o with BFE), AR, AR/A, AR/AE, A cified in Item C2. State the datu easurements and datum conver- version. mark used appear on the FIRM <u>3433.</u> <u>80 ft.(m)</u> <u>3434.</u> <u>55 ft.(m)</u> ft.(m)	R/A1-A30, AR/AH, / m used. If the datur rsion calculation. U	AR/AO n is different from se the space prov	the datum used for the BFE in wided or the Comments area of
 Building Diagram Number accurately represents the 3. Elevations – Zones A1-A3 Complete Items C3a-i bo Section B, convert the dal Section D or Section G, a Datum Conversion Elevation reference mark o a) Top of bottom floor (o b) Top of next higher flio o c) Bottom of lowest holio o d) Attached garage (to 	r 3 (Select the building, provide a solutiding, provide a solutiding, provide a solutiding, provide a solution of the selew according to the selew according to the selew according to the solution to that used for as appropriate, to do on/Comments	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram spec the BFE. Show field me curnent the datum conv the elevation reference or enclosure) ember (V zones only)	r to the building for which this o with BFE), AR, AR/A, AR/AE, A cified in Item C2. State the datu easurements and datum conver- version. mark used appear on the FIRM <u>3433.</u> <u>80 ft.(m)</u> <u>3434.</u> . <u>55 ft.(m)</u>	R/A1-A30, AR/AH, / m used. If the datur rsion calculation. U	AR/AO n is different from se the space prov se the space prov o Person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person p	the datum used for the BFE in wided or the Comments area of
 Building Diagram Number accurately represents the 3. Elevations – Zones A1-A3 Complete items C3a-i bo Section B, convert the dal Section D or Section G, a Datum Conversion Elevation reference mark o a) Top of bottom floor (o b) Top of next higher flions of o c) Bottom of lowest hole o d) Attached garage (to o e) Lowest elevation of 	r 3 (Select the buildin building, provide a 30, AE, AH, A (with the elow according to the atum to that used for as appropriate, to do on/Comments	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram specture the BFE. Show field me current the datum conv the elevation reference or enclosure) ember (V zones only) quipment	r to the building for which this o with BFE), AR, AR/A, AR/AE, A cified in Item C2. State the datu easurements and datum conver- version. mark used appear on the FIRM <u>3433.80 ft.(m)</u> <u>3434.55 ft.(m)</u> ft.(m)	R/A1-A30, AR/AH, / m used. If the datur rsion calculation. U	AR/AO n is different from se the space prov se the space prov o Person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person p	the datum used for the BFE in wided or the Comments area of
 Building Diagram Number accurately represents the 3. Elevations – Zones A1-A3 Complete items C3a-i bo Section B, convert the dal Section D or Section G, a Datum Conversion Elevation reference mark o a) Top of bottom floor (o b) Top of next higher flions of o c) Bottom of lowest hole o d) Attached garage (to o e) Lowest elevation of servicing the building 	r 3 (Select the building, provide a solutiding, provide a solutiding, provide a solutiding, provide a solution of the selew according to the stum to that used for as appropriate, to do on/Comments	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram specture the BFE. Show field me current the datum conv the elevation reference or enclosure) ember (V zones only) quipment	r to the building for which this o with BFE), AR, AR/A, AR/AE, Al cified in Item C2. State the datu easurements and datum conver- version. mark used appear on the FIRM <u>3433.80 ft.(m)</u> <u>3434.55 ft.(m)</u> <u>ft.(m)</u>	R/A1-A30, AR/AH, / m used. If the datur rsion calculation. U	AR/AO n is different from se the space pro- dutrice, and Date 0 0 0 0 0	the datum used for the BFE in wided or the Comments area of
 Building Diagram Number accurately represents the 3. Elevations – Zones A1-A3 Complete Items C3a-i by Section B, convert the dal Section D or Section G, a Datum Conversion Elevation reference mark o a) Top of bottom floor (o b) Top of next higher fil o c) Bottom of lowest hor o d) Attached garage (to o e) Lowest elevation of servicing the buildin o f) Lowest adjacent (fini 	r 3 (Select the buildin building, provide a 30, AE, AH, A (with 1 elow according to the atum to that used for as appropriate, to do on/Comments c used <u>RM-83</u> Does (including basement loor prizontal structural mi pp of slab) machinery and/or e ing (Describe in a Co ished) grade (LAG)	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram spe- the BFE. Show field me current the datum conv the elevation reference or enclosure) ember (V zones only) quipment priments area)	r to the building for which this o with BFE), AR, AR/A, AR/AE, Al cified in Item C2. State the datu easurements and datum conver- version. mark used appear on the FIRM <u>3433</u> . <u>80</u> ft.(m) <u>3434</u> . <u>55</u> ft.(m) <u></u>	R/A1-A30, AR/AH, / m used. If the datur rsion calculation. U	AR/AO n is different from se the space pro- dutrice, and Date 0 0 0 0 0	the datum used for the BFE in wided or the Comments area of
 Building Diagram Number accurately represents the 3. Elevations – Zones A1-A3 Complete Items C3a-i b Section B, convert the dal Section D or Section G, a Datum Conversion Elevation reference mark o a) Top of bottom floor (o b) Top of next higher fli o c) Bottom of lowest hor o d) Attached garage (lo o e) Lowest elevation of servicing the buildii o f) Lowest adjacent (fini o g) Highest adjacent (fini 	r 3 (Select the building, provide a solutiding, provide a solutiding, provide a solutiding, provide a solution of the solution	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram spe- the BFE. Show field me curnent the datum conv the elevation reference or enclosure) ember (V zones only) quipment omments area)	r to the building for which this o rith BFE), AR, AR/A, AR/AE, Al cified in Item C2. State the datu easurements and datum conver- version. mark used appear on the FIRM <u>3433.</u> <u>80</u> ft(m) <u>3434.</u> <u>55</u> ft(m) <u></u>	R/A1-A30, AR/AH, / m used. If the datur rsion calculation. U	AR/AO n is different from se the space pro- dutrice, and Date 0 0 0 0 0	the datum used for the BFE in wided or the Comments area of
 Building Diagram Number accurately represents the 3. Elevations – Zones A1-A3 Complete Items C3a-i b Section B, convert the dal Section D or Section G, a Datum Conversion Elevation reference mark o a) Top of bottom floor (o b) Top of next higher fli o c) Bottom of lowest hor o d) Attached garage (to o e) Lowest elevation of servicing the buildi o f) Lowest adjacent (fini o g) Highest adjacent (fini o h) No. of permanent of 	r 3 (Select the buildi building, provide a 30, AE, AH, A (with the elow according to the atum to that used for as appropriate, to do on/Comments	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram spe- the BFE. Show field me curnent the datum conv the elevation reference or enclosure) ember (V zones only) quipment priments area))) within 1 ft. above adja	r to the building for which this o rith BFE), AR, AR/A, AR/AE, Al cified in Item C2. State the datu easurements and datum conver- version. mark used appear on the FIRM <u>3433. 80 ft.(m)</u> <u>3434. 55 ft.(m)</u> <u>ft.(m)</u> <u>3429. 5 ft.(m)</u> <u>3439. 6 ft.(m)</u> cent grade	R/A1-A30, AR/AH, / m used. If the datur rsion calculation. U	AR/AO n is different from se the space prov se the space prov o Person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person person p	the datum used for the BFE in wided or the Comments area of
 Building Diagram Number accurately represents the 3. Elevations – Zones A1-A3 Complete Items C3a-i b Section B, convert the dal Section D or Section G, a Datum Conversion Elevation reference mark o a) Top of bottom floor (o b) Top of next higher fli o c) Bottom of lowest hor o d) Attached garage (lo o e) Lowest elevation of servicing the buildii o f) Lowest adjacent (fini o g) Highest adjacent (fini 	r 3 (Select the building, provide a building, provide a 30, AE, AH, A (with I alow according to the alow accor	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram spec- the BFE. Show field me current the datum conv - the elevation reference or enclosure) ember (V zones only) quipment priments area))) within 1 ft. above adja or vents) in C3.h	r to the building for which this o with BFE), AR, AR/A, AR/AE, A cified in Item C2. State the datu easurements and datum conver- version. mark used appear on the FIRM <u>3433.</u> <u>80</u> ft(m) <u>3434.</u> <u>55</u> ft(m) <u></u> ft.(m) <u>3439.</u> <u>6</u> ft.(m) cent grade sq. in. (sq. cm)	R/A1-A30, AR/AH, / im used. If the datur rsion calculation. U //?	AR/AO n is different from se the space pro- Signatrice' and Date Signatrice and Date	the datum used for the BFE in wided or the Comments area of
 Building Diagram Number accurately represents the 3. Elevations – Zones A1-A3 Complete Items C3a-i bu Section B, convert the dal Section D or Section G, a Datum Conversio Elevation reference mark o a) Top of bottom floor (o b) Top of next higher fil o c) Bottom of lowest hoi o d) Attached garage (to o e) Lowest elevation of servicing the buildi o f) Lowest adjacent (fini o g) Highest adjacent (fini o h) No. of permanent op o i) Total area of all perm 	r 3 (Select the building, provide a si abuilding, provide a si 30, AE, AH, A (with I below according to the atum to that used for as appropriate, to do on/Comments	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram spec- the BFE. Show field me current the datum conv the elevation reference (or enclosure) ember (V zones only) quipment pmments area))) within 1 ft. above adja od vents) in C3.h CTION D - SURVEN	r to the building for which this o with BFE), AR, AR/A, AR/AE, A cified in Item C2. State the datu easurements and datum conver- version. mark used appear on the FIRM <u>3433.</u> <u>80</u> ft(m) <u>3434.</u> <u>55</u> ft(m) <u></u> ft.(m) <u>3429.</u> <u>5</u> ft.(m) <u>3439.</u> <u>6</u> ft.(m) cent grade sq. in. (sq. cm) YOR, ENGINEER, OR ARC	R/A1-A30, AR/AH, / im used. If the datur rsion calculation. U /? [2] Yes [2] N //? [2] Yes [2] N	AR/AO n is different from se the space pro- stature and Date Signature and Date Composed Seal Incerse Composed Seal Composed Seal Signature and Composed Seal Composed Seal Comp	the datum used for the BFE in wided or the Comments area of USE CATE to 33873 MARTIN T. ETCHEVERRYO Reserved
 Building Diagram Number accurately represents the 3. Elevations – Zones A1-A3 Complete Items C3a-i bo Section B, convert the dal Section D or Section G, a Datum Conversio Elevation reference mark o a) Top of bottom floor (o b) Top of next higher fil o c) Bottom of lowest hoi o d) Attached garage (to o e) Lowest elevation of servicing the buildi o f) Lowest adjacent (fini o g) Highest adjacent (fini o h) No. of permanent op o i) Total area of all perm 	r 3 (Select the building, provide a solutiding, provide a solutiding, provide a solutidity, provide a solution to that used for as appropriate, to do on/Comments	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram spec- the BFE. Show field me current the datum conv the elevation reference (or enclosure) ember (V zones only) quipment pomments area))) within 1 ft. above adja od vents) in C3.h CTION D - SURVEN by a land surveyor, e	r to the building for which this o with BFE), AR, AR/A, AR/AE, A cified in Item C2. State the datu easurements and datum conver- version. mark used appear on the FIRM <u>3433.</u> 80 ft.(m) <u>3434.</u> 55 ft.(m) <u></u>	R/A1-A30, AR/AH, / Im used. If the datur rsion calculation. U I? I Yes I N I? Yes I N <u>I: HITECT CERTIF</u> zed by law to cert	AR/AO n is different from se the space pro- set the space pro- agent of the space pro- signatrice and Data signatrice and Signatrice	the datum used for the BFE in wided or the Comments area of USE CATE NO WARTIN T. ETCHEVERRYO Resoned 6 10 10 10 10 10 10 10 10 10 10 10 10 10
 Building Diagram Number accurately represents the 3. Elevations – Zones A1-A3 Complete Items C3a-i bo Section B, convert the dal Section D or Section G, a Datum Conversio Elevation reference mark o a) Top of bottom floor (o b) Top of next higher fil o c) Bottom of lowest hoi o d) Attached garage (to o e) Lowest elevation of servicing the buildi o f) Lowest adjacent (fini o g) Highest adjacent (fini o g) Highest adjacent (fini o h) No. of permanent op o i) Total area of all perm This certification is to be s 	r 3 (Select the building, provide a solutiding, provide a solutiding, provide a solutiding, provide a solutidity, provide a solution to that used for as appropriate, to do on/Comments	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram spec- the BFE. Show field me current the datum conv the elevation reference (or enclosure) ember (V zones only) quipment pomments area))) within 1 ft. above adja od vents) in C3.h CTION D - SURVEN by a land surveyor, e 3, and C on this certifi	r to the building for which this o with BFE), AR, AR/A, AR/AE, A cified in Item C2. State the datu easurements and datum conver- version. mark used appear on the FIRM <u>3433.</u> 80 ft.(m) <u>3434.</u> 55 ft.(m) <u>3439.</u> 5 ft.(m) <u>3439.</u> 5 ft.(m) <u>3439.</u> 6 ft.(m) cent grade ft.(m) <u>3439.</u> 6 ft.(m) cent grade 	R/A1-A30, AR/AH, / Im used. If the datur rsion calculation. U In Image: If the datur In Image: Image	AR/AO n is different from se the space pro- set the space pro- age of the space pro- a	the datum used for the BFE in wided or the Comments area of USE CATE NO WARTIN T. ETCHEVERRYO Resoned 6 10 10 10 10 10 10 10 10 10 10 10 10 10
 Building Diagram Number accurately represents the 3. Elevations – Zones A1-A3 Complete Items C3a-i bo Section B, convert the dal Section D or Section G, a Datum Conversion Elevation reference mark o a) Top of bottom floor (o b) Top of next higher file o c) Bottom of lowest hor o d) Attached garage (to o e) Lowest elevation of servicing the buildi o f) Lowest adjacent (fini o g) Highest adjacent (fini o g) Highest adjacent (fini o h) No. of permanent op o i) Total area of all perm This certification is to be s I certify that the information I understand that any fals 	r 3 (Select the building, provide a solutiding, provide a solutiding, provide a solutiding, provide a solution to that used for as appropriate, to do on/Comments	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram spec- the BFE. Show field me current the datum conv the elevation reference (or enclosure) ember (V zones only) quipment pomments area))) within 1 ft. above adja od vents) in C3.h CTION D - SURVEN by a land surveyor, e 3, and C on this certifi	r to the building for which this o with BFE), AR, AR/A, AR/AE, A cified in Item C2. State the datu easurements and datum conver- version. mark used appear on the FIRM <u>3433.</u> 80 ft.(m) <u>3434.</u> 55 ft.(m) <u></u>	R/A1-A30, AR/AH, / m used. If the datur rsion calculation. U /? [X] Yes [] N /? [X] Yes [] N CHITECT CERTIF zed by law to cert orts to interpret the I.S. Code, Section	AR/AO n is different from se the space prov est person page of the space prov est person page of the space prov est person page of the space prov est person transformed by the space provided by the space provid	the datum used for the BFE in wided or the Comments area of
 Building Diagram Number accurately represents the 3. Elevations – Zones A1-A3 Complete Items C3a-i bo Section B, convert the dal Section D or Section G, a Datum Conversion Elevation reference mark o a) Top of bottom floor (o b) Top of next higher file o c) Bottom of lowest hor o d) Attached garage (to o e) Lowest elevation of servicing the buildi o f) Lowest adjacent (fini o g) Highest adjacent (fini o g) Highest adjacent (fini o h) No. of permanent op o i) Total area of all perm This certification is to be s I certify that the information I understand that any fals 	r 3 (Select the building, provide a solutiding, provide a solutiding, provide a solutiding, provide a solutidity, provide a solution to that used for as appropriate, to do on/Comments	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram spec- the BFE. Show field me current the datum conv the elevation reference (or enclosure) ember (V zones only) quipment pomments area))) within 1 ft. above adja od vents) in C3.h CTION D - SURVEN by a land surveyor, e 3, and C on this certifi	r to the building for which this o with BFE), AR, AR/A, AR/AE, A cified in Item C2. State the datu easurements and datum conver- version. mark used appear on the FIRM <u>3433.</u> 80 ft.(m) <u>3434.</u> 55 ft.(m) <u>3439.</u> 5 ft.(m) <u>3439.</u> 5 ft.(m) <u>3439.</u> 6 ft.(m) cent grade ft.(m) <u>3439.</u> 6 ft.(m) cent grade 	R/A1-A30, AR/AH, / m used. If the datur rsion calculation. U /? [X] Yes [] N /? [X] Yes [] N CHITECT CERTIF zed by law to cert orts to interpret the I.S. Code, Section	AR/AO n is different from se the space pro- set the space pro- age of the space pro- a	the datum used for the BFE in wided or the Comments area of
 Building Diagram Number accurately represents the 3. Elevations – Zones A1-A3 Complete Items C3a-i bo Section B, convert the dal Section D or Section G, a Datum Conversion Elevation reference mark o a) Top of bottom floor (o b) Top of next higher file o c) Bottom of lowest hor o d) Attached garage (to o e) Lowest elevation of servicing the buildi o f) Lowest adjacent (fini o g) Highest adjacent (fini o g) Highest adjacent (fini o h) No. of permanent op o i) Total area of all perm This certification is to be s I certify that the information I understand that any fals 	r 3 (Select the building, provide a solutiding, provide a solutiding, provide a solutiding, provide a solution to that used for as appropriate, to do on/Comments	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram spec- the BFE. Show field me current the datum conv the elevation reference (or enclosure) ember (V zones only) quipment pomments area))) within 1 ft. above adja od vents) in C3.h CTION D - SURVEN by a land surveyor, e 3, and C on this certifi	r to the building for which this o with BFE), AR, AR/A, AR/AE, AI cified in Item C2. State the datu- easurements and datum conver- version. mark used appear on the FIRM <u>3433. 80 ft.(m)</u> <u>3434. 55 ft.(m)</u> <u>3439. 6 ft.(m)</u> <u>3429. 5 ft.(m)</u> <u>3439. 6 ft.(m)</u> <u>3439. 6 ft.(m)</u> cent grade _sq. in. (sq. cm) YOR, ENGINEER, OR ARCO engineer, or architect authori icate represents my best effi- or imprisonment under 18 L	R/A1-A30, AR/AH, / m used. If the datur rsion calculation. U /? [X] Yes [] N /? [X] Yes [] N CHITECT CERTIF zed by law to cert orts to interpret the I.S. Code, Section	AR/AO In is different from se the space prov- entry of the space pr	the datum used for the BFE in wided or the Comments area of MARTIN T. ETCHEVERRYON Basegened 6-10-10-10 pormation.
 Building Diagram Number accurately represents the 3. Elevations – Zones A1-A3 Complete Items C3a-i bo Section B, convert the dal Section D or Section G, a Daturn Conversio Elevation reference mark o a) Top of bottom floor (o b) Top of next higher fil o c) Bottom of lowest hor o d) Attached garage (to o e) Lowest elevation of servicing the buildi o f) Lowest adjacent (fin o g) Highest adjacent (fin o h) No. of permanent op o i) Total area of all perm This certification is to be s I certify that the information I understand that any fals CERTIFIER'S NAME M 	r 3 (Select the building, provide a solutiding, provide a solutiding, provide a solutiding, provide a solution to that used for as appropriate, to do on/Comments	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram spec- the BFE. Show field me current the datum conv the elevation reference (or enclosure) ember (V zones only) quipment pomments area))) within 1 ft. above adja od vents) in C3.h CTION D - SURVEN by a land surveyor, e 3, and C on this certifi	r to the building for which this o with BFE), AR, AR/A, AR/AE, AI cified in Item C2. State the datu- easurements and datum conver- version. mark used appear on the FIRM <u>3433. 80 ft.(m)</u> <u>3434. 55 ft.(m)</u> <u>3439. 6 ft.(m)</u> <u>3429. 5 ft.(m)</u> <u>3439. 6 ft.(m)</u> <u>3439. 6 ft.(m)</u> cent grade _sq. in. (sq. cm) YOR, ENGINEER, OR ARCO engineer, or architect authori icate represents my best effi- or imprisonment under 18 L	R/A1-A30, AR/AH, / m used. If the datur rsion calculation. U /? [X] Yes [] N /? [X] Yes [] N //? [X] Yes []	AR/AO In is different from se the space prov- entry of the space pr	a the datum used for the BFE in wided or the Comments area of
 Building Diagram Number accurately represents the 3. Elevations – Zones A1-A3 Complete Items C3a-i b Section B, convert the dal Section D or Section G, a Datum Conversion Elevation reference mark o a) Top of bottom floor (o b) Top of next higher fli o c) Bottom of lowest hou o d) Attached garage (lo o e) Lowest elevation of servicing the buildi o f) Lowest elevation of servicing the buildi o f) Lowest adjacent (fini o g) Highest adjacent (fini o g) Highest adjacent (fini o g) Highest adjacent (fini o h) No. of permanent op o i) Total area of all perm This certification is to be s I certify that the information I understand that any fails CERTIFIER'S NAME M TITLE R.L.S. ADDRESS 	r 3 (Select the building, provide a solutiding, provide a solutiding, provide a solutiding, provide a solution to that used for as appropriate, to do on/Comments	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram spec- the BFE. Show field me current the datum conv the elevation reference (or enclosure) ember (V zones only) quipment pomments area))) within 1 ft. above adja od vents) in C3.h CTION D - SURVEN by a land surveyor, e 3, and C on this certifi	r to the building for which this o with BFE), AR, AR/A, AR/AE, A cified in Item C2. State the datu easurements and datum conver- version. mark used appear on the FIRM <u>3433. 80 ft (m)</u> <u>3434. 55 ft (m)</u> <u> ft (m)</u> <u>3429. 5 ft (m)</u> <u>3439. 6 ft (m)</u> cent grade ft.(m) <u>3439. 6 ft (m)</u> cent grade 	R/A1-A30, AR/AH, / m used. If the datur rsion calculation. U /? [X] Yes [] N /? [X] Yes [] N //? [X] Yes []	AR/AO In is different from se the space prov- entry of the space pr	the datum used for the BFE in wided or the Comments area of <u>WEED LAND SUP</u> (Street LAND SUP (Street Control of Super- alignment of Super- market of Super- market of Super- market of Super- super- promation.
Building Diagram Number accurately represents the accurately represents the accurately represents the accurately represents the accurately represents the section B, convert the dal Section D or Section G, a Datum Conversion Elevation reference mark o a) Top of bottom floor (o b) Top of bottom floor (o b) Top of next higher file o c) Bottom of lowest hour o d) Attached garage (to o e) Lowest elevation of servicing the buildi o f) Lowest adjacent (fini o g) Highest adjacent (fini o h) No. of permanent op o i) Total area of all perm This certification is to be s I certify that the information I understand that any fals CERTIFIER'S NAME M TITLE RLS.	r 3 (Select the building, provide a solutiding, provide a solutiding, provide a solutiding, provide a solution to that used for as appropriate, to do on/Comments	sketch or photograph.) BFE), VE, V1-V30, V (w e building diagram spec- the BFE. Show field me current the datum conv the elevation reference (or enclosure) ember (V zones only) quipment pomments area))) within 1 ft. above adja od vents) in C3.h CTION D - SURVEN by a land surveyor, e 3, and C on this certifi	r to the building for which this o rith BFE), AR, AR/A, AR/AE, Al cified in Item C2. State the datu easurements and datum conver- version. mark used appear on the FIRM <u>3433.80 ft.(m)</u> <u>3434.55 ft.(m)</u> <u>3439.5 ft.(m)</u> <u>3439.5 ft.(m)</u> <u>3439.6 ft.(m)</u> cent grade	R/A1-A30, AR/AH, / m used. If the datur rsion calculation. U /? [X] Yes [] N /? [X] Yes [] N //? [X] Yes []	AR/AO In is different from se the space pro- perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception perception percep	a the datum used for the BFE in wided or the Comments area of

MPORTANT: In these spaces, copy the conunding information from Section A. NULDING STREET ADDRESS (Including Apt, Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO. Iohn Dennis Carry STATE Az SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and COMMENTS Building is Building is Built into the Side & A Faire disfance		For Insurance Company Use: Policy Number Company NAIC Number
Intry STATE Conville Az SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, an	86325 CERTIFICATION (CONTINUED	Company NAIC Number
Conville Az SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, an	86325 CERTIFICATION (CONTINUED	
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, an	CERTIFICATION (CONTINUED)}
Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, an		
NAMENTO		
3 A Fave distance from the Creek	e DF A Nostu bottom	ral Slope
The attached Photo Shows a side U	Lew of the Ho	
		Check here if attachme
SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUI		
r Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevation Certificate is inte	ended for use as supporting informati	ion for a LOMA or LOMIK-F,
ction C must be completed.		
. Building Diagram Number_(Select the building diagram most similar to the building for which this ce	artificate is being completed - see par	ges 6 and 7. If no diagram accurat
	5 1 1 5	,
represents the building, provide a sketch or photograph.)		
. The top of the bottom floor (including basement or enclosure) of the building isft.(m)in.(om)	_ above or _ below (check one)	the highest adjacent grade. (Use
natural grade, if available).		
	and b) of the building in the factor	(am) about the highest adjacent
8. For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation	un b) of the building is(m)(n	non acone me uidnest adiaceut
grade. Complete items C3.h and C3.i on front of form.		
I. The top of the platform of machinery and/or equipment servicing the building isft.(m)in.(cm) [above or below (check one)	the highest adjacent grade. (Use
		and might and
natural grade, if available).		
i. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in acc	cordance with the community's floodp	plain management ordinance?
Yes No Unknown. The local official must certify this information in Section G.		
		41
SECTION F - PROPERTY OWNER (OR OWNER'S REPR		
The property owner or owner's authorized representative who completes Sections A, B, C (Items C3.h.	and C3.i only), and E for Zone A (with	hout a FEMA-issued or communit
ssued BFE) or Zone AO must sign here. The statements in Sections A, B, C, and E are correct to the	best of my knowledge.	
PROPERTY OWNERS OF OWNERS A UTLODITED REPORT FUTURE NAME		
PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME		
	0	700005
ADDRESS CITY	STAT	E ZIP CODE
	TELE	
DATE	IELE	PHONE
COMMENTS		
		Check here if attachme
SECTION G - COMMUNITY INFORMATI	ION (OPTIONAL)	
ne local official who is authorized by law or ordinance to administer the community's floodplain manage		ons A. B. C. (or E) and G of this Ele
	sherit ordinarios can complete occue	
ertificate. Complete the applicable item(s) and sign below.		
1. The information in Section C was taken from other documentation that has been signed and em	bossed by a licensed surveyor, engin	neer, or architect who is authorized
or local law to certify elevation information. (Indicate the source and date of the elevation data in		
2. A community official completed Section E for a building located in Zone A (without a FEMA-issue	ed or community-issued BFE) or Zon	ne AO.
3. \Box The following information (Items G4-G9) is provided for community floodplain management purp	N0C3.	
	G6. DATE CERTIFICATE OF COM	PLIANCE/OCCUPANCY ISSUED
34 PERMIT NUMBER		
G4. PERMIT NUMBER G5. DATE PERMIT ISSUED		
G4. PERMIT NUMBER G5. DATE PERMIT ISSUED 7. This permit has been issued for: New Construction Substantial Improvement		O 1
7. This permit has been issued for: New Construction Substantial Improvement	ft.(m)	Datum:
7. This permit has been issued for: New Construction Substantial Improvement 8. Elevation of as-built lowest floor (including basement) of the building is:	ft.(m)	
 7. This permit has been issued for: New Construction Substantial Improvement 8. Elevation of as-built lowest floor (including basement) of the building is: 9. BFE or (in Zone AO) depth of flooding at the building site is: 	ft.(m)	Datum: Datum:
7. This permit has been issued for: New Construction Substantial Improvement 8. Elevation of as-built lowest floor (including basement) of the building is: 9. BFE or (in Zone AO) depth of flooding at the building site is: LOCAL OFFICIAL'S NAME	ft.(m)	
7. This permit has been issued for: New Construction Substantial Improvement 8. Elevation of as-built lowest floor (including basement) of the building is: 9. BFE or (in Zone AO) depth of flooding at the building site is: LOCAL OFFICIAL'S NAME	ft.(m)	
7. This permit has been issued for: New Construction Substantial Improvement 8. Elevation of as-built lowest floor (including basement) of the building is: 9. BFE or (in Zone AO) depth of flooding at the building site is: LOCAL OFFICIAL'S NAME T COMMUNITY NAME T	ft.(m)	
7. This permit has been issued for: New Construction Substantial Improvement 8. Elevation of as-built lowest floor (including basement) of the building is: 9. BFE or (in Zone AO) depth of flooding at the building site is: LOCAL OFFICIAL'S NAME T COMMUNITY NAME T	ITTLE TELEPHONE	

Check here if attachments



DSC02044-5. JP9