ELEVATION CERTIFICATE

IMPORTANT: Follow the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

SECTI	ON A - PROPERTY IN	NFORMATION	FOR INSURAN	CE COMPANY USE
			Policy Number:	
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or PO. Route and Box No. 650 N. Page Springs Rd.			Company NAIC N	
City Cornville		^e AZ	ZIP Code 863	25
A3. Property Description (Lot and Block Numbers, Tax Parcel APN #407-33-005B				······
 A4. Building Use (e.g., Residential, Non-Residential, Addition A5. Latitude/Longitude: Lat. 34.44.40.8 A6. Attach at least 2 photographs of the building if the Certi A7. Building Diagram Number 3 	Long. 111 53 22.5	Horiz	rontal Datum: 🗌 NA	D 1927 🗷 NAD 1983
A8. For a building with a crawlspace or enclosure(s):a) Square footage of crawlspace or enclosure(s)	N/A sq ft	A9. For a building with	an attached garage: e of attached garage	
 b) No. of permanent flood openings in the crawlspace of enclosure(s) within 1.0 foot above adjacent grade 	^{or} <u>N/A</u>	b) Number of per	00	s in the attached garage
c) Total net area of flood openings in A8.b d) Engineered flood openings? 📋 Yes 🛛 No	<u>N/A</u> sq in	c) Total net aread) Engineered flo	of flood openings in A od openings?	_
SECTION B - FLOOI	D INSURANCE RATE	MAP (FIRM) INFOR	MATION	
B1. NFIP Community Name & Community Number unincorporated Yavapai County #040093	B2. County Nam YAVAPAI	ne		B3. State AZ
B4. Map/Panel Number B5. Suffix B6. FIRM Index	Date B7. FIRM Panel Revised Dat	te	Zone(s) B9. Base A0, us	Flood Elevation(s) (Zone se base flood depth)
040251785 G 09/03/201		I	2	3415.7
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: Image:				
SECTION C - BUILDIN	G ELEVATION INFORM	MATION (SURVEY R	EQUIRED)	. , , , , , , , , , , , , , , , , , , ,
C1. Building elevations are based on: Construction Drawings* Building Under Construction* X new Elevation Certificate will be required when construction of the building is complete.				
		•		
 *A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specifie 	ruction of the building is c –V30, V (with BFE), AR, AF d in Item A7. In Puerto Riv	complete. R/A, AR/AE, AR/A1–A3C co only, enter meters.	, AR/AH, AR/AO. Com	
 *A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specifie Benchmark Utilized: PAGE SPRINGS DH5791 Indicate elevation datum used for the elevations in item 	ruction of the building is c –V30, V (with BFE), AR, AF d in Item A7. In Puerto Ri ––––––––––––––––––––––––––––––––––––	complete. R/A, AR/AE, AR/A1–A3C co only, enter meters. Datum: <u>3639.1 (NAV</u>	, AR/AH, AR/AO. Com D 1988)	nplete Items
 *A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specifie Benchmark Utilized: PAGE SPRINGS DH5791 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same and 	ruction of the building is c -V30, V (with BFE), AR, AF d in Item A7. In Puerto Ri 	complete. R/A, AR/AE, AR/A1–A3C co only, enter meters. Datum: <u>3639.1 (NAV</u>] NGVD 1929 ⊠ NAVD Check	, AR/AH, AR/AO. Corr D 1988) 1988 □ Other/Sour the measurement us	nplete Items
 *A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specifie Benchmark Utilized: PAGE SPRINGS DH5791 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace, 	ruction of the building is c -V30, V (with BFE), AR, AF d in Item A7. In Puerto Riu 	complete. R/A, AR/AE, AR/A1–A3C co only, enter meters. Datum: <u>3639.1 (NAV</u>] NGVD 1929 ⊠ NAVD Check <u>416</u> . <u>48</u>	AR/AH, AR/AO. Com D 1988) 1988 Other/Sour the measurement us feet	nplete Items
 *A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specifie Benchmark Utilized: PAGE SPRINGS DH5791 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same and 	ruction of the building is c -V30, V (with BFE), AR, AF d in Item A7. In Puerto Ri 	complete. R/A, AR/AE, AR/A1–A3C co only, enter meters. Datum: <u>3639.1 (NAV</u>] NGVD 1929 ⊠ NAVD Check <u>416</u> . <u>48</u> 416. <u>91</u>	, AR/AH, AR/AO. Corr D 1988) 1988 □ Other/Sour the measurement us	nplete Items
 *A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specifie Benchmark Utilized: PAGE SPRINGS DH5791 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a: a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor 	ruction of the building is c -V30, V (with BFE), AR, AF d in Item A7. In Puerto Ri- vertical s a) through h) below. s that used for the BFE. or enclosure floor) <u>3</u> Zones only) <u>3</u>	complete. R/A, AR/AE, AR/A1–A3C co only, enter meters. Datum: <u>3639.1 (NAV</u>] NGVD 1929 ⊠ NAVD Check <u>416</u> . <u>48</u> <u>416</u> . 91 <u>N/A</u> .	AR/AH, AR/AO. Com D 1988) 1988 Other/Source the measurement us feet	nplete Items
 *A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specifie Benchmark Utilized: <u>PAGE SPRINGS DH5791</u> Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commer 	ruction of the building is c -V30, V (with BFE), AR, AF d in Item A7. In Puerto Ris 	complete. R/A, AR/AE, AR/A1–A3C co only, enter meters. Datum: 3639.1 (NAV) INGVD 1929 NAVD Check 416 91 N/A	AR/AH, AR/AO. Com D 1988 1988 Other/Source the measurement us feet meters feet meters feet meters feet meters feet meters feet meters feet meters feet meters	nplete Items
 *A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specifie Benchmark Utilized: <u>PAGE SPRINGS DH5791</u> Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commer f) Lowest adjacent (finished) grade next to building (LAC 	ruction of the building is c -V30, V (with BFE), AR, AF d in Item A7. In Puerto Rii 	complete. R/A, AR/AE, AR/A1–A3C co only, enter meters. Datum: 3639.1 (NAV NGVD 1929 NAVD Check 416 91 N/A	AR/AH, AR/AO. Com D 1988 D ther/Source the measurement us feet meters feet meters feet meters feet meters feet meters feet meters feet meters feet meters	nplete Items
 *A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specifie Benchmark Utilized: <u>PAGE SPRINGS DH5791</u> Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commer 	ruction of the building is c -V30, V (with BFE), AR, AF d in Item A7. In Puerto Rii 	complete. R/A, AR/AE, AR/A1–A3C co only, enter meters. Datum: <u>3639.1 (NAV</u>] NGVD 1929 ⊠ NAVD 416 91 N/A	AR/AH, AR/AO. Com D 1988 1988 Other/Source the measurement us feet meters feet meters feet meters feet meters feet meters feet meters feet meters feet meters	nplete Items
 *A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specifie Benchmark Utilized: <u>PAGE SPRINGS DH5791</u> Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a: a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commer f) Lowest adjacent (finished) grade next to building (LAG g) Highest adjacent grade at lowest elevation of deck or structural support 	ruction of the building is c -V30, V (with BFE), AR, AF d in Item A7. In Puerto Rin 	complete. R/A, AR/AE, AR/A1–A3C co only, enter meters. Datum: 3639.1 (NAV) INGVD 1929 NAVD Check 416 91 N/A	AR/AH, AR/AO, Com D 1988) 1988 Other/Source the measurement us feet meters feet meters	nplete Items
 *A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specifie Benchmark Utilized: <u>PAGE SPRINGS DH5791</u> Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a: a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commer f) Lowest adjacent (finished) grade next to building (LAG g) Highest adjacent grade at lowest elevation of deck or structural support 	ruction of the building is c -V30, V (with BFE), AR, AF d in Item A7. In Puerto Riv 	complete. R/A, AR/AE, AR/A1–A3C co only, enter meters. Datum: 3639.1 (NAV) INGVD 1929 NAVD 416 91 N/A	AR/AH, AR/AO, Com D 1988) 1988 Other/Source the measurement us feet meters feet meters	nplete Items
 *A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specifie Benchmark Utilized: <u>PAGE SPRINGS DH5791</u> Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a: a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commer f) Lowest adjacent (finished) grade next to building (LAG g) Highest adjacent grade at lowest elevation of deck or structural support 	ruction of the building is c -V30, V (with BFE), AR, AF d in Item A7. In Puerto Rin 	complete. R/A, AR/AE, AR/A1–A3C co only, enter meters. Datum: 3639.1 (NAV) INGVD 1929 NAVD Check 416 91 N/A	AR/AH, AR/AO, Com D 1988) 1988 Other/Source the measurement us feet meters feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet	nplete Items
 *A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specifie Benchmark Utilized: <u>PAGE SPRINGS DH5791</u> Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commer f) Lowest adjacent (finished) grade next to building (LAC g) Highest adjacent grade at lowest elevation of deck or structural support ECTION D – SURVE This certification is to be signed and sealed by a land surveyou information. <i>I certify that the information on this Certificate reput understand that any false statement may be punishable by find.</i> Check here if comments are provided on back of form. Check here if attachments.	ruction of the building is c -V30, V (with BFE), AR, AF d in Item A7. In Puerto Rin 	complete. R/A, AR/AE, AR/A1–A3C co only, enter meters. Datum: 3639.1 (NAV) INGVD 1929 NAVD Check 416 91 N/A	AR/AH, AR/AO, Com D 1988) 1988 Other/Source the measurement us feet meters feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet	nplete Items rce: sed.
 *A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specifie Benchmark Utilized: <u>PAGE SPRINGS DH5791</u> Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a: a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commer f) Lowest adjacent (finished) grade next to building (LAG g) Highest adjacent (finished) grade next to building (LAG g) Highest adjacent grade at lowest elevation of deck or structural support SECTION D – SURVE This certification is to be signed and sealed by a land surveyou information. <i>I certify that the information on this Certificate rep</i> <i>understand that any false statement may be punishable by find</i> . Certifier's Name Timothy L. Hammes	ruction of the building is c -V30, V (with BFE), AR, AF d in Item A7. In Puerto Riv Vertical s a) through h) below. s that used for the BFE. or enclosure floor) <u>3</u> Zones only) <u>3</u> g the building <u>3</u> its) <u>3</u> G) <u>3</u> stairs, including <u>3</u> try, engineer, or architect au resents my best efforts to e or imprisonment under 1 Were latitude and longitu licensed land surveyor?	complete. R/A, AR/AE, AR/A1–A3C co only, enter meters. Datum: 3639.1 (NAV) INGVD 1929 NAVD Check 416 91 N/A	AR/AH, AR/AO, Com D 1988) 1988 Other/Source the measurement us feet meters feet feet feet feet feet feet feet feet	nplete Items
 *A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specifie Benchmark Utilized: <u>PAGE SPRINGS DH5791</u> Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commer f) Lowest adjacent (finished) grade next to building (LAC g) Highest adjacent (finished) grade next to building (HA h) Lowest adjacent grade at lowest elevation of deck or structural support This certification is to be signed and sealed by a land surveyou information. <i>I certify that the information on this Certificate rep</i> <i>I understand that any false statement may be punishable by find</i> . Check here if attachments. Certifier's Name Title President Address	ruction of the building is c -V30, V (with BFE), AR, AF d in Item A7. In Puerto Ri- vertical s a) through h) below. s that used for the BFE. or enclosure floor) 3 Zones only) 3 g the building 3 G) 3 G) 3 G) 3 stairs, including YOR, ENGINEER, OR r, engineer, or architect au resents my best efforts to be or imprisonment under 1 Were latitude and longitu licensed land surveyor? Company Name Hammes Surveying I City	complete. R/A, AR/AE, AR/A1–A3C co only, enter meters. Datum: 3639.1 (NAV) INGVD 1929 NAVD Check 416 91 N/A	AR/AH, AR/AO. Com D 1988) 1988 Other/Source Steet meters Steet meter	nplete Items rce: sed.
 *A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specifie Benchmark Utilized: <u>PAGE SPRINGS DH5791</u> Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a: a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commer f) Lowest adjacent (finished) grade next to building (LAG g) Highest adjacent grade at lowest elevation of deck or structural support SECTION D – SURVE This certification is to be signed and sealed by a land surveyou nformation. <i>I certify that the information on this Certificate rep</i> <i>understand that any false statement may be punishable by find</i> . Check here if comments are provided on back of form. Certifier's Name Tittle President	ruction of the building is c -V30, V (with BFE), AR, AF d in Item A7. In Puerto Rin Vertical s a) through h) below. s that used for the BFE. or enclosure floor) <u>3</u> Zones only) <u>3</u> g the building <u>3</u> its) <u>3</u> G) <u>3</u> stairs, including <u>3</u> try, engineer, or architect au resents my best efforts to e or imprisonment under 1 Were latitude and longitu licensed land surveyor? Company Name Hammes Surveying I	complete. R/A, AR/AE, AR/A1–A3C co only, enter meters. Datum: 3639.1 (NAV) INGVD 1929 NAVD Check 416 48 416 91 N/A	AR/AH, AR/AO. Com D 1988) 1988 Other/Source Steet meters Steet meter	nplete Items rce: sed.

ut FEMA Form 086-0-33 (7/12) aun

Replaces all previous editions.

ELEVATION CERTIFICATE, page 2

IMPORTANT: In these spaces, copy the corre	sponding information from Sec	tion A.	FOR INSURANCE COMPANY USE				
Building Street Address (including Apt., Unit, S 650 N. Page Springs Rd.	· · · · · · · · · · · · · · · · · · ·						
City Cornville	State AZ	ZIP Code 86325	Company NAIC Number:				
SECTION D - S	SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)						
Copy both sides of this Elevation Certificate for	or (1) community official, (2) insu	rance agent/co	ompany, and (3) building owner.				
Comments Lowest elevation for machiner Base flood elevation was prov		od Control Di	strict.				
Signature Titte L. Ho	www	Date 12/1	3/2013				
SECTION E - BUILDING ELEVATION	N INFORMATION (SURVEY	NOT REQUI	RED) FOR ZONE AO AND ZONE A (WITHOUT BFE)				
For Items E1–E4, use natural grade, if availabl	e. Check the measurement use	d. In Puerto Ric	oport a LOMA or LOMR-F request, complete Sections A, B,and C. o only, enter meters. whether the elevation is above or below the highest adjacent				
grade (HAG) and the lowest adjacent grade	e (LAG).						
a) Top of bottom floor (including basement			☐ feet ☐ meters ☐ above or ☐ below the HAG.				
 b) Top of bottom floor (including basement E2. For Building Diagrams 6–9 with permanent 		tion A Items 8					
the next higher floor (elevation C2.b in the			feet meters above or below the HAG.				
E3. Attached garage (top of slab) is			feet meters above or below the HAG.				
E4. Top of platform of machinery and/or equip	ment servicing the building is		feet meters above or below the HAG.				
E5. Zone AO only: If no flood depth number is		m floor eievate	d in accordance with the community's floodplain management				
SECTION F - P	ROPERTY OWNER (OR OW	NER'S REPI	RESENTATIVE) CERTIFICATION				
The property owner or owner's authorized repr Zone AO must sign here. The statements in Se			for Zone A (without a FEMA-issued or community-issued BFE) or y knowledge.				
Property Owner or Owner's Authorized Represe	entative's Name						
Address		City	State ZIP Code				
Signature		Date	Telephone				
Comments							
			Check here if attachments.				
	SECTION G - COMMUNITY	INFORMATI	ON (OPTIONAL)				
The local official who is authorized by law or ord G of this Elevation Certificate. Complete the ap	linance to administer the commu plicable item(s) and sign below. (nity's floodplain Check the meas	management ordinance can complete Sections A, B, C (or E), and urement used in Items G8–G10. In Puerto Rico only, enter meters.				
who is authorized by law to certify el	evation information. (Indicate th	ne source and	igned and sealed by a licensed surveyor, engineer, or architect date of the elevation data in the Comments area below.)				
G2. C A community official completed Section G3. The following information (Items G4–	-		FEMA-issued or community-issued BFE) or Zone AO. agement purposes.				
G4. Permit Number	G5. Date Permit Issued		G6. Date Certificate Of Compliance/Occupancy Issued				
G7. This permit has been issued for:	lew Construction	tial Improveme					
G8. Elevation of as-built lowest floor (includin			_				
G9. BFE or (in Zone AO) depth of flooding at t	the building site:						
G10. Community's design flood elevation:			_				
Local Official's Name		Title					
Community Name		Telephone					
Signature		Date					
Comments							

-

Check here if attachments.

BUILDING PHOTOGRAPHS

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt.	, Unit, Suite, and/or Bldg. No.) or PC	D. Route and Box No.	Policy Number:
City	State	ZIP Code	Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



407-33-005B FRONT



407-33-005B LEFT



407-33-005B LEFT-1



407-33-005B REAR

BUILDING PHOTOGRAPHS

Continuation Page

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Ur	it, Suite, and/or Bldg. No.) or PO	D. Route and Box No.	Policy Number:
City	State	ZIP Code	Company NAIC Number:

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



407-33-005B REAR-1



407-33-005B RIGHT