

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.



Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

| SECTION A – PROPERTY INFORMATION | | | | FOR INSURANCE COMPANY USE | |
|---|------------------|-----------------------------------|--|---------------------------|---|
| A1. Building Owner's Name Alonzo & Griselda Gonzalez | | | | Policy Number: | |
| A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 10225 E Creekside Drive | | | | Company NAIC Number: | |
| City Cornville | State Arizona | ZIP Code 86325 | | | |
| A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Yavapai County APN#: 407-34-116 | | | | | |
| A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) <u>Residential</u> | | | | | |
| A5. Latitude/Longitude: Lat. <u>34°44'40.24"N</u> Long. <u>111°54'51.82"W</u> Horizontal Datum: <input type="checkbox"/> NAD 1927 <input checked="" type="checkbox"/> NAD 1983 | | | | | |
| A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. | | | | | |
| A7. Building Diagram Number <u>6</u> | | | | | |
| A8. For a building with a crawlspace or enclosure(s): | | | | | |
| a) Square footage of crawlspace or enclosure(s) <u>143.55</u> sq ft | | | | | |
| b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade <u>4</u> | | | | | |
| c) Total net area of flood openings in A8.b <u>524.16</u> sq in | | | | | |
| d) Engineered flood openings? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | | | | |
| A9. For a building with an attached garage: | | | | | |
| a) Square footage of attached garage <u>0</u> sq ft | | | | | |
| b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade <u>0</u> | | | | | |
| c) Total net area of flood openings in A9.b <u>0</u> sq in | | | | | |
| d) Engineered flood openings? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | | | | |
| SECTION B – FLOOD INSURANCE RATE MAP (FIRM) INFORMATION | | | | | |
| B1. NFIP Community Name & Community Number Yavapai County #040093 | | | B2. County Name Yavapai | | B3. State Arizona |
| B4. Map/Panel Number 04025C1785 | B5. Suffix G | B6. FIRM Index Date 10/16/2015 | B7. FIRM Panel Effective/ Revised Date 09/03/2010 | B8. Flood Zone(s) AE | B9. Base Flood Elevation(s) (Zone AO, use Base Flood Depth) 3365.0 |
| B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: <input checked="" type="checkbox"/> FIS Profile <input type="checkbox"/> FIRM <input type="checkbox"/> Community Determined <input type="checkbox"/> Other/Source: _____ | | | | | |
| B11. Indicate elevation datum used for BFE in Item B9: <input type="checkbox"/> NGVD 1929 <input checked="" type="checkbox"/> NAVD 1988 <input type="checkbox"/> Other/Source: _____ | | | | | |
| B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Designation Date: _____ <input type="checkbox"/> CBRS <input type="checkbox"/> OPA | | | | | |

ELEVATION CERTIFICATE

OMB No. 1660-0008
Expiration Date: November 30, 2018

| | | | |
|--|------------------|-------------------|----------------------------------|
| IMPORTANT: In these spaces, copy the corresponding information from Section A. | | | FOR INSURANCE COMPANY USE |
| Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 10225 E Creekside Drive | | | Policy Number: |
| City Cornville | State Arizona | ZIP Code 86325 | Company NAIC Number |

SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction

*A new Elevation Certificate will be required when construction of the building is complete.

C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.

Benchmark Utilized: OPUS Report (see attached) Vertical Datum: NAVD 1988

Indicate elevation datum used for the elevations in items a) through h) below.

NGVD 1929 NAVD 1988 Other/Source: _____

Datum used for building elevations must be the same as that used for the BFE.

Check the measurement used.

- | | | | |
|---|----------------|--|---------------------------------|
| a) Top of bottom floor (including basement, crawlspace, or enclosure floor) | <u>3357.60</u> | <input checked="" type="checkbox"/> feet | <input type="checkbox"/> meters |
| b) Top of the next higher floor | <u>3366.76</u> | <input checked="" type="checkbox"/> feet | <input type="checkbox"/> meters |
| c) Bottom of the lowest horizontal structural member (V Zones only) | <u>N/A</u> | <input checked="" type="checkbox"/> feet | <input type="checkbox"/> meters |
| d) Attached garage (top of slab) | <u>N/A</u> | <input checked="" type="checkbox"/> feet | <input type="checkbox"/> meters |
| e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) | <u>3357.60</u> | <input checked="" type="checkbox"/> feet | <input type="checkbox"/> meters |
| f) Lowest adjacent (finished) grade next to building (LAG) | <u>3357.1</u> | <input checked="" type="checkbox"/> feet | <input type="checkbox"/> meters |
| g) Highest adjacent (finished) grade next to building (HAG) | <u>3357.31</u> | <input checked="" type="checkbox"/> feet | <input type="checkbox"/> meters |
| h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support | <u>3355.73</u> | <input checked="" type="checkbox"/> feet | <input type="checkbox"/> meters |

SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

Were latitude and longitude in Section A provided by a licensed land surveyor? Yes No Check here if attachments.

| | | |
|----------------------------------|--------------------------------|-----------------------------|
| Certifier's Name Mark J. Farr | License Number AZ RLS 40829 | |
| Title Vice President | | |
| Company Name SEC, Inc. | | |
| Address 825 Cove Parkway | | |
| City Cottonwood | State Arizona | |
| Signature | Date 12/27/2016 | Telephone (928) 634-5889 |

EXPIRES ON
06/30/2019

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

Comments (including type of equipment and location, per C2(e), if applicable)

The elevation shown on C2e. is the bottom of a natural gas water heater in the enclosure floor.
The elevation shown on C2b. is for the finished living space.

BUILDING PHOTOGRAPHS

See Instructions for Item A6.

OMB No. 1660-0008
Expiration Date: November 30, 2018

ELEVATION CERTIFICATE

| | | | |
|--|------------------|-------------------|----------------------------------|
| IMPORTANT: In these spaces, copy the corresponding information from Section A. | | | FOR INSURANCE COMPANY USE |
| Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 10225 E Creekside Drive | | | Policy Number: |
| City Cornville | State Arizona | ZIP Code 86325 | Company NAIC Number |

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption Front View taken 12-23-2016



Photo Two

Photo Two Caption Rear View taken 12-23-2016

BUILDING PHOTOGRAPHS

Continuation Page

OMB No. 1660-0008
Expiration Date: November 30, 2018

ELEVATION CERTIFICATE

| | | | |
|--|------------------|-------------------|----------------------------------|
| IMPORTANT: In these spaces, copy the corresponding information from Section A. | | | FOR INSURANCE COMPANY USE |
| Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 10225 E Creekside Drive | | | Policy Number: |
| City Cornville | State Arizona | ZIP Code 86325 | Company NAIC Number |

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo One

Photo One Caption Flood Vent (typical) taken 12-23-2016



Photo Two

Photo Two Caption Left Side View taken 12-23-2016

FILE: 47400570.16o OP1456756339312

NGS OPUS SOLUTION REPORT

=====

All computed coordinate accuracies are listed as peak-to-peak values.

For additional information: <http://www.ngs.noaa.gov/OPUS/about.jsp#accuracy>

USER: eburke@sec-landmgt.com DATE: February 29, 2016
RINEX FILE: 4740057q.16o TIME: 14:32:55 UTC

SOFTWARE: page5 1209.04 master53.pl 022814 START: 2016/02/26 16:58:00
EPHEMERIS: igr18855.eph [rapid] STOP: 2016/02/26 19:31:00
NAV FILE: brdc0570.16n OBS USED: 5241 / 5856 : 89%
ANT NAME: TRM5800 NONE # FIXED AMB: 33 / 38 : 87%
ARP HEIGHT: 1.705 OVERALL RMS: 0.016(m)

REF FRAME: NAD_83(2011)(EPOCH:2010.0000) IGS08 (EPOCH:2016.1551)

| | | | | |
|----|-----------------|----------|-----------------|----------|
| X: | -1958476.633(m) | 0.033(m) | -1958477.469(m) | 0.033(m) |
| Y: | -4868244.034(m) | 0.022(m) | -4868242.688(m) | 0.022(m) |
| Z: | 3615226.576(m) | 0.018(m) | 3615226.444(m) | 0.018(m) |

| | | | | |
|------------|-----------------|----------|------------------------------------|----------|
| LAT: | 34 44 42.00265 | 0.019(m) | 34 44 42.01646 | 0.019(m) |
| E LON: | 248 5 6.93146 | 0.028(m) | 248 5 6.88122 | 0.028(m) |
| W LON: | 111 54 53.06854 | 0.028(m) | 111 54 53.11878 | 0.028(m) |
| EL HGT: | 998.077(m) | 0.032(m) | 997.232(m) | 0.032(m) |
| ORTHO HGT: | 1023.546(m) | 0.057(m) | [NAVD88 (Computed using GEOID12B)] | |

UTM COORDINATES STATE PLANE COORDINATES

UTM (Zone 12) SPC (0202 AZ C)

| | | |
|-----------------------|-------------|------------|
| Northing (Y) [meters] | 3845146.163 | 415287.877 |
| Easting (X) [meters] | 416268.965 | 213536.293 |
| Convergence [degrees] | -0.52136429 | 0.00109734 |
| Point Scale | 0.99968641 | 0.99990000 |
| Combined Factor | 0.99952981 | 0.99974337 |

US NATIONAL GRID DESIGNATOR: 12SVD1626845146(NAD 83)

BASE STATIONS USED

| PID | DESIGNATION | LATITUDE | LONGITUDE | DISTANCE(m) |
|--------|-----------------------------|-------------|--------------|-------------|
| DJ8983 | FST6 FLAGSTAFF 6 CORS ARP | N351317.500 | W1114902.782 | 53632.5 |
| DL1882 | AZFL NAU FLAGSTAFF CORS ARP | N351038.301 | W1113925.290 | 53448.3 |
| DL6010 | AZSV STAR VALLEY CORS ARP | N341553.968 | W1111425.809 | 81681.7 |

NEAREST NGS PUBLISHED CONTROL POINT

| | | | | |
|--------|------|----------|-----------|--------|
| ES0480 | J 31 | N344527. | W1115623. | 2675.2 |
|--------|------|----------|-----------|--------|

This position and the above vector components were computed without any knowledge by the National Geodetic Survey regarding the equipment or field operating procedures used.