## U.S DEPARTMENT OF HOMELAND SECURITY

## ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires February 28. 2009

Federal Emergency Management Agency

Important: Read the instructions on pages 1-8.

dera	I Emergency Managem al Flood Insurance Prog	ram	Important:	read the med			the second second second second	Committee of the Commit	
			SECT	ION A - PROPI	ERTY INFO	RMATIO	N	For Insurance Com	oany Use:
1. F	Building Owner's Name	JUSTIN HOLD	INGS, LLC a Wyon	ning Limited Liabi	lity Corp. Trus	stee V. Ste	ewart	Policy Number	
	Building Street Address	(including Apt	Unit, Suite, and/or E	3ldg. No.) or P.O.	Route and B	ox No.			
30 L	IVINGSTON LANE								
(		ate AZ ZIP Co			earintion etc	,			
ETE	Property Description (Lo ES & BOUNDS DESCR	ASSES	3011017111022111						
5. l 6. / 7. l 8.	Building Use (e.g., Resi Latitude/Longitude: Lat. Attach at least 2 photog Building Diagram Numb For a building with a cra a) Square footage of c b) No. of permanent fli	34°49'24"N Lographs of the build per 8 awl space or encorawl space	Iding if the Certificat closure(s), provide nclosure(s) the crawl space or	te is being used to	o obtain flood A9. Fo a) b)	or a buildin Square f No. of powalls will	ig with an attact footage of attact ermanent flood thin 1.0 foot abo	thed garage, provide: thed garage <u>n/:</u> openings in the attac ove adjacent grade <u>n</u>	<u>a</u> sq ft hed garage <u>/a</u>
	enclosure(s) walls v c) Total net area of flo	within 1.0 foot ab	ove adjacem grade	400 09				openings in A9.b <u>n/a</u>	<u>a</u> sqin
	c) Total fiet aloa of the	SEC1	TION B - FLOOD	INSURANCE R	ATE MAP (	(FIRM) IN	FORMATION	<u> </u>	
1.1	NFIP Community Name	& Community N		B2. County Nam YAVAPAI				B3. State ARIZONA	
	CORPORATED YAVAP  Map/Panel Number	B5. Suffix	B6. FIRM Index Date	Effective	IRM Panel /Revised Date /6/2001	e	B8. Flood Zone(s) Shaded X	B9. Base Flood E AO, use base 394	levation(s) (Zon flood depth) 2.0
	04025C1455  Indicate the source of t	F	6/6/2001			n Item B9.			
1.	Indicate elevation datu	m used for BFE	rier Resources Syst	NGVD 1929 [ tem (CBRS) area	NAVD 198	Protected	Area (OPA)?	□Yes	⊠No
1.	Indicate elevation datured in the building located in Designation Date	in a Coastal Bar 	rier Resources Syst	tem (CBRS) area ☐ CBRS	or Otherwise	Protected			MIN
12.	Is the building located Designation Date	in a Coastal Bar — SECTIO	ON C - BUILDING	CBRS) area	or Otherwise OPA  VFORMATION  Building	Protected ON (SUR	VEY REQUIF		
1. [	Is the building located Designation Date  Building elevations are to A new Elevation Certific Elevations – Zones A1-	SECTIO based on: cate will be required. A30, AE, AH, Abuilding diagram	ON C - BUILDING  Construction Drired when construct (with BFE), VE, V1-1 specified in Item A	tem (CBRS) area CBRS  ELEVATION II  rawings* tion of the building -V30, V (with BFE	or Otherwise OPA  NFORMATIO	Protected ON (SUR	VEY REQUIF	RED) ⊠ Finished Cons	truction
1. E	Is the building located Designation Date  Building elevations are to A new Elevation Certific Elevations – Zones A1-1 below according to the Control of the	SECTIO based on: cate will be requ A30, AE, AH, A building diagram	ON C - BUILDING  Construction Drired when construct (with BFE), VE, V1-1 specified in Item Apr. 3962 943	tem (CBRS) area CBRS  ELEVATION II  rawings* tion of the building  V30, V (with BFE  7.	or Otherwise OPA  NFORMATION Building to somplete. Somplete. AR, AR/A,	ON (SUR Under Con AR/AE, Al	VEY REQUIF struction* R/A1-A30, AR/	RED)  ☑ Finished Const  AH, AR/AO. Complet	truction
2. I	Is the building located Designation Date  Building elevations are to A new Elevation Certific Elevations – Zones A1-	SECTIO based on: cate will be requ A30, AE, AH, A building diagram	ON C - BUILDING  Construction Drired when construct (with BFE), VE, V1-1 specified in Item Apr. 3962 943	tem (CBRS) area CBRS  ELEVATION II  rawings* tion of the building  V30, V (with BFE  7.	or Otherwise OPA  NFORMATION Building to somplete. Somplete. AR, AR/A,	ON (SUR Under Con AR/AE, Al	VEY REQUIR estruction* R/A1-A30, AR/A	RED)  Sinished Constant  AH, AR/AO. Completement used.	truction
11. E	Building elevations are to the building elevation Certific Elevations – Zones A1-/below according to the to Benchmark Utilized 36: Conversion/Comments  Top of bottom floor (include)  Bottom of the lower to the tower to the tow	SECTIO based on: cate will be requ A30, AE, AH, A building diagram a Vertical Datun "RM 36A" PRO luding basement gher floor est horizontal stre	DN C - BUILDING  Construction Drired when construct (with BFE), VE, V1- specified in Item Am 3962.943  VIDED BY YAV. CO	tem (CBRS) area CBRS  ELEVATION II rawings* tion of the building V30, V (with BFE 7.  D. FLOOD CONT Inclosure floor) Zones only)	or Otherwise OPA  NFORMATIO Building I g is complete. AR, AR/A,  ROL  3943.6 3946.3 N/A. N/A.	ON (SUR Under Con AR/AE, Al Che	vey requirements of the measure meters (Puel	Finished Constant, AR/AO. Completed ament used.  Perto Rico only)	truction
2.	Building elevations are to the below according to the Benchmark Utilized 36: Conversion/Comments  Top of bottom floor (include) Top of the next high according to the lower according to the below according to the benchmark Utilized 36: Conversion/Comments  Top of bottom floor (include) Bottom of the lower according to th	SECTIO based on: cate will be requined A30, AE, AH, And building diagram a Vertical Datun "RM 36A" PRO duding basement gher floor est horizontal structor of slab) of machinery or estequipment in Co	DN C - BUILDING  Construction Drired when construct (with BFE), VE, VI- specified in Item Am 3962.943  VIDED BY YAV. Cont, crawl space, or er uctural member (Videquipment servicing mements)	tem (CBRS) area CBRS  ELEVATION II rawings* tion of the building V30, V (with BFE 7.  D. FLOOD CONT Inclosure floor) Zones only)	or Otherwise OPA  NFORMATIO Building I g is complete. ), AR, AR/A,  ROL  3943.6 3946.3 N/A. N/A. 3944.4	ON (SUR Under Con AR/AE, Al Che	vey requirements of the measure meters (Puell meters (Puel	Finished Constant Series RED)  AH, AR/AO. Complete Series Rico only)  arto Rico only)	truction e Items C2.a-g
2.	Building elevations are to the below according to the total Benchmark Utilized 36: Conversion/Comments  Top of bottom floor (include) Top of the next high according to the lowest elevation of the lo	SECTIO based on: cate will be requined as a Vertical Datum "RM 36A" PRO duding basement and the result of the resu	DN C - BUILDING  Construction Drired when construct (with BFE), VE, V1- a specified in Item A 3962.943  VIDED BY YAV. Co t, crawl space, or er uctural member (V 2 equipment servicing mments) LAG)	tem (CBRS) area CBRS  ELEVATION II rawings* tion of the building V30, V (with BFE 7.  D. FLOOD CONT Inclosure floor) Zones only)	or Otherwise OPA  NFORMATIO Building I g is complete. ), AR, AR/A,  ROL  3943.6 3946.3 N/A. N/A.	Check feet feet feet	vey requirements of the measure of the measure of the measure of the measure of the meters (Puer of the me	Finished Constant Series RED)  AH, AR/AO. Complete Series Rico only)  arto Rico only)	truction e Items C2.a-g
2.	Is the building located Designation Date  Building elevations are to A new Elevation Certific Elevations – Zones A1-/below according to the to Benchmark Utilized 36: Conversion/Comments  Top of bottom floor (include) Top of the next high according to the lower of the lower displayed attached garage (to Lowest elevation of Conversion to Conversion of the lower displayed attached garage (to Lowest elevation of Conversion to Conversion	SECTIO based on: cate will be requ A30, AE, AH, A building diagram a Vertical Datun "RM 36A" PRO duding basement gher floor est horizontal strutop of slab) of machinery or e equipment in Co finished) grade ( (finished) grade (	DN C - BUILDING  Construction Drired when construct (with BFE), VE, V1- specified in Item Am 3962.943  VIDED BY YAV. Cont, crawl space, or er uctural member (V 2) equipment servicing mments) LAG) (HAG)	tem (CBRS) area CBRS  ELEVATION II rawings* tion of the building V30, V (with BFE 7.  O. FLOOD CONT inclosure floor) Zones only) If the building	or Otherwise OPA  NFORMATIC Building I is complete. AR, AR/A,  ROL  3943.6 3946.3 N/A. N/A. 3944.4 3943.5 3945.4	Check feet feet feet feet	vey requirements of the measure of the measure of the measure of the measure of the meters (Puellon of the meters	Finished Consider AH, AR/AO. Complete AH, AR/AO. Completers (Puerto AH, AR/AO. Complet	truction e Items C2.a-g
2.	Is the building located Designation Date  Building elevations are to A new Elevation Certific Elevations – Zones A1-Jobelow according to the to Benchmark Utilized 36: Conversion/Comments  Top of bottom floor (include) Top of the next hig color bottom of the lowed Attached garage (to Lowest elevation of (Describe type of the Lowest adjacent (to Describe type of to	SECTIO based on: cate will be requ A30, AE, AH, A building diagram a Vertical Datun "RM 36A" PRO duding basement gher floor est horizontal strutop of slab) of machinery or e equipment in Co finished) grade ( (finished) grade (	DN C - BUILDING  Construction Drired when construct (with BFE), VE, V1- specified in Item Am 3962.943  VIDED BY YAV. Construction of the construct (with Graph of the Construction of the	tem (CBRS) area CBRS  ELEVATION II rawings* tion of the building V30, V (with BFE 7.  D. FLOOD CONT inclosure floor) Zones only) the building	or Otherwise OPA  NFORMATIC Building I is complete. AR, AR/A,  ROL  3943.6 3946.3 N/A. N/A. 3944.4 3943.5 3945.4  R, OR ARC	Check feet feet feet feet	VEY REQUIR  Instruction*  R/A1-A30, AR/A  Inck the measure  In meters (Puell  In met	Finished Consider AH, AR/AO. Complete AH, AR/AO. Completers (Puerto AH, AR/AO. Complet	truction e Items C2.a-g
Thi info	Building elevations are to the serior of bottom floor (Inc.)  Bottom of the lower of the lower of the lowest elevation of the lower of	SECTIO based on: cate will be requivation of slab) of machinery or equipment in Cofinished) grade (finished)	DN C - BUILDING  Construction Drired when construct (with BFE), VE, V1- specified in Item A 3962.943  VIDED BY YAV. CO  t, crawl space, or er uctural member (V 2 equipment servicing mments) LAG) (HAG)  ION D - SURVEY on this Certificate re the punishable by fi	tem (CBRS) area  CBRS  ELEVATION II  rawings* tion of the building V30, V (with BFE 7.  O. FLOOD CONT  nclosure floor) Zones only) the building  OR, ENGINEE or, engineer, or are	or Otherwise OPA  NFORMATIO Building I g is complete. AR, AR/A,  ROL  3943.6 3946.3 N/A. N/A. 3944.4 3943.5 3945.4  R, OR ARC Chitect author	Cher   Geet   Ge	ck the measure meters (Pue	Finished Constant, AR/AO. Completed ament used.  Serto Rico only) Sertor Rico only) Sertor Rico only) Sertor Rico only Sertor	truction e Items C2.a-g
This info	Building elevations are to the Anew Elevation Certification is to be sormation. I certify that tanderstand that any false Check here if comments.	SECTIO based on: cate will be requivaded and sealed and sealed the information of estatement may ents are provided  SECTIO based on: cate will be requivaled and sealed the information of estatement may ents are provided	DN C - BUILDING  Construction Drired when construct (with BFE), VE, V1- specified in Item A 3962.943  VIDED BY YAV. CO  t, crawl space, or er uctural member (V 2 equipment servicing mments) LAG) (HAG)  ION D - SURVEY on this Certificate re the punishable by fi	tem (CBRS) area  CBRS  ELEVATION II  rawings* tion of the building V30, V (with BFE 7.  O. FLOOD CONT  nclosure floor) Zones only) the building  OR, ENGINEE or, engineer, or are	or Otherwise OPA  NFORMATIO Building I g is complete. AR, AR/A,  ROL  3943.6 3946.3 N/A. N/A. 3944.4 3943.5 3945.4  R, OR ARC chitect author efforts to integer under 18 6	Cher  Cher  Geet  Geet  Geet  HITECT  Cized by laverpret the Cours. Code,	struction*  R/A1-A30, AR/A  ck the measure meters (Pue deet me	Finished Constant, AR/AO. Completed ament used.  Serto Rico only) Sertor Rico only) Sertor Rico only) Sertor Rico only Sertor	truction e Items C2.a-g
Thi info	Building elevations are to the serior of bottom floor (Inc.)  Bottom of the lower of the lower of the lowest elevation of the lower of	SECTIO based on: cate will be requivaded and sealed and sealed the information of estatement may ents are provided  SECTIO based on: cate will be requivaled and sealed the information of estatement may ents are provided	DN C - BUILDING  Construction Drired when construct (with BFE), VE, V1- specified in Item Am 3962.943  VIDED BY YAV. CO  t, crawl space, or er uctural member (V 2) equipment servicing mments) LAG) (HAG)  ION D - SURVEY on this Certificate reper be punishable by front back of form.	tem (CBRS) area  CBRS  ELEVATION II  rawings* tion of the building  V30, V (with BFE  7.  O. FLOOD CONT  nclosure floor)  Zones only)  y the building  YOR, ENGINEE  or, engineer, or are presents my best fine or imprisonme	or Otherwise OPA  NFORMATIO Building Ig is complete. AR, AR/A,  ROL  3943.6 3946.3 N/A. N/A. 3944.4 3943.5 3945.4  R, OR ARC Chitect author efforts to integer author 18 in the cent under 18 in the c	Cher Seet Seet Seet Seet Seet Seet Seet Se	ck the measure meters (Pue met	Finished Constant, AR/AO. Completed ament used.  Serto Rico only) Sertor Rico only) Sertor Rico only) Sertor Rico only Sertor	truction e Items C2.a-g
This info	Building elevations are to the Anew Elevation Certification is to be sormation. I certify that tanderstand that any false Check here if comments.	SECTIO based on: cate will be requivaded and sealed and sealed the information of estatement may ents are provided  SECTIO based on: cate will be requivaled and sealed the information of estatement may ents are provided	DN C - BUILDING  Construction Drired when construct (with BFE), VE, V1- a specified in Item Am 3962.943  VIDED BY YAV. Cont, crawl space, or er uctural member (V in equipment servicing member)  LAG)  (HAG)  ION D - SURVEY on this Certificate report on back of form.	tem (CBRS) area  CBRS  ELEVATION II  rawings* tion of the building  V30, V (with BFE  7.  O. FLOOD CONT  nclosure floor)  Zones only) the building  YOR, ENGINEE or, engineer, or are presents my best line or imprisonme	or Otherwise OPA  NFORMATIO Building Ig is complete. AR,	Check	vey requirements of the measure of the measure of the measure of the meters (Puell of the measure of the meters (Puell of the meters (Puel	Finished Constant, AR/AO. Completed ament used.  Serto Rico only) Sertor Rico only) Sertor Rico only) Sertor Rico only Sertor	truction e Items C2.a-g
Thin info I un	Is the building located Designation Date  Building elevations are to the total Elevations – Zones A1-/ below according to the total Elevations – Zones A1-/ below according to the total Elevations – Zones A1-/ below according to the total Elevations – Zones A1-/ below according to the total Elevations (Conversion/Comments  Top of bottom floor (inclication) of the next high according to the lowest of the lowest elevation of (Describe type of the total Elevation of the lowest adjacent (Fig. 1) and the solution of the lowest adjacent (Fig. 2) Highest adjacent (Fig. 2) Elevation is to be solutions of the lowest adjacent (Fig. 3) Elevation is to be solutions of the lowest adjacent (Fig. 3) Elevation is to be solutions of the lowest adjacent (Fig. 3) Elevations of the lowest adjacent (Fig. 4) El	SECTIO based on: cate will be requivaded and sealed and sealed the information of estatement may ents are provided  SECTIO based on: cate will be requivaled and sealed the information of estatement may ents are provided	DN C - BUILDING  Construction Drired when construct (with BFE), VE, V1- a specified in Item Am 3962.943  VIDED BY YAV. Cont, crawl space, or er uctural member (V in equipment servicing member)  LAG)  (HAG)  ION D - SURVEY on this Certificate report on back of form.	tem (CBRS) area  CBRS  ELEVATION II  rawings* tion of the building.  V30, V (with BFE.  7.  O. FLOOD CONT  nclosure floor).  Zones only)  the building  'OR, ENGINEE  or, engineer, or are presents my best line or imprisonme.  Name CORNER	or Otherwise OPA  NFORMATIO Building Ig is complete. AR, AR/A,  ROL  3943.6 3946.3 N/A. N/A. 3944.4 3943.5 3945.4  R, OR ARC Chitect author efforts to integer author 18 in the cent under 18 in the c	Cher  Cher  Cher  Geet  Geet  Geet  HITECT  Gized by laverpret the Cours. Code,  When the course of	ck the measure meters (Pue met	Finished Constant, AR/AO. Completed ament used.  Serto Rico only) Sertor Rico only) Sertor Rico only) Sertor Rico only Sertor	truction e Items C2.a-g

					Company Use:
IMPORTANT: In these spaces, cor	by the responding info	rmation from Se	ction A.		nsurance Company Use:
Building Street Address (including Apt., U 180 LIVINGSTON LANE	nit, Suite, and/or Bldg. No.) or			nte Villaciati	pany NAIC Number
City SEDONA State AZ ZIP Code 863	336	08-31-	005B		
SECTION D	- SURVEYOR, ENGINEER	, OR ARCHITEC	T CERTIFICAT	ION (CONTINU	ED)
		Singurance agent/c	company and (3)	building owner.	
Copy both sides of this Elevation Certification Comments HOUSE IS WOOD CONSTR OF THE ADJACENT GRADE. GARAGE/ MACHINERY SERVICING THE HOUSE	RUCTION ON BLOCK FOUND	DEBOM HOUSE	AL OI MOL. 10 0	F THE 34 FLOOL	O VENTS ARE WITHIN 1 FOOT
Signature Kolv. Bullet	K TIL	Date 4/1			Check here if attachments
SECTION E - BUILDING ELEVA	TION INFORMATION (SU	RVEY NOT REQU	UIRED) FOR ZO	ONE AO AND Z	ONE A (WITHOUT BFE)
For Zones AO and A (without BFE), com	TION INFORMATION (OC.				est complete Sections A. B.
<ul> <li>E1. Provide elevation information for th grade (HAG) and the lowest adjace a) Top of bottom floor (including bab) Top of bottom floor (including bab) Top of bottom floor (including bac)</li> <li>E2. For Building Diagrams 6-8 with per (elevation C2.b in the diagrams) of</li> <li>E3. Attached garage (top of slab) is</li> <li>E4. Top of platform of machinery and/or</li> </ul>	the following and check the apprent grade (LAG).  asement, crawl space, or enclousement, crawl space, or enclousement flood openings provides the building is	sure) is sure) is ed in Section A Item feet	ow whether the el	meters above meters above meters above page 8 of Instructional below the HAGAG.	or below the highest adjacent e or □ below the HAG. e or □ below the LAG. ctions), the next higher floor i. r □ below the HAG.
					TION
SECTION F	- PROPERTY OWNER (O	R OWNER'S RE	PRESENTATIV	E) CERTIFICA	and as community-issued BFE)
The property owner or owner's authorize or Zone AO must sign here. The statem		s Sections A. B. ar	nd E for Zone A (V	vitnout a FEIVIA-IS	saled of community located 2.4.2,
Property Owner's or Owner's Authorized	Representative's Name				
Address		City		State	ZIP Code
Signature		Date		Telephone	
Comments					
Commence					Check here if attachment
	SECTION G - COMM	LINITY INFORMA	ATION (OPTION	NAL)	
is authorized by law to certify e	or ordinance to administer the plete the applicable item(s) and as taken from other document levation information. (Indicate	e community's flood I sign below. Check ation that has been the source and dat ed in Zone A (witho	Iplain management It the measurement Is signed and seale It to of the elevation It a FEMA-issued	nt used in Items of the second	urveyor, engineer, or architect with ments area below.)
	is G4G9.) is provided for com	munity floodplain n			
G3. The following information (Item G4. Permit Number	G5. Date Permit Issued		G6. Date Certifi	cate Of Compliar	nce/Occupancy Issued
G7. This permit has been issued for: G8. Elevation of as-built lowest floor (inc G9. BFE or (in Zone AO) depth of floodir	luding basement) of the building		feet meters		
Local Official's Name		Title		-11/1	NO
Community Name		Tele	ephone		1 104
Signature		Dati		11/1/2	4 23 08
Comments					
					Check here if attachme

## Building Photographs Continuation Page


For Insurance Company Use Policy Number

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.


40031-0053

Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below Identify approtographs with date taken, "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View"







## **Building Photographs**

See Instructions for Item A6.

For Insurance Company Use Policy Number


Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.

LANE biving ston

408-31-0050

Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View" and if required Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page following



WEW VIEW



FRONT VIEW

