## U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

## **ELEVATION CERTIFICATE**

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008

Expiration Date: July 31, 2015

	FOR INSURANCE COMPANY USE			
A1. Building Owner's Nam	e HAPPY STATE BANK			Policy Number:
A2. Building Street Addres 16925 E ROADRUNNER R	ss (including Apt., Unit, Suite, and/oRD	or Bldg. No.) or P.O. Route and	d Box No.	Company NAIC Number:
City MAYER		State AZ ZIP	Code 86333	
A3. Property Description (I ASSESSOR'S PARCEL NU	Lot and Block Numbers, Tax Parce JMBER 500-05-096 , Spring	el Number, Legal Description, e		
<ul> <li>A5. Latitude/Longitude: La</li> <li>A6. Attach at least 2 photo</li> <li>A7. Building Diagram Num</li> <li>A8. For a building with a cr</li> <li>a) Square footage of c</li> <li>b) Number of permaner</li> </ul>	rawlspace or enclosure(s): crawlspace or enclosure(s) ent flood openings in the crawlspac hin 1.0 foot above adjacent grade bod openings in A8.b	cate is being used to obtain floo A9.	Horizontal Datur od insurance.  For a building with an atta a) Square footage of att	ached garage NAO sq ft t flood openings in the attached garage adjacent grade NAO d openings in A9.b NAO sq in
	SECTION B - FLOO	D INSURANCE RATE MAI	P (FIRM) INFORMATIO	N
B1. NFIP Community Name YAVAPAI COUNTY & 0400		B2. County Name YAVAPAI, uninco	orporated Area	B3. State AZ
B4. Map/Panel Number 04025C2860	B5. Suffix B6. FIRM Index SEP. 3, 201		Date Zone(s)	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 3952.1'
	m used for BFE in Item B9: ☐ NG in a Coastal Barrier Resources Sys —	8 배경 1명 2016 - [ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [	988	Yes No
	SECTION C - BUILDING	G ELEVATION INFORMAT	TION (SURVEY REQUI	RED)
C2. Elevations – Zones A1– below according to the b Benchmark Utilized: <u>ERI</u> Indicate elevation datum	pased on: Construction Ecate will be required when construct A30, AE, AH, A (with BFE), VE, V1 building diagram specified in Item AM: 76-2 are used for the elevations in items a)	Drawings* ☐ Building is complete 1–V30, V (with BFE), AR, AR/A 17. In Puerto Rico only, enter m  Vertical Datum: NAVD88 1) through h) below. ☐ NGVD	g Under Construction* e. a, AR/AE, AR/A1–A30, AR neters.	
*A new Elevation Certific 22. Elevations – Zones A1–, below according to the b Benchmark Utilized: ERI Indicate elevation datum	pased on: Construction Ecate will be required when construction A30, AE, AH, A (with BFE), VE, V1 building diagram specified in Item AM: 76-2	Drawings* ☐ Building is complete 1–V30, V (with BFE), AR, AR/A 17. In Puerto Rico only, enter m  Vertical Datum: NAVD88 1) through h) below. ☐ NGVD	g Under Construction* e. A, AR/AE, AR/A1–A30, AR neters. B 1929 ⊠ NAVD 1988 □ 0	
*A new Elevation Certific  Elevations – Zones A1– below according to the b Benchmark Utilized: ERI Indicate elevation datum Datum used for building  a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top e) Lowest elevation of m (Describe type of equi	cased on: Construction Ecate will be required when construct A30, AE, AH, A (with BFE), VE, V1 coulding diagram specified in Item AM: 76-2 nused for the elevations in items a) elevations must be the same as the including basement, crawlspace, or a floor norizontal structural member (V Zorof slab) achinery or equipment servicing the ipment and location in Comments)	Drawings*	g Under Construction* e. A, AR/AE, AR/A1–A30, AR neters. B 1929 ⊠ NAVD 1988 □ 0	☑ Finished Construction  /AH, AR/AO. Complete Items C2.a-h  Other/Source:
*A new Elevation Certific 22. Elevations – Zones A1– below according to the b Benchmark Utilized: ERI Indicate elevation datum Datum used for building  a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top e) Lowest elevation of m (Describe type of equi f) Lowest adjacent (finis g) Highest adjacent (finis	cased on: Construction Ecate will be required when construct A30, AE, AH, A (with BFE), VE, V1 building diagram specified in Item AM: 76-2 are used for the elevations in items all elevations must be the same as the including basement, crawlspace, or a floor horizontal structural member (V Zorof slab) archinery or equipment servicing the ipment and location in Comments) shed) grade next to building (LAG) shed) grade next to building (HAG)	Drawings* ☐ Building is complete l–V30, V (with BFE), AR, AR/A lar. In Puerto Rico only, enter metrical Datum: NAVD88 lat used for the BFE.  enclosure floor)  nes only)	g Under Construction*  3. AR/AE, AR/A1–A30, AR neters.  3. 1929 ☑ NAVD 1988 ☐ Chec	□ Finished Construction  /AH, AR/AO. Complete Items C2.a-h  Other/Source:  k the measurement used.    feet
*A new Elevation Certific 22. Elevations – Zones A1– below according to the b Benchmark Utilized: ERI Indicate elevation datum Datum used for building  a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top e) Lowest elevation of m (Describe type of equi f) Lowest adjacent (finis g) Highest adjacent (finis	pased on:  Construction Exate will be required when construct A30, AE, AH, A (with BFE), VE, V1 puilding diagram specified in Item AM: 76-2 noused for the elevations in items a) elevations must be the same as the including basement, crawlspace, or a floor norizontal structural member (V Zorof slab) archinery or equipment servicing the ipment and location in Comments) shed) grade next to building (LAG) shed) grade next to building (HAG) e at lowest elevation of deck or states.	Drawings*	g Under Construction*  a, AR/AE, AR/A1–A30, AR neters.  3 1929 ☑ NAVD 1988 ☐ Checc.  3947.7 3948.7 N/A	Finished Construction  /AH, AR/AO. Complete Items C2.a-h  Other/Source:  k the measurement used.    feet
*A new Elevation Certific 22. Elevations – Zones A1–, below according to the b Benchmark Utilized: <u>ERI</u> Indicate elevation datum Datum used for building a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top e) Lowest elevation of m (Describe type of equi f) Lowest adjacent (finis g) Highest adjacent grade	cate will be required when construct A30, AE, AH, A (with BFE), VE, V1 building diagram specified in Item A M: 76-2 In used for the elevations in items a) elevations must be the same as the cluding basement, crawlspace, or a floor increase and control of slab) in the control of slab in the control	Drawings*	g Under Construction*  2.  3. AR/AE, AR/A1–A30, AR neters.  3.  1929  NAVD 1988  Chec  3947.7  3948.7  N/A.  N/A.  3950.4  3946.9  3947.0  HITECT CERTIFICATIO	Finished Construction  /AH, AR/AO. Complete Items C2.a-h  Other/Source:  k the measurement used.    feet
*A new Elevation Certific 2. Elevations – Zones A1– below according to the b Benchmark Utilized: ERI Indicate elevation datum Datum used for building  a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top e) Lowest elevation of m (Describe type of equi f) Lowest adjacent (finis g) Highest adjacent grade This certification is to be signiformation. I certify that the I understand that any false s	cate will be required when construct A30, AE, AH, A (with BFE), VE, V1 building diagram specified in Item AM: 76-2 in used for the elevations in items a) elevations must be the same as the including basement, crawlspace, or infloor increase and increas	Drawings*	g Under Construction*  2.  3. AR/AE, AR/A1–A30, AR neters.  3.  1929 ☑ NAVD 1988 ☐ Chec 3947.7 3948.7 N/A	Finished Construction  /AH, AR/AO. Complete Items C2.a-h  Other/Source:  k the measurement used.    feet
*A new Elevation Certific 2. Elevations – Zones A1– below according to the below according	cased on:  Construction Exacte will be required when construct A30, AE, AH, A (with BFE), VE, V1 building diagram specified in Item AM: 76-2 In used for the elevations in items a) elevations must be the same as the including basement, crawlspace, or infloor incrizontal structural member (V Zorof slab) in the interval of slab) in the interval of slab interval	Drawings*	g Under Construction*  2.  3. AR/AE, AR/A1—A30, AR neters.  3.  1929 ☑ NAVD 1988 ☐ Chec  3947.7 3948.7 N/A	Finished Construction  /AH, AR/AO. Complete Items C2.a-h  Other/Source:  k the measurement used.    feet
*A new Elevation Certific 2. Elevations – Zones A1– below according to the below according	cate will be required when construct A30, AE, AH, A (with BFE), VE, V1 building diagram specified in Item AM: 76-2 in used for the elevations in items a) elevations must be the same as the cluding basement, crawlspace, or a floor increase and continuous and con	Drawings*	g Under Construction*  A, AR/AE, AR/A1–A30, AR neters.  1929 NAVD 1988 Chec  3947.7 3948.7 N/A. N/A. 3950.4 3946.9 3948.3 t 3947.0  HITECT CERTIFICATION zed by law to certify elevation and the control of the control	Finished Construction  /AH, AR/AO. Complete Items C2.a-h  Other/Source:  k the measurement used.    feet

FEMA Form 086-0-33 (7/12)

Signature

See reverse side for continuation.

Telephone 928-772-4716

Date OCT. 7, 2013

Replaces all previous editions.

	s, copy the corresponding inf	ormation from Se	ection A.		FOR IN	ISURANCE COMPANY USE
Building Street Address (including A 16925 E ROADRUNNER ROAD	Apt., Unit, Suite, and/or Bldg. No.) o	or P.O. Route and Bo	ox No.		Policy I	Number:
City MAYER		State AZ ZIF	Code 86	333	Compa	ny NAIC Number:
SECTION	ON D – SURVEYOR, ENGINE	R, OR ARCHITE	CT CERT	IFICATION (C	ONTIN	UED)
Copy both sides of this Elevation Co	ertificate for (1) community official,	(2) insurance agent/	company,	and (3) building	owner.	
Comments C2e) ELECTRIC MET	er BOX where on	bui ldino	13	North etc.	Sa	ntn, east, we
Signature	11/6	Date OC	T. 7, 2013			9
SECTION E - BUILDING EI	LEVATION INFORMATION (S	URVEY NOT REC	(UIRED)	OR ZONE AC	O AND Z	ONE A (WITHOUT BFE)
<ul> <li>b) Top of bottom floor (including E2.</li> <li>For Building Diagrams 6–9 with (elevation C2.b in the diagramge)</li> <li>Attached garage (top of slab)</li> <li>Top of platform of machinery at Zone AO only: If no flood dep</li> </ul>	al grade, if available. Check the me for the following and check the appadjacent grade (LAG).  In glasement, crawlspace, or encloring basement, crawlspace, or encloring basement flood openings provious) of the building is feet rand/or equipment servicing the building the first parallel from the first provious of the building is feet rand/or equipment servicing the building the first provious floor equipment servicing the building the first provious floor equipment servicing the building the first provious floor equipment servicing the floor equipme	easurement used. In propriate boxes to show the sure) is  ded in Section A Iten feet meter meters above or Iding is  If the bottom floor election propriets fine to store the section floor election or show the section floor election floor electi	Puerto Ricow whether from 8 and/o s abo feet evated in a	co only, enter meet the elevation is eet meters eet meters? 9 (see pages 8 we or below with HAG. ecordance with the HAG.	eters. s above of above or above or	or below the highest adjacent e or ☐ below the HAG. e or ☐ below the LAG. tructions), the next higher floor ☐ below the HAG.
	ON F – PROPERTY OWNER (				TIFICAT	TION
The property owner or owner's author or Zone AO must sign here. The sta Property Owner's or Owner's Author	tements in Sections A, B, and E ar				EMA-iss	ued or community-issued BFE)
Address		City		State		ZIP Code
ignature		Date		Telep	hono	
		Date		Теюр		
Comments						
						Check here if attachmen
	SECTION G - COMM	UNITY INFORMA	TION (OI	PTIONAL)		
e local official who is authorized by la this Elevation Certificate. Complete t						
.   The information in Section 0	C was taken from other documenta fy elevation information. (Indicate t	tion that has been si	gned and	sealed by a licer	sed surv	eyor, engineer, or architect who
	eted Section E for a building located					
The fellowing information (9)	tems G4-G10) is provided for comi	munity floodolain ma	nagement	purposes.		
. L. The following information (It		numity moodplain ma				
	G5. Date Permit Issued			Certificate Of Co	mpliance	Occupancy Issued
64. Permit Number  7. This permit has been issued for: 8. Elevation of as-built lowest floor 9. BFE or (in Zone AO) depth of flo	☐ New Construction ☐ (including basement) of the buildin oding at the building site:	Substantial Improv	66. Date (	meters meters meters	Datum	
4. Permit Number  This permit has been issued for: Elevation of as-built lowest floor BFE or (in Zone AO) depth of flo Community's design flood elevat	☐ New Construction ☐ (including basement) of the buildin oding at the building site:	Substantial Improv	ement feet	☐ meters	Datum Datum	
4. Permit Number  This permit has been issued for: Elevation of as-built lowest floor BFE or (in Zone AO) depth of flo Community's design flood elevat	☐ New Construction ☐ (including basement) of the buildin oding at the building site:	Substantial Improv	verment feet feet feet	☐ meters	Datum Datum	
64. Permit Number  7. This permit has been issued for: 8. Elevation of as-built lowest floor 9. BFE or (in Zone AO) depth of flo 10. Community's design flood elevate 10. Official's Name 15. Sommunity Name	☐ New Construction ☐ (including basement) of the buildin oding at the building site:	Substantial Improv	verment feet feet feet	☐ meters	Datum Datum	
The following information (Its.)  This permit has been issued for:  Elevation of as-built lowest floor  BFE or (in Zone AO) depth of flo  Community's design flood elevate  Cocal Official's Name  Community Name  Community Name	☐ New Construction ☐ (including basement) of the buildin oding at the building site:	Substantial Improvg:  Title	verment feet feet feet	☐ meters	Datum Datum	

## **ELEVATION CERTIFICATE**, page 3

## **Building Photographs**

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.

Policy Number:

City MAYER

16925 E ROADRUNNER RD

State AZ

ZIP Code 86333

Company NAIC Number:

FOR INSURANCE COMPANY USE

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



